

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040518\
 Data File : BG033600.D
 Acq On : 5 Apr 2018 19:49
 Operator : SJ/JU
 Sample : J2265-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PF-2

Quant Time: Apr 06 03:43:27 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 05 17:36:07 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.87	152	28697	20.00	ng	0.00
21) Naphthalene-d8	11.74	136	142133	20.00	ng	0.00
38) Acenaphthene-d10	15.48	164	114391	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	291607	20.00	ng	0.00
75) Chrysene-d12	22.56	240	285279	20.00	ng	0.00
86) Perylene-d12	26.31	264	295400	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.29	112	223535	146.06	ng	0.00
7) Phenol-d6	7.97	99	358421	136.30	ng	0.00
23) Nitrobenzene-d5	10.06	82	227186	73.44	ng	0.00
41) 2,4,6-Tribromophenol	16.95	330	177162	103.55	ng	0.00
44) 2-Fluorobiphenyl	14.11	172	533808	67.37	ng	0.00
78) Terphenyl-d14	20.73	244	913349	68.47	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.89	163	48322	4.854	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040518\
Data File : BG033600.D
Acq On : 5 Apr 2018 19:49
Operator : SJ/JU
Sample : J2265-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PF-2

Quant Time: Apr 06 03:43:27 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 05 17:36:07 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.87 min Scan# 949
Delta R.T. 0.00 min
Lab File: BG033600.D
Acq: 5 Apr 2018 19:49

Instrument :
BNA_G
ClientSampleId :
PF-2

Tot Ion	152	Resp	28697
Ion Ratio	Lower	Upper	
152	100		
150	138.6	126.6	189.8
115	57.6	53.0	79.4




Abundance



Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E




Time-->



#5

2-Fluorophenol
Concen: 146.062 ng
RT: 6.29 min Scan# 510
Delta R.T. -0.00 min
Lab File: BG033600.D
Acq: 5 Apr 2018 19:49

Tgt Ion	112	Resp	223535
Ion Ratio	Lower	Upper	
112	100		
64	74.5	56.3	84.5
63	40.5	30.1	45.1




Abundance


Ion 112.00 (111.70 to 112.70): E


Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC



Time-->





#7

Phenol-d6

Concen: 136.305 ng

RT: 7.97 min Scan# 797

Delta R.T. 0.00 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49

Instrument :

BNA_G

ClientSampleId :

PF-2


Tot Ion: 99 Resp: 358421

Ion Ratio Lower Upper




99 100

42 22.9 14.1 21.1#

71 41.5 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.74 min Scan# 1438

Delta R.T. -0.00 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49

Tgt Ion: 136 Resp: 142133


Ion Ratio Lower Upper

136 100



137 10.6 9.2 13.8


54 12.0 10.3 15.5

68 5.9 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 73.437 ng
 RT: 10.06 min Scan# 1152
 Delta R.T. -0.00 min
 Lab File: BG033600.D
 Acq: 5 Apr 2018 19:49




Instrument :
 BNA_G
 ClientSampleId :
 PF-2


Tot Ion: 82 Resp: 227186
 Ion Ratio Lower Upper
 82 100
 128 36.1 29.7 44.5
 54 56.8 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.48 min Scan# 2074
 Delta R.T. -0.00 min
 Lab File: BG033600.D
 Acq: 5 Apr 2018 19:49

Tgt Ion: 164 Resp: 114391
 Ion Ratio Lower Upper
 164 100
 162 99.0 78.8 118.2
 160 46.0 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 103.552 ng
 RT: 16.95 min Scan# 2325
 Delta R.T. -0.00 min
 Lab File: BG033600.D
 Acq: 5 Apr 2018 19:49

Instrument :
 BNA_G
 ClientSampleId :
 PF-2

Tot Ion:330 Resp: 177162
 Ion Ratio Lower Upper
 330 100
 332 93.7 77.0 115.6
 141 38.5 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.368 ng
 RT: 14.11 min Scan# 1841
 Delta R.T. 0.00 min
 Lab File: BG033600.D
 Acq: 5 Apr 2018 19:49

Tgt Ion:172 Resp: 533808
 Ion Ratio Lower Upper
 172 100
 171 36.1 30.0 45.0
 170 25.0 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.854 ng

RT: 14.89 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49

Instrument :

BNA_G

ClientSampleId :

PF-2


Tot Ion:163 Resp: 48322

Ion Ratio Lower Upper

163 100

194 3.4 3.4 5.2#




164 8.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2539

Delta R.T. -0.00 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49


Tgt Ion:188 Resp: 291607

Ion Ratio Lower Upper

188 100

94 7.0 6.9 10.3



80 8.2 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.56 min Scan# 3279

Delta R.T. -0.00 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49

Instrument :

BNA_G

ClientSampleId :

PF-2


Tot Ion:240 Resp: 285279

Ion Ratio Lower Upper

240 100

120 6.5 6.8 10.2#




236 26.1 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 68.470 ng

RT: 20.73 min Scan# 2968

Delta R.T. 0.00 min

Lab File: BG033600.D

Acq: 5 Apr 2018 19:49


Tgt Ion:244 Resp: 913349

Ion Ratio Lower Upper

244 100

212 7.9 5.8 8.8



122 6.6 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 26.31 min Scan# 3918
 Delta R.T. -0.01 min
 Lab File: BG033600.D
 Acq: 5 Apr 2018 19:49

Instrument :
 BNA_G
 ClientSampleId :
 PF-2

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	17.4	26.0
265	19.7	17.7	26.5

