

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040617\
 Data File : BG026590.D
 Acq On : 7 Apr 2017 7:13
 Operator : SJ/MA
 Sample : I2574-06
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B45-S1(0-2)

Quant Time: Apr 07 07:47:56 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 20 17:43:27 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	163883	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	662602	20.00	ng	-0.01
38) Acenaphthene-d10	14.65	164	390638	20.00	ng	-0.01
63) Phenanthrene-d10	17.38	188	958335	20.00	ng	-0.01
75) Chrysene-d12	21.63	240	1113613	20.00	ng	-0.01
86) Perylene-d12	24.80	264	1070861	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	975318	105.63	ng	0.00
7) Phenol-d6	7.20	99	1286610	103.79	ng	0.00
23) Nitrobenzene-d5	9.20	82	682003	61.89	ng	0.00
41) 2,4,6-Tribromophenol	16.13	330	534253	119.43	ng	-0.01
44) 2-Fluorobiphenyl	13.28	172	1741244	62.51	ng	0.00
78) Terphenyl-d14	19.97	244	2317359	50.54	ng	-0.01
Target Compounds						
10) Phenol	7.23	94	75153	5.68	ng	Qvalue # 74
49) Dimethylphthalate	14.09	163	379815	12.88	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040617\
Data File : BG026590.D
Acq On : 7 Apr 2017 7:13
Operator : SJ/MA
Sample : I2574-06
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B45-S1(0-2)

Quant Time: Apr 07 07:47:56 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 20 17:43:27 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.04 min Scan# 843

Delta R.T. -0.01 min

Lab File: BG026590.D

Acq: 7 Apr 2017 7:13

Instrument :

BNA_G

ClientSampleId :

B45-S1(0-2)


Tot Ion:152 Resp: 163883

Ion Ratio Lower Upper

152 100

150 154.2 114.0 171.0




115 52.1 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 105.63 ng

RT: 5.62 min Scan# 430

Delta R.T. 0.00 min

Lab File: BG026590.D

Acq: 7 Apr 2017 7:13


Tgt Ion:112 Resp: 975318

Ion Ratio Lower Upper

112 100

64 53.3 61.8 92.6#



63 26.2 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 103.79 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.01 min

Lab File: BG026590.D

Acq: 7 Apr 2017 7:13

Instrument :





BNA_G

ClientSampleId :

B45-S1(0-2)

Tot Ion: 99 Resp: 1286610

Ion	Ratio	Lower	Upper
99	100		
42	11.0	20.5	30.7#
71	26.6	37.6	56.4#



#10

Phenol

Concen: 5.68 ng

RT: 7.23 min Scan# 705




Delta R.T. -0.01 min


Lab File: BG026590.D

Acq: 7 Apr 2017 7:13

Tgt Ion: 94 Resp: 75153

Ion	Ratio	Lower	Upper
94	100		
65	27.7	20.6	60.6
66	33.5	35.5	75.5#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.84 min Scan# 1319
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13




Instrument :
BNA_G
ClientSampleId :
B45-S1(0-2)


Tot Ion:136 Resp: 662602
Ion Ratio Lower Upper
136 100
137 11.8 8.9 13.3
54 6.3 9.3 13.9#
68 5.9 5.1 7.7



#23
Nitrobenzene-d5
Concen: 61.89 ng
RT: 9.20 min Scan# 1040
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13

Tgt Ion: 82 Resp: 682003
Ion Ratio Lower Upper
82 100
128 51.9 26.4 39.6#
54 40.7 49.4 74.2#





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.65 min Scan# 1967

Delta R.T. -0.01 min

Lab File: BG026590.D

Acq: 7 Apr 2017 7:13

Instrument :

BNA_G

ClientSampleId :

B45-S1(0-2)


Tot Ion:164 Resp: 390638

Ion Ratio Lower Upper

164 100

162 102.2 85.1 127.7




160 45.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 119.43 ng

RT: 16.13 min Scan# 2219

Delta R.T. -0.01 min

Lab File: BG026590.D

Acq: 7 Apr 2017 7:13


Tgt Ion:330 Resp: 534253

Ion Ratio Lower Upper

330 100

332 96.9 77.3 115.9



141 29.5 32.1 48.1#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 62.51 ng
RT: 13.28 min Scan# 1734
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13

Instrument :
BNA_G
ClientSampleId :
B45-S1(0-2)

Tot Ion:172 Resp: 1741244
Ion Ratio Lower Upper
172 100
171 38.7 32.2 48.2
170 25.9 21.8 32.6




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 12.88 ng
RT: 14.09 min Scan# 1873
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13

Tgt Ion:163 Resp: 379815
Ion Ratio Lower Upper
163 100
194 4.9 3.8 5.6
164 10.5 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.38 min Scan# 2432
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13




Instrument :
BNA_G
ClientSampleId :
B45-S1(0-2)


Tot Ion	Ratio	Lower	Upper
188	100		
94	9.3	5.8	8.8#
80	9.3	7.5	11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.63 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG026590.D
Acq: 7 Apr 2017 7:13

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.9	5.7	8.5#
236	26.3	22.2	33.4









#78
 Terphenyl-d14
 Concen: 50.54 ng
 RT: 19.97 min Scan# 2874
 Delta R.T. -0.01 min
 Lab File: BG026590.D
 Acq: 7 Apr 2017 7:13

Instrument :
 BNA_G
 ClientSampleId :
 B45-S1(0-2)

Tot Ion:244 Resp: 2317359

Ion	Ratio	Lower	Upper
244	100		
212	8.0	10.0	15.0#
122	12.3	8.6	12.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.80 min Scan# 3696
 Delta R.T. -0.02 min
 Lab File: BG026590.D
 Acq: 7 Apr 2017 7:13

Tgt Ion:264 Resp: 1070861

Ion	Ratio	Lower	Upper
264	100		
260	24.9	21.8	32.8
265	21.9	18.2	27.4

