

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040618\
 Data File : BG033643.D
 Acq On : 7 Apr 2018 00:28
 Operator : SJ/JU
 Sample : PB108056BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB108056BL

Quant Time: Apr 07 01:37:00 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 05 17:36:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.86	152	35350	20.00	ng	0.00
21) Naphthalene-d8	11.74	136	167869	20.00	ng	0.00
38) Acenaphthene-d10	15.47	164	131838	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	340174	20.00	ng	0.00
75) Chrysene-d12	22.55	240	336566	20.00	ng	0.00
86) Perylene-d12	26.32	264	314900	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.28	112	334993	177.70	ng	0.00
7) Phenol-d6	7.97	99	520095	160.56	ng	0.00
23) Nitrobenzene-d5	10.06	82	332794	91.08	ng	0.00
41) 2,4,6-Tribromophenol	16.95	330	217740	110.43	ng	0.00
44) 2-Fluorobiphenyl	14.10	172	843542	92.37	ng	0.00
78) Terphenyl-d14	20.73	244	1475436	93.75	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040618\
Data File : BG033643.D
Acq On : 7 Apr 2018 00:28
Operator : SJ/JU
Sample : PB108056BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB108056BL

Quant Time: Apr 07 01:37:00 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 05 17:36:07 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.86 min Scan# 948
Delta R.T. -0.01 min
Lab File: BG033643.D
Acq: 7 Apr 2018 00:28

Instrument :
BNA_G
ClientSampleId :
PB108056BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	139.9	126.6	189.8
115	64.2	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 177.695 ng
RT: 6.28 min Scan# 510
Delta R.T. -0.01 min
Lab File: BG033643.D
Acq: 7 Apr 2018 00:28

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.8	56.3	84.5
63	41.3	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 160.564 ng

RT: 7.97 min Scan# 797

Delta R.T. 0.00 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28

Instrument :

BNA_G

ClientSampleId :

PB108056BL


Tot Ion: 99 Resp: 520095

Ion Ratio Lower Upper


99 100

42 21.3 14.1 21.1#



71 42.5 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.74 min Scan# 1439

Delta R.T. 0.00 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28

Tgt Ion: 136 Resp: 167869


Ion Ratio Lower Upper

136 100


137 10.9 9.2 13.8

54 10.6 10.3 15.5


68 6.7 4.5 6.7




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC



Time-->





#23

Nitrobenzene-d5

Concen: 91.082 ng

RT: 10.06 min Scan# 1153

Delta R.T. 0.00 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28

Instrument :

BNA_G

ClientSampleId :

PB108056BL


Tot Ion: 82 Resp: 332794

Ion Ratio Lower Upper




82 100

128 35.3 29.7 44.5

54 57.3 43.1 64.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.47 min Scan# 2074

Delta R.T. -0.01 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28


Tgt Ion:164 Resp: 131838

Ion Ratio Lower Upper



164 100


162 103.8 78.8 118.2

160 46.7 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 110.428 ng
 RT: 16.95 min Scan# 2326
 Delta R.T. 0.00 min
 Lab File: BG033643.D
 Acq: 7 Apr 2018 00:28

Instrument :
 BNA_G
 ClientSampleId :
 PB108056BL

Tot Ion:330 Resp: 217740
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.0 115.6
 141 40.8 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.368 ng
 RT: 14.10 min Scan# 1841
 Delta R.T. 0.00 min
 Lab File: BG033643.D
 Acq: 7 Apr 2018 00:28

Tgt Ion:172 Resp: 843542
 Ion Ratio Lower Upper
 172 100
 171 38.3 30.0 45.0
 170 25.8 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2539

Delta R.T. -0.01 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28

Instrument :

BNA_G

ClientSampleId :

PB108056BL


Tot Ion:188 Resp: 340174

Ion Ratio Lower Upper

188 100

94 7.8 6.9 10.3




80 8.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.55 min Scan# 3279

Delta R.T. -0.01 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28


Tgt Ion:240 Resp: 336566

Ion Ratio Lower Upper

240 100

120 6.9 6.8 10.2



236 25.7 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 93.752 ng

RT: 20.73 min Scan# 2968

Delta R.T. 0.00 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28

Instrument :

BNA_G

ClientSampleId :

PB108056BL


Tot Ion:244 Resp: 1475436

Ion Ratio Lower Upper

244 100

212 8.9 5.8 8.8#




122 8.0 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.32 min Scan# 3920

Delta R.T. 0.00 min

Lab File: BG033643.D

Acq: 7 Apr 2018 00:28


Tgt Ion:264 Resp: 314900

Ion Ratio Lower Upper

264 100

260 21.4 17.4 26.0

265 22.3 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

