

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040618\
 Data File : BG033649.D
 Acq On : 7 Apr 2018 4:17
 Operator : SJ/JU
 Sample : J2248-04
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 12000

Quant Time: Apr 07 06:06:02 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 05 17:36:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.86	152	37534	20.00	ng	0.00
21) Naphthalene-d8	11.74	136	178923	20.00	ng	0.00
38) Acenaphthene-d10	15.48	164	137323	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	332577	20.00	ng	0.00
75) Chrysene-d12	22.55	240	332676	20.00	ng	0.00
86) Perylene-d12	26.33	264	321706	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.29	112	330635	165.18	ng	0.00
7) Phenol-d6	7.97	99	447642	130.15	ng	0.00
23) Nitrobenzene-d5	10.06	82	385745	99.05	ng	0.00
41) 2,4,6-Tribromophenol	16.96	330	237096	115.44	ng	0.00
44) 2-Fluorobiphenyl	14.11	172	940338	98.85	ng	0.00
78) Terphenyl-d14	20.73	244	1590936	102.27	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040618\
Data File : BG033649.D
Acq On : 7 Apr 2018 4:17
Operator : SJ/JU
Sample : J2248-04
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
12000

Quant Time: Apr 07 06:06:02 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 05 17:36:07 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.86 min Scan# 948
Delta R.T. -0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17

Instrument :
BNA_G
ClientSampleId :
12000

Tot Ion:152 Resp: 37534
Ion Ratio Lower Upper
152 100
150 144.7 126.6 189.8
115 49.9 53.0 79.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 165.178 ng
RT: 6.29 min Scan# 510
Delta R.T. -0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17

Tgt Ion:112 Resp: 330635
Ion Ratio Lower Upper
112 100
64 72.6 56.3 84.5
63 41.2 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 130.155 ng

RT: 7.97 min Scan# 797

Delta R.T. 0.00 min

Lab File: BG033649.D

Acq: 7 Apr 2018 4:17

Instrument :

BNA_G

ClientSampled :

12000


Tot Ion: 99 Resp: 447642

Ion Ratio Lower Upper



99 100

42 20.9 14.1 21.1

71 40.6 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.74 min Scan# 1439

Delta R.T. 0.00 min

Lab File: BG033649.D

Acq: 7 Apr 2018 4:17

Tgt Ion: 136 Resp: 178923


Ion Ratio Lower Upper

136 100



137 10.4 9.2 13.8


54 9.7 10.3 15.5#

68 5.4 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 99.052 ng
RT: 10.06 min Scan# 1153
Delta R.T. 0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17




Instrument :
BNA_G
ClientSampleId :
12000


Tot Ion: 82 Resp: 385745
Ion Ratio Lower Upper
82 100
128 36.7 29.7 44.5
54 56.4 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.48 min Scan# 2075
Delta R.T. 0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17

Tgt Ion:164 Resp: 137323
Ion Ratio Lower Upper
164 100
162 98.4 78.8 118.2
160 44.3 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 115.441 ng
 RT: 16.96 min Scan# 2326
 Delta R.T. 0.00 min
 Lab File: BG033649.D
 Acq: 7 Apr 2018 4:17

Instrument :
 BNA_G
 ClientSampled :
 12000

Tot Ion:330 Resp: 237096
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.0 115.6
 141 40.3 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.855 ng
 RT: 14.11 min Scan# 1841
 Delta R.T. 0.00 min
 Lab File: BG033649.D
 Acq: 7 Apr 2018 4:17

Tgt Ion:172 Resp: 940338
 Ion Ratio Lower Upper
 172 100
 171 38.0 30.0 45.0
 170 24.7 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.21 min Scan# 2539
Delta R.T. -0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17




Instrument :
BNA_G
ClientSampleId :
12000


Tot Ion:188 Resp: 332577
Ion Ratio Lower Upper
188 100
94 6.9 6.9 10.3#
80 8.5 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.55 min Scan# 3279
Delta R.T. -0.00 min
Lab File: BG033649.D
Acq: 7 Apr 2018 4:17

Tgt Ion:240 Resp: 332676
Ion Ratio Lower Upper
240 100
120 7.5 6.8 10.2
236 26.0 20.9 31.3





#78

Terphenyl-d14

Concen: 102.273 ng

RT: 20.73 min Scan# 2968

Delta R.T. 0.00 min

Lab File: BG033649.D

Acq: 7 Apr 2018 4:17

Instrument :

BNA_G

ClientSampleId :

12000


Tot Ion:244 Resp: 1590936

Ion Ratio Lower Upper

244 100

212 9.1 5.8 8.8#




122 8.5 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.33 min Scan# 3921

Delta R.T. 0.01 min

Lab File: BG033649.D

Acq: 7 Apr 2018 4:17


Tgt Ion:264 Resp: 321706

Ion Ratio Lower Upper

264 100

260 22.7 17.4 26.0

265 21.2 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

