

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040622\
 Data File : BG053056.D
 Acq On : 6 Apr 2022 15:50
 Operator : CG/JU
 Sample : N2269-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 LP-2

Quant Time: Apr 06 16:30:22 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG031522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 06 14:35:39 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.128	152	32374	20.000	ng	0.00
21) Naphthalene-d8	10.936	136	130101	20.000	ng	0.00
39) Acenaphthene-d10	14.748	164	94288	20.000	ng	0.00
64) Phenanthrene-d10	17.492	188	224777	20.000	ng	0.00
76) Chrysene-d12	21.774	240	223349	20.000	ng	0.00
86) Perylene-d12	25.082	264	229922	20.000	ng	# 0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.696	112	147118	79.140	ng	0.01
7) Phenol-d6	7.288	99	174680	62.328	ng	0.00
23) Nitrobenzene-d5	9.285	82	278427	107.411	ng	0.00
42) 2,4,6-Tribromophenol	16.235	330	219640	173.357	ng	0.00
45) 2-Fluorobiphenyl	13.374	172	606463	94.863	ng	0.00
79) Terphenyl-d14	20.094	244	1164673	92.760	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG040622\
Data File : BG053056.D
Acq On : 6 Apr 2022 15:50
Operator : CG/JU
Sample : N2269-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
LP-2

Quant Time: Apr 06 16:30:22 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG031522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 06 14:35:39 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.128 min Scan# 80
Delta R.T. 0.000 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50




Instrument :
BNA_G
ClientSampleId :
LP-2


Tgt Ion:152 Resp: 32374
Ion Ratio Lower Upper
152 100
150 157.8 114.6 172.0
115 62.1 45.9 68.9



#5
2-Fluorophenol
Concen: 79.140 ng
RT: 5.696 min Scan# 393
Delta R.T. 0.012 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50

Tgt Ion:112 Resp: 147118
Ion Ratio Lower Upper
112 100
64 69.0 48.0 72.0
63 40.4 26.5 39.7#









#7
Phenol-d6
Concen: 62.328 ng
RT: 7.288 min Scan# 60
Delta R.T. 0.006 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50




Instrument :
BNA_G
ClientSampleId :
LP-2


Tgt Ion: 99 Resp: 174680
Ion Ratio Lower Upper
99 100
42 21.9 14.7 22.1
71 43.7 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.936 min Scan# 1285
Delta R.T. -0.006 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50

Tgt Ion: 136 Resp: 130101
Ion Ratio Lower Upper
136 100
137 11.6 9.4 14.2
54 9.3 6.4 9.6
68 6.5 5.0 7.6





#23

Nitrobenzene-d5

Concen: 107.411 ng

RT: 9.285 min Scan# 1004

Delta R.T. -0.006 min

Lab File: BG053056.D

Acq: 6 Apr 2022 15:50

Instrument :

BNA_G

ClientSampleId :

LP-2





Tgt Ion: 82 Resp: 278427

Ion Ratio Lower Upper

82 100

128 33.7 31.3 46.9

54 51.8 37.8 56.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.748 min Scan# 1934

Delta R.T. 0.000 min

Lab File: BG053056.D

Acq: 6 Apr 2022 15:50




Tgt Ion:164 Resp: 94288


Ion Ratio Lower Upper

164 100

162 104.8 80.0 120.0

160 43.5 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 173.357 ng
RT: 16.235 min Scan# 21
Delta R.T. 0.000 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50




Instrument :
BNA_G
ClientSampleId :
LP-2


Tgt Ion:330 Resp: 219640
Ion Ratio Lower Upper
330 100
332 96.8 75.8 113.6
141 34.0 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 94.863 ng
RT: 13.374 min Scan# 1700
Delta R.T. 0.000 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50

Tgt Ion:172 Resp: 606463
Ion Ratio Lower Upper
172 100
171 35.6 28.3 42.5
170 23.5 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.492 min Scan# 24
Delta R.T. 0.000 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50




Instrument :
BNA_G
ClientSampleId :
LP-2


Tgt Ion:188 Resp: 224777
Ion Ratio Lower Upper
188 100
94 7.0 5.7 8.5
80 7.7 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.774 min Scan# 3130
Delta R.T. -0.006 min
Lab File: BG053056.D
Acq: 6 Apr 2022 15:50

Tgt Ion:240 Resp: 223349
Ion Ratio Lower Upper
240 100
120 6.3 5.4 8.0
236 25.1 19.8 29.6









#79
 Terphenyl-d14
 Concen: 92.760 ng
 RT: 20.094 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BG053056.D
 Acq: 6 Apr 2022 15:50

Instrument :
 BNA_G
 ClientSampleId :
 LP-2

Tgt Ion:244 Resp: 1164673
 Ion Ratio Lower Upper
 244 100
 212 7.9 5.4 8.2
 122 6.3 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.082 min Scan# 3693
 Delta R.T. 0.000 min
 Lab File: BG053056.D
 Acq: 6 Apr 2022 15:50

Tgt Ion:264 Resp: 229922
 Ion Ratio Lower Upper
 264 100
 260 22.7 18.2 27.2
 265 23.9 15.1 22.7#

