

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040815\
 Data File : BG016279.D
 Acq On : 8 Apr 2015 17:26
 Operator : TP/IZ
 Sample : PB82625BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB82625BL

Quant Time: Apr 09 04:53:03 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 09 02:28:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	67199	20.00	ng	0.00
21) Naphthalene-d8	10.48	136	292777	20.00	ng	0.00
38) Acenaphthene-d10	14.33	164	171070	20.00	ng	0.00
63) Phenanthrene-d10	17.08	188	387707	20.00	ng	0.00
75) Chrysene-d12	21.25	240	349040	20.00	ng	0.00
86) Perylene-d12	23.50	264	322733	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	352906	82.88	ng	0.00
7) Phenol-d6	6.86	99	490629	76.76	ng	0.00
23) Nitrobenzene-d5	8.84	82	322575	63.83	ng	0.00
41) 2,4,6-Tribromophenol	15.82	330	103520	89.48	ng	0.00
44) 2-Fluorobiphenyl	12.95	172	691479	68.82	ng	0.00
78) Terphenyl-d14	19.71	244	943904	63.29	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040815\
Data File : BG016279.D
Acq On : 8 Apr 2015 17:26
Operator : TP/IZ
Sample : PB82625BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB82625BL

Quant Time: Apr 09 04:53:03 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 09 02:28:50 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.69 min Scan# 851
 Delta R.T. -0.01 min
 Lab File: BG016279.D
 Acq: 8 Apr 2015 17:26

Instrument :
 BNA_G
 ClientSampleId :
 PB82625BL

Tot Ion:152 Resp: 67199
 Ion Ratio Lower Upper
 152 100
 150 154.7 130.1 195.1
 115 56.8 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 82.88 ng
 RT: 5.27 min Scan# 440
 Delta R.T. -0.00 min
 Lab File: BG016279.D
 Acq: 8 Apr 2015 17:26

Tgt Ion:112 Resp: 352906
 Ion Ratio Lower Upper
 112 100
 64 51.4 44.5 66.7
 63 25.4 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 76.76 ng

RT: 6.86 min Scan# 711

Delta R.T. -0.00 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26

Instrument :

BNA_G

ClientSampleId :

PB82625BL


Tot Ion: 99 Resp: 490629

Ion Ratio Lower Upper




99 100

42 12.5 10.0 15.0

71 26.0 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.48 min Scan# 1326

Delta R.T. -0.01 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26

Tgt Ion: 136 Resp: 292777


Ion Ratio Lower Upper

136 100



137 10.7 8.7 13.1

54 7.1 6.3 9.5

68 7.7 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 63.83 ng

RT: 8.84 min Scan# 1048

Delta R.T. -0.01 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26

Instrument :

BNA_G

ClientSampled :

PB82625BL


Tot Ion: 82 Resp: 322575

Ion Ratio Lower Upper




82 100

128 50.6 37.8 56.8

54 40.0 32.6 49.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.33 min Scan# 1982

Delta R.T. -0.01 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26


Tgt Ion: 164 Resp: 171070

Ion Ratio Lower Upper



164 100


162 96.4 77.3 115.9

160 43.9 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC








#41
 2,4,6-Tribromophenol
 Concen: 89.48 ng
 RT: 15.82 min Scan# 2236
 Delta R.T. -0.01 min
 Lab File: BG016279.D
 Acq: 8 Apr 2015 17:26

Instrument :
 BNA_G
 ClientSampled :
 PB82625BL

Tot Ion:330 Resp: 103520
 Ion Ratio Lower Upper
 330 100
 332 94.4 75.8 113.6
 141 53.8 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 68.82 ng
 RT: 12.95 min Scan# 1747
 Delta R.T. -0.01 min
 Lab File: BG016279.D
 Acq: 8 Apr 2015 17:26

Tgt Ion:172 Resp: 691479
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.6 44.4
 170 23.3 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.08 min Scan# 2449
Delta R.T. -0.01 min
Lab File: BG016279.D
Acq: 8 Apr 2015 17:26

Instrument :
BNA_G
ClientSampleId :
PB82625BL

Tot Ion:188 Resp: 387707
Ion Ratio Lower Upper
188 100
94 14.4 12.2 18.4
80 15.5 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.25 min Scan# 3160
Delta R.T. -0.01 min
Lab File: BG016279.D
Acq: 8 Apr 2015 17:26

Tgt Ion:240 Resp: 349040
Ion Ratio Lower Upper
240 100
120 22.6 18.6 28.0
236 26.1 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 63.29 ng

RT: 19.71 min Scan# 2897

Delta R.T. -0.00 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26

Instrument :

BNA_G

ClientSampleId :

PB82625BL


Tot Ion:244 Resp: 943904

Ion Ratio Lower Upper

244 100

212 8.1 6.6 9.8




122 21.3 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.50 min Scan# 3542

Delta R.T. -0.01 min

Lab File: BG016279.D

Acq: 8 Apr 2015 17:26


Tgt Ion:264 Resp: 322733

Ion Ratio Lower Upper

264 100

260 24.4 20.4 30.6

265 22.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

