

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041015\
 Data File : BG016333.D
 Acq On : 10 Apr 2015 23:34
 Operator : TP/IZ
 Sample : G1806-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-21

Quant Time: Apr 13 03:30:08 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 07 04:17:17 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	72439	20.00	ng	0.00
21) Naphthalene-d8	10.48	136	326245	20.00	ng	-0.01
38) Acenaphthene-d10	14.33	164	195162	20.00	ng	0.00
63) Phenanthrene-d10	17.07	188	409988	20.00	ng	-0.01
75) Chrysene-d12	21.25	240	368998	20.00	ng	-0.01
86) Perylene-d12	23.49	264	336968	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	270447	58.92	ng	0.00
7) Phenol-d6	6.88	99	233044	33.82	ng	0.00
23) Nitrobenzene-d5	8.85	82	477512	84.79	ng	0.00
41) 2,4,6-Tribromophenol	15.82	330	194163	147.11	ng	-0.01
44) 2-Fluorobiphenyl	12.95	172	1022778	89.23	ng	-0.01
78) Terphenyl-d14	19.70	244	1196924	75.92	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041015\
Data File : BG016333.D
Acq On : 10 Apr 2015 23:34
Operator : TP/IZ
Sample : G1806-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-21

Quant Time: Apr 13 03:30:08 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 07 04:17:17 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.69 min Scan# 852

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34

Instrument :

BNA_G

ClientSampleId :

MW-21





Tgt Ion:152 Resp: 72439

Ion Ratio Lower Upper

152 100

150 158.9 130.1 195.1

115 57.6 50.5 75.7



#5

2-Fluorophenol

Concen: 58.92 ng

RT: 5.28 min Scan# 442

Delta R.T. 0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34




Tgt Ion:112 Resp: 270447


Ion Ratio Lower Upper

112 100

64 51.1 44.5 66.7

63 24.2 21.4 32.0





#7

Phenol-d6

Concen: 33.82 ng

RT: 6.88 min Scan# 713

Delta R.T. 0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34

Instrument :

BNA_G

ClientSampleId :

MW-21


Tgt Ion: 99 Resp: 233044

Ion Ratio Lower Upper




99 100

42 12.1 10.0 15.0

71 24.8 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.48 min Scan# 1326

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34

Tgt Ion: 136 Resp: 326245


Ion Ratio Lower Upper

136 100



137 11.2 8.7 13.1

54 7.8 6.3 9.5

68 7.5 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 84.79 ng
 RT: 8.85 min Scan# 1049
 Delta R.T. -0.01 min
 Lab File: BG016333.D
 Acq: 10 Apr 2015 23:34

Instrument :
 BNA_G
 ClientSampleId :
 MW-21

Tgt Ion	Ratio	Lower	Upper
82	100		
128	51.5	37.8	56.8
54	39.8	32.6	49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.33 min Scan# 1982
 Delta R.T. -0.01 min
 Lab File: BG016333.D
 Acq: 10 Apr 2015 23:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	96.8	77.3	115.9
160	42.6	36.7	55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#41

2,4,6-Tribromophenol

Concen: 147.11 ng

RT: 15.82 min Scan# 2235

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34

Instrument :

BNA_G

ClientSampleId :

MW-21


Tgt Ion:330 Resp: 194163

Ion Ratio Lower Upper

330 100

332 95.5 75.8 113.6




141 56.1 46.6 69.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 89.23 ng

RT: 12.95 min Scan# 1747

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34


Tgt Ion:172 Resp: 1022778

Ion Ratio Lower Upper

172 100

171 37.6 29.6 44.4



170 25.0 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.07 min Scan# 2448
Delta R.T. -0.01 min
Lab File: BG016333.D
Acq: 10 Apr 2015 23:34

Instrument :
BNA_G
ClientSampleId :
MW-21

Tgt Ion:188 Resp: 409988
Ion Ratio Lower Upper
188 100
94 14.2 12.2 18.4
80 14.7 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.25 min Scan# 3159
Delta R.T. -0.01 min
Lab File: BG016333.D
Acq: 10 Apr 2015 23:34

Tgt Ion:240 Resp: 368998
Ion Ratio Lower Upper
240 100
120 21.9 18.6 28.0
236 26.9 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 75.92 ng

RT: 19.70 min Scan# 2896

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34

Instrument :

BNA_G

ClientSampleId :

MW-21


Tgt Ion:244 Resp: 1196924

Ion Ratio Lower Upper

244 100

212 8.2 6.6 9.8




122 22.0 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.49 min Scan# 3541

Delta R.T. -0.01 min

Lab File: BG016333.D

Acq: 10 Apr 2015 23:34


Tgt Ion:264 Resp: 336968

Ion Ratio Lower Upper

264 100

260 24.5 20.4 30.6

265 22.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

