

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG041123\
 Data File : BG057060.D
 Acq On : 11 Apr 2023 19:47
 Operator : CG/JU
 Sample : 02232-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 20230325-COMP-3

Quant Time: Apr 12 04:42:49 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG033023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 08 04:45:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.409	152	15424	20.000	ng	0.00
21) Naphthalene-d8	11.246	136	61111	20.000	ng	0.00
39) Acenaphthene-d10	15.017	164	42707	20.000	ng	0.00
64) Phenanthrene-d10	17.755	188	98758	20.000	ng	0.00
76) Chrysene-d12	22.078	240	95734	20.000	ng	# 0.00
86) Perylene-d12	25.609	264	103275	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.918	112	151041	156.725	ng	0.00
7) Phenol-d6	7.539	99	208168	144.423	ng	0.00
23) Nitrobenzene-d5	9.584	82	134205	89.859	ng	0.00
42) 2,4,6-Tribromophenol	16.498	330	92110	135.007	ng	0.00
45) 2-Fluorobiphenyl	13.643	172	279867	88.862	ng	0.00
79) Terphenyl-d14	20.328	244	503876	89.063	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG041123\
Data File : BG057060.D
Acq On : 11 Apr 2023 19:47
Operator : CG/JU
Sample : 02232-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
20230325-COMP-3

Quant Time: Apr 12 04:42:49 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG033023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 08 04:45:47 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.409 min Scan# 81
Delta R.T. 0.001 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47




Instrument :
BNA_G
ClientSampleId :
20230325-COMP-3


Tgt Ion:152 Resp: 15424
Ion Ratio Lower Upper
152 100
150 149.9 124.1 186.1
115 60.2 49.1 73.7



#5
2-Fluorophenol
Concen: 156.725 ng
RT: 5.918 min Scan# 405
Delta R.T. 0.001 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47

Tgt Ion:112 Resp: 151041
Ion Ratio Lower Upper
112 100
64 64.2 53.2 79.8
63 39.4 32.6 48.8









#7
Phenol-d6
Concen: 144.423 ng
RT: 7.539 min Scan# 681
Delta R.T. 0.001 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47




Instrument :
BNA_G
ClientSampleId :
20230325-COMP-3


Tgt Ion: 99 Resp: 208168
Ion Ratio Lower Upper
99 100
42 18.0 15.7 23.5
71 41.9 32.5 48.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.246 min Scan# 1312
Delta R.T. -0.005 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47

Tgt Ion: 136 Resp: 61111
Ion Ratio Lower Upper
136 100
137 11.6 8.6 13.0
54 7.8 6.9 10.3
68 5.2 3.8 5.6





#23

Nitrobenzene-d5

Concen: 89.859 ng

RT: 9.584 min Scan# 1029

Delta R.T. -0.005 min

Lab File: BG057060.D

Acq: 11 Apr 2023 19:47

Instrument :

BNA_G

ClientSampleId :

20230325-COMP-3





Tgt Ion: 82 Resp: 134205

Ion Ratio Lower Upper

82 100

128 37.1 27.9 41.9

54 47.1 39.4 59.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.017 min Scan# 1954

Delta R.T. -0.005 min

Lab File: BG057060.D

Acq: 11 Apr 2023 19:47




Tgt Ion:164 Resp: 42707


Ion Ratio Lower Upper

164 100

162 104.5 77.8 116.8

160 42.7 33.5 50.3





#42

2,4,6-Tribromophenol

Concen: 135.007 ng

RT: 16.498 min Scan# 2208

Delta R.T. -0.005 min

Lab File: BG057060.D


Acq: 11 Apr 2023 19:47

Instrument :

BNA_G

ClientSampleId :

20230325-COMP-3






Tgt Ion:330 Resp: 92110

Ion Ratio Lower Upper

330 100

332 98.0 76.1 114.1

141 31.4 25.8 38.6



#45

2-Fluorobiphenyl

Concen: 88.862 ng

RT: 13.643 min Scan# 1720

Delta R.T. -0.005 min

Lab File: BG057060.D

Acq: 11 Apr 2023 19:47




Tgt Ion:172 Resp: 279867


Ion Ratio Lower Upper

172 100

171 39.6 30.6 46.0

170 25.4 20.6 30.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.755 min Scan# 24
Delta R.T. -0.005 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47




Instrument :
BNA_G
ClientSampleId :
20230325-COMP-3


Tgt Ion:188 Resp: 98758
Ion Ratio Lower Upper
188 100
94 6.8 4.6 6.8
80 7.6 5.5 8.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 22.078 min Scan# 3156
Delta R.T. -0.005 min
Lab File: BG057060.D
Acq: 11 Apr 2023 19:47

Tgt Ion:240 Resp: 95734
Ion Ratio Lower Upper
240 100
120 5.8 3.8 5.6#
236 25.3 21.0 31.6









#79
 Terphenyl-d14
 Concen: 89.063 ng
 RT: 20.328 min Scan# 2860
 Delta R.T. 0.001 min
 Lab File: BG057060.D
 Acq: 11 Apr 2023 19:47

Instrument :
 BNA_G
 ClientSampleId :
 20230325-COMP-3

Tgt Ion:244 Resp: 503876
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.1 9.1
 122 5.5 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.609 min Scan# 3757
 Delta R.T. -0.023 min
 Lab File: BG057060.D
 Acq: 11 Apr 2023 19:47

Tgt Ion:264 Resp: 103275
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.0 28.4
 265 22.8 17.8 26.6

