

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041315\
 Data File : BG016383.D
 Acq On : 14 Apr 2015 6:02
 Operator : TP/IZ
 Sample : G1851-03
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FS-027

Quant Time: Apr 14 07:24:56 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 07 04:17:17 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	80968	20.00	ng	-0.02
21) Naphthalene-d8	10.46	136	349046	20.00	ng	-0.03
38) Acenaphthene-d10	14.32	164	189445	20.00	ng	-0.02
63) Phenanthrene-d10	17.05	188	391920	20.00	ng	-0.03
75) Chrysene-d12	21.23	240	361112	20.00	ng	-0.03
86) Perylene-d12	23.47	264	339803	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	610735	119.04	ng	-0.02
7) Phenol-d6	6.86	99	859758	111.63	ng	0.00
23) Nitrobenzene-d5	8.83	82	450649	74.79	ng	-0.03
41) 2,4,6-Tribromophenol	15.81	330	163351	127.50	ng	-0.02
44) 2-Fluorobiphenyl	12.94	172	889269	79.92	ng	-0.03
78) Terphenyl-d14	19.69	244	1039015	67.34	ng	-0.02
Target Compounds						
49) Dimethylphthalate	13.78	163	95576	6.88	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041315\
Data File : BG016383.D
Acq On : 14 Apr 2015 6:02
Operator : TP/IZ
Sample : G1851-03
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FS-027

Quant Time: Apr 14 07:24:56 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 07 04:17:17 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.68 min Scan# 849

Delta R.T. -0.02 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02

Instrument :

BNA_G

ClientSampleId :

FS-027


Tgt Ion:152 Resp: 80968

Ion Ratio Lower Upper

152 100

150 155.0 130.1 195.1




115 57.6 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 119.04 ng

RT: 5.26 min Scan# 438

Delta R.T. -0.02 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02


Tgt Ion:112 Resp: 610735

Ion Ratio Lower Upper

112 100

64 54.4 44.5 66.7



63 25.3 21.4 32.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 111.63 ng

RT: 6.86 min Scan# 710

Delta R.T. -0.01 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02

Instrument :

BNA_G

ClientSampleId :

FS-027


Tgt Ion: 99 Resp: 859758

Ion Ratio Lower Upper




99 100

42 12.2 10.0 15.0

71 26.5 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.46 min Scan# 1323

Delta R.T. -0.03 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02

Tgt Ion: 136 Resp: 349046


Ion Ratio Lower Upper

136 100



137 11.6 8.7 13.1

54 7.1 6.3 9.5

68 6.9 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 74.79 ng
 RT: 8.83 min Scan# 1045
 Delta R.T. -0.03 min
 Lab File: BG016383.D
 Acq: 14 Apr 2015 6:02

Instrument :
 BNA_G
 ClientSampleId :
 FS-027


Tgt Ion: 82 Resp: 450649
 Ion Ratio Lower Upper
 82 100
 128 50.4 37.8 56.8
 54 40.0 32.6 49.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC




Time-->





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.32 min Scan# 1979
 Delta R.T. -0.02 min
 Lab File: BG016383.D
 Acq: 14 Apr 2015 6:02

Tgt Ion: 164 Resp: 189445
 Ion Ratio Lower Upper
 164 100
 162 97.5 77.3 115.9
 160 44.5 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC




Time-->






#41
 2,4,6-Tribromophenol
 Concen: 127.50 ng
 RT: 15.81 min Scan# 2233
 Delta R.T. -0.02 min
 Lab File: BG016383.D
 Acq: 14 Apr 2015 6:02

Instrument :
 BNA_G
 ClientSampleId :
 FS-027

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.2	75.8	113.6
141	55.5	46.6	69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 79.92 ng
 RT: 12.94 min Scan# 1744
 Delta R.T. -0.03 min
 Lab File: BG016383.D
 Acq: 14 Apr 2015 6:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.6	29.6	44.4
170	24.7	19.4	29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.88 ng

RT: 13.78 min Scan# 1887

Delta R.T. -0.03 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02

Instrument :

BNA_G

ClientSampleId :

FS-027


Tgt Ion:163 Resp: 95576

Ion Ratio Lower Upper

163 100

194 6.9 5.0 7.4




164 9.4 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.05 min Scan# 2445

Delta R.T. -0.03 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02


Tgt Ion:188 Resp: 391920

Ion Ratio Lower Upper

188 100

94 14.7 12.2 18.4



80 15.2 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.23 min Scan# 3156

Delta R.T. -0.03 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02

Instrument :

BNA_G

ClientSampleId :

FS-027


Tgt Ion:240 Resp: 361112

Ion Ratio Lower Upper

240 100

120 21.9 18.6 28.0




236 25.7 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 67.34 ng

RT: 19.69 min Scan# 2893

Delta R.T. -0.02 min

Lab File: BG016383.D

Acq: 14 Apr 2015 6:02


Tgt Ion:244 Resp: 1039015

Ion Ratio Lower Upper

244 100

212 8.0 6.6 9.8



122 22.3 19.1 28.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.47 min Scan# 3537
Delta R.T. -0.03 min
Lab File: BG016383.D
Acq: 14 Apr 2015 6:02

Instrument :
BNA_G
ClientSampleId :
FS-027

Tgt Ion: 264 Resp: 339803

Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.4	30.6
265	21.2	17.2	25.8

