

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041315\
 Data File : BG016367.D
 Acq On : 13 Apr 2015 19:01
 Operator : TP/IZ
 Sample : G1854-14
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EB-2015-0409

Quant Time: Apr 14 03:31:18 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 02:12:07 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	67755	20.00	ng	0.00
21) Naphthalene-d8	10.46	136	287019	20.00	ng	0.00
38) Acenaphthene-d10	14.32	164	159726	20.00	ng	0.00
63) Phenanthrene-d10	17.06	188	338331	20.00	ng	0.00
75) Chrysene-d12	21.23	240	314629	20.00	ng	0.00
86) Perylene-d12	23.47	264	296400	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	249016	58.00	ng	0.00
7) Phenol-d6	6.86	99	207576	32.21	ng	0.00
23) Nitrobenzene-d5	8.83	82	433181	87.43	ng	0.00
41) 2,4,6-Tribromophenol	15.81	330	162090	150.05	ng	0.00
44) 2-Fluorobiphenyl	12.94	172	876137	93.39	ng	0.00
78) Terphenyl-d14	19.69	244	1128399	83.94	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041315\
Data File : BG016367.D
Acq On : 13 Apr 2015 19:01
Operator : TP/IZ
Sample : G1854-14
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EB-2015-0409

Quant Time: Apr 14 03:31:18 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 02:12:07 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.67 min Scan# 848

Delta R.T. -0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01

Instrument :

BNA_G

ClientSampleId :

EB-2015-0409


Tgt Ion:152 Resp: 67755

Ion Ratio Lower Upper

152 100

150 162.5 130.1 195.1




115 58.0 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 58.00 ng

RT: 5.26 min Scan# 438

Delta R.T. 0.01 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01


Tgt Ion:112 Resp: 249016

Ion Ratio Lower Upper

112 100

64 52.6 44.5 66.7



63 24.3 21.4 32.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 32.21 ng

RT: 6.86 min Scan# 709

Delta R.T. -0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01

Instrument :

BNA_G

ClientSampleId :

EB-2015-0409


Tgt Ion: 99 Resp: 207576

Ion Ratio Lower Upper

99 100

42 11.7 10.0 15.0




71 24.5 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.46 min Scan# 1323

Delta R.T. 0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01

Tgt Ion: 136 Resp: 287019


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 6.2 6.3 9.5#

68 7.2 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 87.43 ng
 RT: 8.83 min Scan# 1045
 Delta R.T. -0.00 min
 Lab File: BG016367.D
 Acq: 13 Apr 2015 19:01

Instrument :
 BNA_G
 ClientSampleId :
 EB-2015-0409

Tgt Ion: 82 Resp: 433181
 Ion Ratio Lower Upper
 82 100
 128 50.9 37.8 56.8
 54 40.0 32.6 49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.32 min Scan# 1979
 Delta R.T. -0.00 min
 Lab File: BG016367.D
 Acq: 13 Apr 2015 19:01

Tgt Ion: 164 Resp: 159726
 Ion Ratio Lower Upper
 164 100
 162 95.5 77.3 115.9
 160 44.6 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 150.05 ng
 RT: 15.81 min Scan# 2233
 Delta R.T. 0.00 min
 Lab File: BG016367.D
 Acq: 13 Apr 2015 19:01




Instrument :
 BNA_G
 ClientSampleId :
 EB-2015-0409


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.4	75.8	113.6
141	55.6	46.6	69.8



#44
 2-Fluorobiphenyl
 Concen: 93.39 ng
 RT: 12.94 min Scan# 1744
 Delta R.T. -0.00 min
 Lab File: BG016367.D
 Acq: 13 Apr 2015 19:01

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	29.6	44.4
170	24.6	19.4	29.2





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.06 min Scan# 2445

Delta R.T. -0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01

Instrument :

BNA_G

ClientSampleId :

EB-2015-0409


Tgt Ion:188 Resp: 338331

Ion Ratio Lower Upper

188 100

94 14.0 12.2 18.4




80 14.4 12.8 19.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.23 min Scan# 3156

Delta R.T. -0.01 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01


Tgt Ion:240 Resp: 314629

Ion Ratio Lower Upper

240 100

120 21.9 18.6 28.0



236 26.4 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.94 ng

RT: 19.69 min Scan# 2893

Delta R.T. -0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01

Instrument :

BNA_G

ClientSampleId :

EB-2015-0409


Tgt Ion:244 Resp: 1128399

Ion Ratio Lower Upper

244 100

212 8.5 6.6 9.8




122 23.0 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.47 min Scan# 3536

Delta R.T. -0.00 min

Lab File: BG016367.D

Acq: 13 Apr 2015 19:01


Tgt Ion:264 Resp: 296400

Ion Ratio Lower Upper

264 100

260 24.2 20.4 30.6

265 21.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

