

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041415\
 Data File : BG016402.D
 Acq On : 14 Apr 2015 18:29
 Operator : TP/IZ
 Sample : G1826-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-14

Quant Time: Apr 15 03:38:40 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	59622	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	260193	20.00	ng	-0.01
38) Acenaphthene-d10	14.31	164	149229	20.00	ng	0.00
63) Phenanthrene-d10	17.05	188	333075	20.00	ng	-0.01
75) Chrysene-d12	21.23	240	329981	20.00	ng	0.00
86) Perylene-d12	23.47	264	299741	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	197819	52.36	ng	0.00
7) Phenol-d6	6.85	99	166531	29.36	ng	-0.01
23) Nitrobenzene-d5	8.82	82	356191	79.30	ng	-0.01
41) 2,4,6-Tribromophenol	15.80	330	158878	157.43	ng	-0.01
44) 2-Fluorobiphenyl	12.93	172	800848	91.37	ng	0.00
78) Terphenyl-d14	19.68	244	1087557	77.14	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041415\
Data File : BG016402.D
Acq On : 14 Apr 2015 18:29
Operator : TP/IZ
Sample : G1826-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-14

Quant Time: Apr 15 03:38:40 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 14:00:56 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.67 min Scan# 847
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29

Instrument :
 BNA_G
 ClientSampleId :
 MW-14

Tgt Ion:152 Resp: 59622
 Ion Ratio Lower Upper
 152 100
 150 153.0 130.1 195.1
 115 59.3 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 52.36 ng
 RT: 5.26 min Scan# 437
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29

Tgt Ion:112 Resp: 197819
 Ion Ratio Lower Upper
 112 100
 64 51.0 44.5 66.7
 63 24.7 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 29.36 ng

RT: 6.85 min Scan# 708

Delta R.T. -0.01 min

Lab File: BG016402.D

Acq: 14 Apr 2015 18:29

Instrument :

BNA_G

ClientSampled :

MW-14


Tgt Ion: 99 Resp: 166531

Ion Ratio Lower Upper


99 100

42 12.4 10.0 15.0



71 24.9 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG016402.D

Acq: 14 Apr 2015 18:29

Tgt Ion: 136 Resp: 260193


Ion Ratio Lower Upper

136 100


137 11.9 8.7 13.1

54 7.1 6.3 9.5


68 7.4 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC



Time-->









#23
 Nitrobenzene-d5
 Concen: 79.30 ng
 RT: 8.82 min Scan# 1044
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29




Instrument :
 BNA_G
 ClientSampleId :
 MW-14


Tgt Ion: 82 Resp: 356191
 Ion Ratio Lower Upper
 82 100
 128 51.1 37.8 56.8
 54 40.0 32.6 49.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.31 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29

Tgt Ion: 164 Resp: 149229
 Ion Ratio Lower Upper
 164 100
 162 97.9 77.3 115.9
 160 44.4 36.7 55.1









#41
 2,4,6-Tribromophenol
 Concen: 157.43 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29

Instrument :
 BNA_G
 ClientSampleId :
 MW-14

Tgt Ion:330 Resp: 158878
 Ion Ratio Lower Upper
 330 100
 332 95.7 75.8 113.6
 141 55.4 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 91.37 ng
 RT: 12.93 min Scan# 1743
 Delta R.T. -0.01 min
 Lab File: BG016402.D
 Acq: 14 Apr 2015 18:29

Tgt Ion:172 Resp: 800848
 Ion Ratio Lower Upper
 172 100
 171 37.7 29.6 44.4
 170 24.4 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.05 min Scan# 2444
Delta R.T. -0.01 min
Lab File: BG016402.D
Acq: 14 Apr 2015 18:29

Instrument :
BNA_G
ClientSampleId :
MW-14

Tgt Ion:188 Resp: 333075
Ion Ratio Lower Upper
188 100
94 14.4 12.2 18.4
80 15.2 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.23 min Scan# 3156
Delta R.T. -0.01 min
Lab File: BG016402.D
Acq: 14 Apr 2015 18:29

Tgt Ion:240 Resp: 329981
Ion Ratio Lower Upper
240 100
120 20.5 18.6 28.0
236 26.8 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 77.14 ng

RT: 19.68 min Scan# 2892

Delta R.T. -0.01 min

Lab File: BG016402.D

Acq: 14 Apr 2015 18:29

Instrument :

BNA_G

ClientSampled :

MW-14


Tgt Ion:244 Resp: 1087557

Ion Ratio Lower Upper

244 100

212 8.1 6.6 9.8




122 23.1 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.47 min Scan# 3536

Delta R.T. -0.00 min

Lab File: BG016402.D

Acq: 14 Apr 2015 18:29


Tgt Ion:264 Resp: 299741

Ion Ratio Lower Upper

264 100

260 24.5 20.4 30.6

265 21.5 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

