

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041415\
 Data File : BG016405.D
 Acq On : 14 Apr 2015 20:13
 Operator : TP/IZ
 Sample : G1826-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-33

Quant Time: Apr 15 03:39:20 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	57935	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	264439	20.00	ng	-0.01
38) Acenaphthene-d10	14.31	164	160709	20.00	ng	0.00
63) Phenanthrene-d10	17.05	188	357783	20.00	ng	-0.01
75) Chrysene-d12	21.23	240	326230	20.00	ng	0.00
86) Perylene-d12	23.46	264	293186	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	226004	61.57	ng	-0.01
7) Phenol-d6	6.85	99	194976	35.38	ng	-0.01
23) Nitrobenzene-d5	8.82	82	421675	92.37	ng	-0.01
41) 2,4,6-Tribromophenol	15.80	330	180578	166.15	ng	0.00
44) 2-Fluorobiphenyl	12.93	172	935969	99.16	ng	0.00
78) Terphenyl-d14	19.68	244	1150042	82.51	ng	0.00
Target Compounds						
83) Bis(2-ethylhexyl)phthalate	21.15	149	35712	2.36	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041415\
Data File : BG016405.D
Acq On : 14 Apr 2015 20:13
Operator : TP/IZ
Sample : G1826-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-33

Quant Time: Apr 15 03:39:20 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 14:00:56 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.67 min Scan# 847
Delta R.T. -0.01 min
Lab File: BG016405.D
Acq: 14 Apr 2015 20:13

Instrument :
BNA_G
ClientSampleId :
MW-33

Tgt Ion:152 Resp: 57935
Ion Ratio Lower Upper
152 100
150 156.1 130.1 195.1
115 56.5 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 61.57 ng
RT: 5.25 min Scan# 436
Delta R.T. -0.01 min
Lab File: BG016405.D
Acq: 14 Apr 2015 20:13

Tgt Ion:112 Resp: 226004
Ion Ratio Lower Upper
112 100
64 52.7 44.5 66.7
63 24.6 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 35.38 ng

RT: 6.85 min Scan# 708

Delta R.T. -0.01 min

Lab File: BG016405.D

Acq: 14 Apr 2015 20:13

Instrument :

BNA_G

ClientSampleId :

MW-33


Tgt Ion: 99 Resp: 194976

Ion Ratio Lower Upper




99 100

42 11.9 10.0 15.0

71 25.3 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG016405.D

Acq: 14 Apr 2015 20:13

Tgt Ion: 136 Resp: 264439


Ion Ratio Lower Upper

136 100



137 11.2 8.7 13.1


54 7.3 6.3 9.5

68 7.2 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.37 ng
 RT: 8.82 min Scan# 1044
 Delta R.T. -0.01 min
 Lab File: BG016405.D
 Acq: 14 Apr 2015 20:13

Instrument :
 BNA_G
 ClientSampleId :
 MW-33

Tgt Ion: 82 Resp: 421675
 Ion Ratio Lower Upper
 82 100
 128 51.7 37.8 56.8
 54 40.9 32.6 49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.31 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BG016405.D
 Acq: 14 Apr 2015 20:13

Tgt Ion: 164 Resp: 160709
 Ion Ratio Lower Upper
 164 100
 162 96.0 77.3 115.9
 160 44.3 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 166.15 ng
 RT: 15.80 min Scan# 2232
 Delta R.T. -0.01 min
 Lab File: BG016405.D
 Acq: 14 Apr 2015 20:13

Instrument :
 BNA_G
 ClientSampleId :
 MW-33

Tgt Ion:330 Resp: 180578
 Ion Ratio Lower Upper
 330 100
 332 96.7 75.8 113.6
 141 56.1 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 99.16 ng
 RT: 12.93 min Scan# 1743
 Delta R.T. -0.01 min
 Lab File: BG016405.D
 Acq: 14 Apr 2015 20:13

Tgt Ion:172 Resp: 935969
 Ion Ratio Lower Upper
 172 100
 171 37.8 29.6 44.4
 170 24.4 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.05 min Scan# 2444
Delta R.T. -0.01 min
Lab File: BG016405.D
Acq: 14 Apr 2015 20:13

Instrument :
BNA_G
ClientSampleId :
MW-33

Tgt Ion:188 Resp: 357783
Ion Ratio Lower Upper
188 100
94 14.4 12.2 18.4
80 14.5 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.23 min Scan# 3156
Delta R.T. -0.01 min
Lab File: BG016405.D
Acq: 14 Apr 2015 20:13

Tgt Ion:240 Resp: 326230
Ion Ratio Lower Upper
240 100
120 21.3 18.6 28.0
236 26.5 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 82.51 ng

RT: 19.68 min Scan# 2892

Delta R.T. -0.01 min

Lab File: BG016405.D

Acq: 14 Apr 2015 20:13

Instrument :

BNA_G

ClientSampleId :

MW-33


Tgt Ion:244 Resp: 1150042

Ion Ratio Lower Upper

244 100

212 8.1 6.6 9.8




122 23.4 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 2.36 ng

RT: 21.15 min Scan# 3142

Delta R.T. -0.00 min

Lab File: BG016405.D

Acq: 14 Apr 2015 20:13


Tgt Ion:149 Resp: 35712

Ion Ratio Lower Upper

149 100

167 32.9 25.8 38.6



279 6.5 4.7 7.1




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 23.46 min Scan# 3535

Delta R.T. -0.01 min

Lab File: BG016405.D

Acq: 14 Apr 2015 20:13

Instrument :

BNA_G

ClientSampleId :

MW-33


Tgt Ion: 264 Resp: 293186

Ion Ratio Lower Upper

264 100

260 24.4 20.4 30.6

265 22.5 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

200000 Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

