

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041416\
 Data File : BG021661.D
 Acq On : 14 Apr 2016 20:34
 Operator : UM/SJ
 Sample : PB89755BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB89775BL

Quant Time: Apr 15 00:54:55 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.22	152	28321	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	124876	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	85629	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	216919	20.00	ng	0.00
75) Chrysene-d12	21.83	240	252470	20.00	ng	0.00
86) Perylene-d12	25.15	264	238893	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.76	112	236909	139.30	ng	0.00
7) Phenol-d6	7.36	99	343296	135.14	ng	0.00
23) Nitrobenzene-d5	9.38	82	198848	81.85	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	136543	147.96	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	482829	82.62	ng	0.00
78) Terphenyl-d14	20.14	244	823263	81.36	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041416\
Data File : BG021661.D
Acq On : 14 Apr 2016 20:34
Operator : UM/SJ
Sample : PB89755BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB89775BL

Quant Time: Apr 15 00:54:55 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.22 min Scan# 916

Delta R.T. -0.00 min

Lab File: BG021661.D

Acq: 14 Apr 2016 20:34

Instrument :

BNA_G

ClientSampleId :

PB89775BL


Tgt Ion:152 Resp: 28321

Ion Ratio Lower Upper

152 100

150 146.5 130.1 195.1



115 63.5 62.2 93.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 139.30 ng

RT: 5.76 min Scan# 498

Delta R.T. 0.00 min

Lab File: BG021661.D

Acq: 14 Apr 2016 20:34


Tgt Ion:112 Resp: 236909

Ion Ratio Lower Upper

112 100

64 67.5 51.1 76.7



63 35.9 24.6 37.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 135.14 ng

RT: 7.36 min Scan# 770

Delta R.T. 0.00 min

Lab File: BG021661.D

Acq: 14 Apr 2016 20:34

Instrument :

BNA_G

ClientSampleId :

PB89775BL


Tgt Ion: 99 Resp: 343296

Ion Ratio Lower Upper




99 100

42 20.7 16.4 24.6

71 34.1 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1395

Delta R.T. -0.00 min

Lab File: BG021661.D

Acq: 14 Apr 2016 20:34

Tgt Ion: 136 Resp: 124876


Ion Ratio Lower Upper

136 100



137 10.6 9.0 13.4


54 10.6 9.6 14.4

68 6.6 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 81.85 ng
RT: 9.38 min Scan# 1114
Delta R.T. -0.00 min
Lab File: BG021661.D
Acq: 14 Apr 2016 20:34

Instrument :
BNA_G
ClientSampleId :
PB89775BL

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.4	33.4	50.0
54	56.2	46.1	69.1




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.82 min Scan# 2040
Delta R.T. -0.00 min
Lab File: BG021661.D
Acq: 14 Apr 2016 20:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.0	78.0	117.0
160	49.0	32.9	49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 147.96 ng
 RT: 16.30 min Scan# 2291
 Delta R.T. -0.01 min
 Lab File: BG021661.D
 Acq: 14 Apr 2016 20:34

Instrument :
 BNA_G
 ClientSampleId :
 PB89775BL

Tgt Ion:330 Resp: 136543
 Ion Ratio Lower Upper
 330 100
 332 95.6 78.0 117.0
 141 41.3 33.8 50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 82.62 ng
 RT: 13.45 min Scan# 1807
 Delta R.T. -0.00 min
 Lab File: BG021661.D
 Acq: 14 Apr 2016 20:34

Tgt Ion:172 Resp: 482829
 Ion Ratio Lower Upper
 172 100
 171 37.9 27.8 41.6
 170 25.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.56 min Scan# 2505
Delta R.T. -0.01 min
Lab File: BG021661.D
Acq: 14 Apr 2016 20:34

Instrument :
BNA_G
ClientSampleId :
PB89775BL

Tgt Ion:188 Resp: 216919
Ion Ratio Lower Upper
188 100
94 10.1 7.5 11.3
80 10.9 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.83 min Scan# 3232
Delta R.T. -0.01 min
Lab File: BG021661.D
Acq: 14 Apr 2016 20:34

Tgt Ion:240 Resp: 252470
Ion Ratio Lower Upper
240 100
120 11.1 8.4 12.6
236 26.5 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 81.36 ng
 RT: 20.14 min Scan# 2945
 Delta R.T. -0.01 min
 Lab File: BG021661.D
 Acq: 14 Apr 2016 20:34

Instrument :
 BNA_G
 ClientSampleId :
 PB89775BL

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.4	6.5	9.7
122	12.0	8.6	12.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.15 min Scan# 3798
 Delta R.T. -0.01 min
 Lab File: BG021661.D
 Acq: 14 Apr 2016 20:34

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.9	20.2	30.4
265	22.0	17.8	26.8

