

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041515\
 Data File : BG016425.D
 Acq On : 15 Apr 2015 16:25
 Operator : TP/IZ
 Sample : G1876-02
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DCW-RB05-041015

Quant Time: Apr 16 03:21:56 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	73748	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	335054	20.00	ng	-0.01
38) Acenaphthene-d10	14.31	164	201358	20.00	ng	0.00
63) Phenanthrene-d10	17.05	188	442499	20.00	ng	-0.01
75) Chrysene-d12	21.23	240	373743	20.00	ng	0.00
86) Perylene-d12	23.46	264	350638	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	293685	62.85	ng	-0.01
7) Phenol-d6	6.85	99	253051	36.07	ng	-0.01
23) Nitrobenzene-d5	8.82	82	509444	88.08	ng	-0.01
41) 2,4,6-Tribromophenol	15.80	330	203510	149.45	ng	0.00
44) 2-Fluorobiphenyl	12.93	172	1083267	91.60	ng	0.00
78) Terphenyl-d14	19.68	244	1328607	83.20	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041515\
Data File : BG016425.D
Acq On : 15 Apr 2015 16:25
Operator : TP/IZ
Sample : G1876-02
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DCW-RB05-041015

Quant Time: Apr 16 03:21:56 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 14 14:00:56 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.67 min Scan# 847
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25

Instrument :
 BNA_G
 ClientSampleId :
 DCW-RB05-041015




Tgt Ion:152 Resp: 73748
 Ion Ratio Lower Upper
 152 100
 150 158.0 130.1 195.1
 115 56.3 50.5 75.7




#5

2-Fluorophenol
 Concen: 62.85 ng
 RT: 5.25 min Scan# 436
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25

Tgt Ion:112 Resp: 293685
 Ion Ratio Lower Upper
 112 100
 64 51.5 44.5 66.7
 63 24.1 21.4 32.0





#7

Phenol-d6

Concen: 36.07 ng

RT: 6.85 min Scan# 708

Delta R.T. -0.01 min

Lab File: BG016425.D

Acq: 15 Apr 2015 16:25

Instrument :

BNA_G

ClientSampleId :

DCW-RB05-041015


Tgt Ion: 99 Resp: 253051

Ion Ratio Lower Upper




99 100

42 11.7 10.0 15.0

71 24.6 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG016425.D

Acq: 15 Apr 2015 16:25

Tgt Ion: 136 Resp: 335054


Ion Ratio Lower Upper

136 100



137 10.7 8.7 13.1


54 6.8 6.3 9.5

68 7.0 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 88.08 ng
 RT: 8.82 min Scan# 1044
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25




Instrument :
 BNA_G
 ClientSampleId :
 DCW-RB05-041015


Tgt Ion: 82 Resp: 509444
 Ion Ratio Lower Upper
 82 100
 128 50.2 37.8 56.8
 54 40.7 32.6 49.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.31 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25

Tgt Ion: 164 Resp: 201358
 Ion Ratio Lower Upper
 164 100
 162 95.5 77.3 115.9
 160 43.7 36.7 55.1









#41
 2,4,6-Tribromophenol
 Concen: 149.45 ng
 RT: 15.80 min Scan# 2232
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25




Instrument :
 BNA_G
 ClientSampleId :
 DCW-RB05-041015


Tgt Ion:330 Resp: 203510
 Ion Ratio Lower Upper
 330 100
 332 96.5 75.8 113.6
 141 58.5 46.6 69.8



#44
 2-Fluorobiphenyl
 Concen: 91.60 ng
 RT: 12.93 min Scan# 1743
 Delta R.T. -0.01 min
 Lab File: BG016425.D
 Acq: 15 Apr 2015 16:25

Tgt Ion:172 Resp: 1083267
 Ion Ratio Lower Upper
 172 100
 171 38.0 29.6 44.4
 170 24.7 19.4 29.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.05 min Scan# 2444
Delta R.T. -0.01 min
Lab File: BG016425.D
Acq: 15 Apr 2015 16:25

Instrument :
BNA_G
ClientSampleId :
DCW-RB05-041015

Tgt Ion:188 Resp: 442499
Ion Ratio Lower Upper
188 100
94 14.9 12.2 18.4
80 14.9 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.23 min Scan# 3156
Delta R.T. -0.01 min
Lab File: BG016425.D
Acq: 15 Apr 2015 16:25

Tgt Ion:240 Resp: 373743
Ion Ratio Lower Upper
240 100
120 20.6 18.6 28.0
236 26.4 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.20 ng

RT: 19.68 min Scan# 2892

Delta R.T. -0.01 min

Lab File: BG016425.D

Acq: 15 Apr 2015 16:25

Instrument :


BNA_G

ClientSampleId :

DCW-RB05-041015

Tgt Ion:244 Resp: 1328607




Ion	Ratio	Lower	Upper
244	100		
212	8.9	6.6	9.8
122	24.7	19.1	28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.46 min Scan# 3536


Delta R.T. -0.00 min

Lab File: BG016425.D

Acq: 15 Apr 2015 16:25

Tgt Ion:264 Resp: 350638

Ion	Ratio	Lower	Upper
264	100		
260	25.5	20.4	30.6
265	21.8	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

