

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041516\
 Data File : BG021696.D
 Acq On : 15 Apr 2016 21:56
 Operator : UM/SJ
 Sample : H2549-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S8-0574

Quant Time: Apr 16 03:24:33 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	36421	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	161720	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	99512	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	211787	20.00	ng	0.00
75) Chrysene-d12	21.83	240	237600	20.00	ng	0.00
86) Perylene-d12	25.18	264	231142	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.77	112	123761	56.59	ng	0.01
7) Phenol-d6	7.37	99	114411	35.02	ng	0.01
23) Nitrobenzene-d5	9.38	82	252749	80.33	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	142595	132.96	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	522114	76.87	ng	0.00
78) Terphenyl-d14	20.15	244	612069	64.28	ng	0.00
Target Compounds						
27) 2,4-Dimethylphenol	10.22	122	60097	20.57	ng	# 88
49) Dimethylphthalate	14.27	163	61426	7.14	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041516\
Data File : BG021696.D
Acq On : 15 Apr 2016 21:56
Operator : UM/SJ
Sample : H2549-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S8-0574

Quant Time: Apr 16 03:24:33 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.21 min Scan# 915

Delta R.T. -0.01 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56

Instrument :

BNA_G

ClientSampled :

S8-0574


Tot Ion:152 Resp: 36421

Ion Ratio Lower Upper

152 100

150 155.1 130.1 195.1




115 58.3 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 56.59 ng

RT: 5.77 min Scan# 499

Delta R.T. 0.01 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56


Tgt Ion:112 Resp: 123761

Ion Ratio Lower Upper

112 100

64 66.1 51.1 76.7



63 35.9 24.6 37.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 35.02 ng

RT: 7.37 min Scan# 771

Delta R.T. 0.01 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56

Instrument :

BNA_G

ClientSampled :

S8-0574


Tot Ion: 99 Resp: 114411

Ion Ratio Lower Upper




99 100

42 20.1 16.4 24.6

71 32.9 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1395

Delta R.T. -0.00 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56

Tgt Ion: 136 Resp: 161720


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.4


54 11.1 9.6 14.4

68 7.8 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 80.33 ng
 RT: 9.38 min Scan# 1114
 Delta R.T. -0.00 min
 Lab File: BG021696.D
 Acq: 15 Apr 2016 21:56

Instrument :
 BNA_G
 ClientSampled :
 S8-0574

Tot Ion: 82 Resp: 252749
 Ion Ratio Lower Upper
 82 100
 128 42.3 33.4 50.0
 54 54.8 46.1 69.1




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#27
 2,4-Dimethylphenol
 Concen: 20.57 ng
 RT: 10.22 min Scan# 1257
 Delta R.T. 0.03 min
 Lab File: BG021696.D
 Acq: 15 Apr 2016 21:56

Tgt Ion:122 Resp: 60097
 Ion Ratio Lower Upper
 122 100
 107 113.3 97.2 145.8
 121 44.8 49.0 73.4#



Abundance Ion 122.00 (121.70 to 122.70): BGC
 Ion 107.00 (106.70 to 107.70): BGC
 Ion 121.00 (120.70 to 121.70): BGC









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.82 min Scan# 2040
Delta R.T. -0.00 min
Lab File: BG021696.D
Acq: 15 Apr 2016 21:56

Instrument :
BNA_G
ClientSampled :
S8-0574

Tot Ion:164 Resp: 99512
Ion Ratio Lower Upper
164 100
162 107.6 78.0 117.0
160 46.7 32.9 49.3




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 132.96 ng
RT: 16.30 min Scan# 2292
Delta R.T. -0.00 min
Lab File: BG021696.D
Acq: 15 Apr 2016 21:56

Tgt Ion:330 Resp: 142595
Ion Ratio Lower Upper
330 100
332 96.0 78.0 117.0
141 39.0 33.8 50.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 76.87 ng
RT: 13.45 min Scan# 1806
Delta R.T. -0.01 min
Lab File: BG021696.D
Acq: 15 Apr 2016 21:56




Instrument :
BNA_G
ClientSampleId :
S8-0574


Tot Ion:172 Resp: 522114
Ion Ratio Lower Upper
172 100
171 39.3 27.8 41.6
170 26.5 19.6 29.4



#49
Dimethylphthalate
Concen: 7.14 ng
RT: 14.27 min Scan# 1945
Delta R.T. -0.01 min
Lab File: BG021696.D
Acq: 15 Apr 2016 21:56

Tgt Ion:163 Resp: 61426
Ion Ratio Lower Upper
163 100
194 5.2 3.0 4.6#
164 9.7 8.1 12.1





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2506

Delta R.T. -0.00 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56

Instrument :

BNA_G

ClientSampleId :

S8-0574


Tot Ion:188 Resp: 211787

Ion Ratio Lower Upper

188 100

94 11.1 7.5 11.3




80 12.0 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.83 min Scan# 3233

Delta R.T. -0.00 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56


Tgt Ion:240 Resp: 237600

Ion Ratio Lower Upper

240 100

120 10.8 8.4 12.6



236 26.5 19.6 29.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 64.28 ng

RT: 20.15 min Scan# 2946

Delta R.T. -0.00 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56

Instrument :

BNA_G

ClientSampleId :

S8-0574


Tot Ion:244 Resp: 612069

Ion Ratio Lower Upper

244 100

212 8.2 6.5 9.7




122 10.0 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.18 min Scan# 3802

Delta R.T. 0.01 min

Lab File: BG021696.D

Acq: 15 Apr 2016 21:56


Tgt Ion:264 Resp: 231142

Ion Ratio Lower Upper

264 100

260 25.6 20.2 30.4

265 22.8 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

