

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041516\
 Data File : BG021716.D
 Acq On : 16 Apr 2016 14:01
 Operator : UM/SJ
 Sample : H2559-03
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-09-CS-3(8-17.5FTBGS)

Quant Time: Apr 18 01:16:12 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	26600	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	121166	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	80364	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	187871	20.00	ng	0.00
75) Chrysene-d12	21.83	240	201175	20.00	ng	0.00
86) Perylene-d12	25.16	264	199352	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.77	112	188484	118.00	ng	0.01
7) Phenol-d6	7.37	99	288931	121.09	ng	0.01
23) Nitrobenzene-d5	9.38	82	182384	77.37	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	119861	138.39	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	425931	77.65	ng	0.00
78) Terphenyl-d14	20.14	244	626626	77.72	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.27	163	54273	7.81	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041516\
Data File : BG021716.D
Acq On : 16 Apr 2016 14:01
Operator : UM/SJ
Sample : H2559-03
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-09-CS-3(8-17.5FTBGS)

Quant Time: Apr 18 01:16:12 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.21 min Scan# 915
Delta R.T. -0.01 min
Lab File: BG021716.D
Acq: 16 Apr 2016 14:01

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-09-CS-3(8-17.5FTBGS)

Tot Ion:152 Resp: 26600
Ion Ratio Lower Upper
152 100
150 154.5 130.1 195.1
115 61.3 62.2 93.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.00 ng
RT: 5.77 min Scan# 499
Delta R.T. 0.01 min
Lab File: BG021716.D
Acq: 16 Apr 2016 14:01

Tgt Ion:112 Resp: 188484
Ion Ratio Lower Upper
112 100
64 69.1 51.1 76.7
63 36.3 24.6 37.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 121.09 ng

RT: 7.37 min Scan# 771

Delta R.T. 0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-09-CS-3(8-17.5FTBGS)


Tot Ion: 99 Resp: 288931

Ion Ratio Lower Upper




99 100

42 20.0 16.4 24.6

71 35.2 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1395

Delta R.T. -0.00 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01

Tgt Ion:136 Resp: 121166


Ion Ratio Lower Upper

136 100



137 10.4 9.0 13.4


54 10.7 9.6 14.4

68 7.2 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 77.37 ng
RT: 9.38 min Scan# 1114
Delta R.T. -0.00 min
Lab File: BG021716.D
Acq: 16 Apr 2016 14:01

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-09-CS-3(8-17.5FTBGS)

Tot Ion: 82 Resp: 182384
Ion Ratio Lower Upper
82 100
128 43.1 33.4 50.0
54 55.2 46.1 69.1




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.82 min Scan# 2040
Delta R.T. -0.00 min
Lab File: BG021716.D
Acq: 16 Apr 2016 14:01

Tgt Ion:164 Resp: 80364
Ion Ratio Lower Upper
164 100
162 103.5 78.0 117.0
160 45.2 32.9 49.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#41

2,4,6-Tribromophenol

Concen: 138.39 ng

RT: 16.30 min Scan# 2292

Delta R.T. -0.00 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-09-CS-3(8-17.5FTBGS)


Tot Ion:330 Resp: 119861

Ion Ratio Lower Upper

330 100

332 97.3 78.0 117.0




141 39.5 33.8 50.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 77.65 ng

RT: 13.45 min Scan# 1806

Delta R.T. -0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01


Tgt Ion:172 Resp: 425931

Ion Ratio Lower Upper

172 100

171 37.2 27.8 41.6



170 25.0 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.81 ng

RT: 14.27 min Scan# 1945

Delta R.T. -0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-09-CS-3(8-17.5FTBGS)


Tot Ion:163 Resp: 54273

Ion Ratio Lower Upper

163 100

194 3.5 3.0 4.6




164 11.1 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2505

Delta R.T. -0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01


Tgt Ion:188 Resp: 187871

Ion Ratio Lower Upper

188 100

94 8.8 7.5 11.3



80 10.5 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.83 min Scan# 3232

Delta R.T. -0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-09-CS-3(8-17.5FTBGS)


Tot Ion:240 Resp: 201175

Ion Ratio Lower Upper

240 100

120 10.0 8.4 12.6




236 25.7 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 77.72 ng

RT: 20.14 min Scan# 2945

Delta R.T. -0.01 min

Lab File: BG021716.D

Acq: 16 Apr 2016 14:01


Tgt Ion:244 Resp: 626626

Ion Ratio Lower Upper

244 100

212 7.9 6.5 9.7



122 10.7 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.16 min Scan# 3800
Delta R.T. -0.00 min
Lab File: BG021716.D
Acq: 16 Apr 2016 14:01

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-09-CS-3(8-17.5FTBGS)

Tot Ion: 264 Resp: 199352

Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.2	30.4
265	22.6	17.8	26.8

