

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041615\
 Data File : BG016468.D
 Acq On : 16 Apr 2015 22:34
 Operator : TP/IZ
 Sample : G1890-06
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-05-COMP

Quant Time: Apr 17 04:15:36 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 17 03:57:14 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	65698	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	283416	20.00	ng	0.00
38) Acenaphthene-d10	14.30	164	163695	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	373477	20.00	ng	0.00
75) Chrysene-d12	21.23	240	343693	20.00	ng	0.00
86) Perylene-d12	23.45	264	320663	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	284272	68.29	ng	0.00
7) Phenol-d6	6.85	99	388999	62.25	ng	0.00
23) Nitrobenzene-d5	8.82	82	192359	39.32	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	82408	74.44	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	396331	41.22	ng	0.00
78) Terphenyl-d14	19.67	244	502224	34.20	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.76	163	35619	2.97	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041615\
Data File : BG016468.D
Acq On : 16 Apr 2015 22:34
Operator : TP/IZ
Sample : G1890-06
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-05-COMP

Quant Time: Apr 17 04:15:36 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 17 03:57:14 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. -0.00 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34

Instrument :

BNA_G

ClientSampleId :

SB-05-COMP


Tgt Ion:152 Resp: 65698

Ion Ratio Lower Upper

152 100

150 159.1 130.1 195.1




115 57.6 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 68.29 ng

RT: 5.25 min Scan# 436

Delta R.T. -0.00 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34


Tgt Ion:112 Resp: 284272

Ion Ratio Lower Upper

112 100

64 50.3 44.5 66.7



63 23.4 21.4 32.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 62.25 ng

RT: 6.85 min Scan# 708

Delta R.T. -0.01 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34

Instrument :

BNA_G

ClientSampleId :

SB-05-COMP


Tgt Ion: 99 Resp: 388999

Ion Ratio Lower Upper




99 100

42 11.6 10.0 15.0

71 25.2 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34

Tgt Ion: 136 Resp: 283416


Ion Ratio Lower Upper

136 100



137 11.4 8.7 13.1

54 6.8 6.3 9.5

68 6.3 6.5 9.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 39.32 ng
 RT: 8.82 min Scan# 1043
 Delta R.T. -0.00 min
 Lab File: BG016468.D
 Acq: 16 Apr 2015 22:34




Instrument :
 BNA_G
 ClientSampleId :
 SB-05-COMP


Tgt Ion: 82 Resp: 192359
 Ion Ratio Lower Upper
 82 100
 128 52.7 37.8 56.8
 54 40.1 32.6 49.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.30 min Scan# 1977
 Delta R.T. -0.00 min
 Lab File: BG016468.D
 Acq: 16 Apr 2015 22:34

Tgt Ion: 164 Resp: 163695
 Ion Ratio Lower Upper
 164 100
 162 98.8 77.3 115.9
 160 42.5 36.7 55.1









#41
 2,4,6-Tribromophenol
 Concen: 74.44 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.01 min
 Lab File: BG016468.D
 Acq: 16 Apr 2015 22:34

Instrument :
 BNA_G
 ClientSampleId :
 SB-05-COMP

Tgt Ion: 330 Resp: 82408
 Ion Ratio Lower Upper
 330 100
 332 96.9 75.8 113.6
 141 53.0 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 41.22 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. -0.00 min
 Lab File: BG016468.D
 Acq: 16 Apr 2015 22:34

Tgt Ion: 172 Resp: 396331
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.6 44.4
 170 23.5 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.97 ng

RT: 13.76 min Scan# 1885

Delta R.T. -0.01 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34

Instrument :

BNA_G

ClientSampleId :

SB-05-COMP


Tgt Ion:163 Resp: 35619

Ion Ratio Lower Upper

163 100

194 5.3 5.0 7.4




164 10.4 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.04 min Scan# 2443

Delta R.T. -0.01 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34


Tgt Ion:188 Resp: 373477

Ion Ratio Lower Upper

188 100

94 14.7 12.2 18.4



80 14.2 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.23 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34

Instrument :

BNA_G

ClientSampleId :

SB-05-COMP


Tgt Ion:240 Resp: 343693

Ion Ratio Lower Upper

240 100

120 19.9 18.6 28.0




236 26.8 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 34.20 ng

RT: 19.67 min Scan# 2891

Delta R.T. -0.01 min

Lab File: BG016468.D

Acq: 16 Apr 2015 22:34


Tgt Ion:244 Resp: 502224

Ion Ratio Lower Upper

244 100

212 7.4 6.6 9.8



122 19.4 19.1 28.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 23.45 min Scan# 3534
Delta R.T. -0.01 min
Lab File: BG016468.D
Acq: 16 Apr 2015 22:34

Instrument :
BNA_G
ClientSampleId :
SB-05-COMP

Tgt Ion: 264 Resp: 320663

Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.4	30.6
265	22.0	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

