

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016523.D
 Acq On : 18 Apr 2015 14:07
 Operator : TP/IZ
 Sample : G1872-08
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-24

Quant Time: Apr 20 02:41:30 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 20 02:16:57 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	84047	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	368684	20.00	ng	0.00
38) Acenaphthene-d10	14.30	164	210087	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	434417	20.00	ng	0.00
75) Chrysene-d12	21.23	240	375670	20.00	ng	0.00
86) Perylene-d12	23.45	264	350692	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	247122	46.40	ng	0.00
7) Phenol-d6	6.84	99	208967	26.14	ng	0.00
23) Nitrobenzene-d5	8.82	82	406416	63.86	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	153631	108.13	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	872173	70.68	ng	0.00
78) Terphenyl-d14	19.67	244	985660	61.41	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
Data File : BG016523.D
Acq On : 18 Apr 2015 14:07
Operator : TP/IZ
Sample : G1872-08
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-24

Quant Time: Apr 20 02:41:30 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 20 02:16:57 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. 0.00 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07

Instrument :

BNA_G

ClientSampleId :

MW-24


Tgt Ion:152 Resp: 84047

Ion Ratio Lower Upper

152 100

150 155.3 130.1 195.1




115 55.4 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 46.40 ng

RT: 5.25 min Scan# 436

Delta R.T. 0.00 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07


Tgt Ion:112 Resp: 247122

Ion Ratio Lower Upper

112 100

64 49.4 44.5 66.7



63 24.4 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 26.14 ng

RT: 6.84 min Scan# 707

Delta R.T. -0.01 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07

Instrument :

BNA_G

ClientSampleId :

MW-24


Tgt Ion: 99 Resp: 208967

Ion Ratio Lower Upper



99 100

42 11.3 10.0 15.0

71 24.9 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1320

Delta R.T. 0.00 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07

Tgt Ion: 136 Resp: 368684


Ion Ratio Lower Upper

136 100



137 11.2 8.7 13.1

54 6.5 6.3 9.5

68 7.0 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 63.86 ng
 RT: 8.82 min Scan# 1043
 Delta R.T. -0.01 min
 Lab File: BG016523.D
 Acq: 18 Apr 2015 14:07




Instrument :
 BNA_G
 ClientSampled :
 MW-24


Tgt Ion: 82 Resp: 406416
 Ion Ratio Lower Upper
 82 100
 128 53.0 37.8 56.8
 54 39.3 32.6 49.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.30 min Scan# 1976
 Delta R.T. -0.01 min
 Lab File: BG016523.D
 Acq: 18 Apr 2015 14:07

Tgt Ion: 164 Resp: 210087
 Ion Ratio Lower Upper
 164 100
 162 96.1 77.3 115.9
 160 44.0 36.7 55.1








#41
 2,4,6-Tribromophenol
 Concen: 108.13 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. 0.00 min
 Lab File: BG016523.D
 Acq: 18 Apr 2015 14:07

Instrument :
 BNA_G
 ClientSampleId :
 MW-24

Tgt Ion:330 Resp: 153631
 Ion Ratio Lower Upper
 330 100
 332 94.3 75.8 113.6
 141 58.9 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 70.68 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. 0.00 min
 Lab File: BG016523.D
 Acq: 18 Apr 2015 14:07

Tgt Ion:172 Resp: 872173
 Ion Ratio Lower Upper
 172 100
 171 37.7 29.6 44.4
 170 24.5 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.04 min Scan# 2443
Delta R.T. -0.01 min
Lab File: BG016523.D
Acq: 18 Apr 2015 14:07

Instrument :
BNA_G
ClientSampleId :
MW-24

Tgt Ion:188 Resp: 434417
Ion Ratio Lower Upper
188 100
94 14.0 12.2 18.4
80 14.7 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.23 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG016523.D
Acq: 18 Apr 2015 14:07

Tgt Ion:240 Resp: 375670
Ion Ratio Lower Upper
240 100
120 19.7 18.6 28.0
236 27.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 61.41 ng

RT: 19.67 min Scan# 2891

Delta R.T. 0.00 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07

Instrument :

BNA_G

ClientSampled :

MW-24


Tgt Ion:244 Resp: 985660

Ion Ratio Lower Upper

244 100

212 8.6 6.6 9.8




122 22.3 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.45 min Scan# 3534

Delta R.T. 0.00 min

Lab File: BG016523.D

Acq: 18 Apr 2015 14:07


Tgt Ion:264 Resp: 350692

Ion Ratio Lower Upper

264 100

260 24.9 20.4 30.6

265 21.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

