

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016499.D
 Acq On : 17 Apr 2015 21:36
 Operator : TP/IZ
 Sample : G1880-06
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S3-2-28

Quant Time: Apr 18 00:51:29 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 18 00:32:09 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	69230	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	294226	20.00	ng	0.00
38) Acenaphthene-d10	14.30	164	167121	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	358957	20.00	ng	0.00
75) Chrysene-d12	21.22	240	320264	20.00	ng	0.00
86) Perylene-d12	23.45	264	300923	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	592902	135.16	ng	0.01
7) Phenol-d6	6.85	99	826631	125.53	ng	0.01
23) Nitrobenzene-d5	8.81	82	426653	84.00	ng	0.00
41) 2,4,6-Tribromophenol	15.79	330	161291	142.71	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	872114	88.85	ng	0.00
78) Terphenyl-d14	19.67	244	1029174	75.21	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.76	163	30572	2.50	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
Data File : BG016499.D
Acq On : 17 Apr 2015 21:36
Operator : TP/IZ
Sample : G1880-06
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S3-2-28

Quant Time: Apr 18 00:51:29 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 18 00:32:09 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. 0.00 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36

Instrument :

BNA_G

ClientSampleId :

S3-2-28


Tgt Ion:152 Resp: 69230

Ion Ratio Lower Upper

152 100

150 159.0 130.1 195.1




115 55.0 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 135.16 ng

RT: 5.25 min Scan# 437

Delta R.T. 0.01 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36


Tgt Ion:112 Resp: 592902

Ion Ratio Lower Upper

112 100

64 50.9 44.5 66.7



63 24.2 21.4 32.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 125.53 ng

RT: 6.85 min Scan# 709

Delta R.T. 0.01 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36

Instrument :

BNA_G

ClientSampleId :

S3-2-28


Tgt Ion: 99 Resp: 826631

Ion Ratio Lower Upper




99 100

42 11.8 10.0 15.0

71 25.6 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36

Tgt Ion: 136 Resp: 294226


Ion Ratio Lower Upper

136 100



137 11.4 8.7 13.1


54 6.6 6.3 9.5

68 7.2 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 84.00 ng
 RT: 8.81 min Scan# 1043
 Delta R.T. -0.00 min
 Lab File: BG016499.D
 Acq: 17 Apr 2015 21:36

Instrument :
 BNA_G
 ClientSampleId :
 S3-2-28

Tgt Ion: 82 Resp: 426653
 Ion Ratio Lower Upper
 82 100
 128 51.5 37.8 56.8
 54 40.7 32.6 49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.30 min Scan# 1977
 Delta R.T. -0.00 min
 Lab File: BG016499.D
 Acq: 17 Apr 2015 21:36

Tgt Ion: 164 Resp: 167121
 Ion Ratio Lower Upper
 164 100
 162 98.8 77.3 115.9
 160 43.3 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 142.71 ng
 RT: 15.79 min Scan# 2231
 Delta R.T. -0.00 min
 Lab File: BG016499.D
 Acq: 17 Apr 2015 21:36




Instrument :
 BNA_G
 ClientSampled :
 S3-2-28


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.5	75.8	113.6
141	58.3	46.6	69.8



#44
 2-Fluorobiphenyl
 Concen: 88.85 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. -0.00 min
 Lab File: BG016499.D
 Acq: 17 Apr 2015 21:36

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.4	29.6	44.4
170	24.3	19.4	29.2





#49

Dimethylphthalate

Concen: 2.50 ng

RT: 13.76 min Scan# 1885

Delta R.T. -0.01 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36

Instrument :

BNA_G

ClientSampled :

S3-2-28


Tgt Ion:163 Resp: 30572

Ion Ratio Lower Upper

163 100

194 6.4 5.0 7.4




164 9.6 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.04 min Scan# 2443

Delta R.T. -0.00 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36


Tgt Ion:188 Resp: 358957

Ion Ratio Lower Upper

188 100

94 14.1 12.2 18.4



80 14.9 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.22 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36

Instrument :

BNA_G

ClientSampleId :

S3-2-28


Tgt Ion:240 Resp: 320264

Ion Ratio Lower Upper

240 100

120 22.2 18.6 28.0




236 26.9 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.21 ng

RT: 19.67 min Scan# 2891

Delta R.T. -0.00 min

Lab File: BG016499.D

Acq: 17 Apr 2015 21:36


Tgt Ion:244 Resp: 1029174

Ion Ratio Lower Upper

244 100

212 8.7 6.6 9.8



122 24.7 19.1 28.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.45 min Scan# 3534
Delta R.T. -0.00 min
Lab File: BG016499.D
Acq: 17 Apr 2015 21:36

Instrument :
BNA_G
ClientSampleId :
S3-2-28

Tgt Ion: 264 Resp: 300923
Ion Ratio Lower Upper
264 100
260 24.2 20.4 30.6
265 22.6 17.2 25.8

