

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016501.D
 Acq On : 17 Apr 2015 22:45
 Operator : TP/IZ
 Sample : G1880-08
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S5-1-4

Quant Time: Apr 18 00:51:52 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 18 00:32:09 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	71840	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	309347	20.00	ng	0.00
38) Acenaphthene-d10	14.30	164	180632	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	385823	20.00	ng	0.00
75) Chrysene-d12	21.23	240	342856	20.00	ng	0.00
86) Perylene-d12	23.45	264	322855	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	376725	82.76	ng	0.00
7) Phenol-d6	6.85	99	556500	81.44	ng	0.00
23) Nitrobenzene-d5	8.82	82	281456	52.71	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	107778	88.23	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	641427	60.46	ng	0.00
78) Terphenyl-d14	19.67	244	804446	54.91	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
Data File : BG016501.D
Acq On : 17 Apr 2015 22:45
Operator : TP/IZ
Sample : G1880-08
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S5-1-4

Quant Time: Apr 18 00:51:52 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 18 00:32:09 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.66 min Scan# 846
Delta R.T. 0.01 min
Lab File: BG016501.D
Acq: 17 Apr 2015 22:45

Instrument :
BNA_G
ClientSampled :
S5-1-4

Tgt Ion:152 Resp: 71840
Ion Ratio Lower Upper
152 100
150 155.7 130.1 195.1
115 53.2 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 82.76 ng
RT: 5.25 min Scan# 436
Delta R.T. 0.01 min
Lab File: BG016501.D
Acq: 17 Apr 2015 22:45

Tgt Ion:112 Resp: 376725
Ion Ratio Lower Upper
112 100
64 50.0 44.5 66.7
63 24.2 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGO
Ion 63.00 (62.70 to 63.70): BGO





#7

Phenol-d6

Concen: 81.44 ng

RT: 6.85 min Scan# 708

Delta R.T. 0.01 min

Lab File: BG016501.D

Acq: 17 Apr 2015 22:45

Instrument :

BNA_G

ClientSampleId :

S5-1-4


Tgt Ion: 99 Resp: 556500

Ion Ratio Lower Upper



99 100

42 12.4 10.0 15.0

71 26.0 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG016501.D

Acq: 17 Apr 2015 22:45

Tgt Ion: 136 Resp: 309347


Ion Ratio Lower Upper

136 100



137 10.7 8.7 13.1

54 6.5 6.3 9.5

68 6.7 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 52.71 ng
 RT: 8.82 min Scan# 1043
 Delta R.T. -0.00 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Instrument :
 BNA_G
 ClientSampled :
 S5-1-4

Tgt Ion	Ratio	Lower	Upper
82	100		
128	52.5	37.8	56.8
54	38.3	32.6	49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.30 min Scan# 1976
 Delta R.T. -0.01 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Tgt Ion	Ratio	Lower	Upper
164	100		
162	92.4	77.3	115.9
160	43.1	36.7	55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 88.23 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.00 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Instrument :
 BNA_G
 ClientSampleId :
 S5-1-4

Tgt Ion: 330 Resp: 107778
 Ion Ratio Lower Upper
 330 100
 332 95.8 75.8 113.6
 141 56.1 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 60.46 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. -0.00 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Tgt Ion: 172 Resp: 641427
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.6 44.4
 170 24.1 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.04 min Scan# 2443
Delta R.T. -0.00 min
Lab File: BG016501.D
Acq: 17 Apr 2015 22:45

Instrument :
BNA_G
ClientSampleId :
S5-1-4

Tgt Ion:188 Resp: 385823
Ion Ratio Lower Upper
188 100
94 13.8 12.2 18.4
80 14.0 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.23 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG016501.D
Acq: 17 Apr 2015 22:45

Tgt Ion:240 Resp: 342856
Ion Ratio Lower Upper
240 100
120 20.7 18.6 28.0
236 27.4 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E







#78
 Terphenyl-d14
 Concen: 54.91 ng
 RT: 19.67 min Scan# 2891
 Delta R.T. -0.00 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Instrument :
 BNA_G
 ClientSampleId :
 S5-1-4



Tgt Ion:244 Resp: 804446
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.6 9.8
 122 21.7 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E




Time-->




#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.45 min Scan# 3534
 Delta R.T. -0.00 min
 Lab File: BG016501.D
 Acq: 17 Apr 2015 22:45

Tgt Ion:264 Resp: 322855
 Ion Ratio Lower Upper
 264 100
 260 24.3 20.4 30.6
 265 22.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E



Time-->

