

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016503.D
 Acq On : 17 Apr 2015 23:55
 Operator : TP/IZ
 Sample : G1880-10
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S6-1-4

Quant Time: Apr 18 00:52:15 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 18 00:32:09 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	69432	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	297384	20.00	ng	0.00
38) Acenaphthene-d10	14.30	164	168119	20.00	ng	0.00
63) Phenanthrene-d10	17.04	188	350014	20.00	ng	0.00
75) Chrysene-d12	21.22	240	312692	20.00	ng	0.00
86) Perylene-d12	23.45	264	295221	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	389947	88.64	ng	0.00
7) Phenol-d6	6.85	99	539833	81.74	ng	0.00
23) Nitrobenzene-d5	8.82	82	278184	54.19	ng	0.00
41) 2,4,6-Tribromophenol	15.80	330	98220	86.39	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	602919	61.06	ng	0.00
78) Terphenyl-d14	19.67	244	734501	54.98	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
Data File : BG016503.D
Acq On : 17 Apr 2015 23:55
Operator : TP/IZ
Sample : G1880-10
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S6-1-4

Quant Time: Apr 18 00:52:15 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 18 00:32:09 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. 0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55

Instrument :

BNA_G

ClientSampleId :

S6-1-4


Tgt Ion:152 Resp: 69432

Ion Ratio Lower Upper

152 100

150 156.4 130.1 195.1



115 54.9 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 88.64 ng

RT: 5.25 min Scan# 436

Delta R.T. 0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55


Tgt Ion:112 Resp: 389947

Ion Ratio Lower Upper

112 100

64 51.0 44.5 66.7



63 24.6 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 81.74 ng

RT: 6.85 min Scan# 708

Delta R.T. 0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55

Instrument :

BNA_G

ClientSampleId :

S6-1-4


Tgt Ion: 99 Resp: 539833

Ion Ratio Lower Upper




99 100

42 11.5 10.0 15.0

71 25.4 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1320

Delta R.T. -0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55

Tgt Ion: 136 Resp: 297384


Ion Ratio Lower Upper

136 100



137 10.9 8.7 13.1

54 6.7 6.3 9.5

68 7.1 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 54.19 ng
 RT: 8.82 min Scan# 1043
 Delta R.T. -0.00 min
 Lab File: BG016503.D
 Acq: 17 Apr 2015 23:55

Instrument :
 BNA_G
 ClientSampleId :
 S6-1-4

Tgt Ion: 82 Resp: 278184
 Ion Ratio Lower Upper
 82 100
 128 51.8 37.8 56.8
 54 40.0 32.6 49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.30 min Scan# 1977
 Delta R.T. -0.00 min
 Lab File: BG016503.D
 Acq: 17 Apr 2015 23:55

Tgt Ion: 164 Resp: 168119
 Ion Ratio Lower Upper
 164 100
 162 98.9 77.3 115.9
 160 44.8 36.7 55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 86.39 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.00 min
 Lab File: BG016503.D
 Acq: 17 Apr 2015 23:55




Instrument :
 BNA_G
 ClientSampled :
 S6-1-4

Tgt Ion:330 Resp: 98220
 Ion Ratio Lower Upper
 330 100
 332 95.5 75.8 113.6
 141 56.2 46.6 69.8



#44
 2-Fluorobiphenyl
 Concen: 61.06 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. -0.00 min
 Lab File: BG016503.D
 Acq: 17 Apr 2015 23:55

Tgt Ion:172 Resp: 602919
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.6 44.4
 170 24.0 19.4 29.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.04 min Scan# 2443
Delta R.T. -0.00 min
Lab File: BG016503.D
Acq: 17 Apr 2015 23:55

Instrument :
BNA_G
ClientSampleId :
S6-1-4

Tgt Ion:188 Resp: 350014
Ion Ratio Lower Upper
188 100
94 14.3 12.2 18.4
80 14.2 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO





#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.22 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG016503.D
Acq: 17 Apr 2015 23:55

Tgt Ion:240 Resp: 312692
Ion Ratio Lower Upper
240 100
120 20.1 18.6 28.0
236 26.6 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 54.98 ng

RT: 19.67 min Scan# 2891

Delta R.T. -0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55

Instrument :

BNA_G

ClientSampleId :

S6-1-4


Tgt Ion:244 Resp: 734501

Ion Ratio Lower Upper

244 100

212 7.9 6.6 9.8




122 21.3 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.45 min Scan# 3534

Delta R.T. -0.00 min

Lab File: BG016503.D

Acq: 17 Apr 2015 23:55


Tgt Ion:264 Resp: 295221

Ion Ratio Lower Upper

264 100

260 25.4 20.4 30.6

265 21.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

