

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016506.D
 Acq On : 18 Apr 2015 4:16
 Operator : TP/IZ
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040

Quant Time: Apr 20 12:22:05 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	77895	20.00	ng	-0.01
21) Naphthalene-d8	10.44	136	347991	20.00	ng	-0.02
38) Acenaphthene-d10	14.30	164	195984	20.00	ng	-0.01
63) Phenanthrene-d10	17.04	188	405215	20.00	ng	-0.02
75) Chrysene-d12	21.23	240	354617	20.00	ng	-0.01
86) Perylene-d12	23.45	264	344355	20.00	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.25	112	386301	78.27	ng	-0.01
7) Phenol-d6	6.85	99	556029	75.04	ng	-0.01
23) Nitrobenzene-d5	8.82	82	464637	77.35	ng	-0.02
41) 2,4,6-Tribromophenol	15.80	330	112821	85.12	ng	-0.01
44) 2-Fluorobiphenyl	12.92	172	922138	80.11	ng	-0.01
78) Terphenyl-d14	19.67	244	1142588	75.41	ng	-0.01

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.13	88	81209	36.19	ng	99
3) Pyridine	3.53	79	241233	35.97	ng	94
4) n-Nitrosodimethylamine	3.45	42	72750	36.49	ng	97
6) Aniline	6.99	93	377715	35.69	ng	97
8) 2-Chlorophenol	7.23	128	235016	39.65	ng	95
9) Benzaldehyde	6.80	77	138804	31.98	ng	98
10) Phenol	6.88	94	293344	37.00	ng	99
11) bis(2-Chloroethyl)ether	7.09	93	222018	35.12	ng	99
12) 1,3-Dichlorobenzene	7.55	146	237786	39.73	ng	97
13) 1,4-Dichlorobenzene	7.69	146	244039	39.30	ng	98
14) 1,2-Dichlorobenzene	8.01	146	230127	38.75	ng	98
15) Benzyl Alcohol	7.91	79	180786	35.00	ng	97
16) 2,2'-oxybis(1-Chloropropan	8.20	45	222154	31.20	ng	95
17) 2-Methylphenol	8.12	107	195649	36.80	ng	97
18) Hexachloroethane	8.73	117	89976	37.88	ng	98
19) n-Nitroso-di-n-propylamine	8.46	70	173824	32.74	ng	99
20) 3+4-Methylphenols	8.45	107	270434	36.73	ng	97
22) Acetophenone	8.48	105	311006	38.54	ng	98
24) Nitrobenzene	8.86	77	241708	37.63	ng	94
25) Isophorone	9.38	82	473964	35.53	ng	97
26) 2-Nitrophenol	9.57	139	137956	46.05	ng	96
27) 2,4-Dimethylphenol	9.64	122	227444	40.76	ng	100
28) bis(2-Chloroethoxy)methane	9.86	93	279807	36.75	ng	99
29) 2,4-Dichlorophenol	10.10	162	194025	43.95	ng	95
30) 1,2,4-Trichlorobenzene	10.31	180	196526	42.64	ng	98
31) Naphthalene	10.50	128	720298	39.72	ng	99
32) Benzoic acid	9.79	122	94089	29.88	ng	92
33) 4-Chloroaniline	10.61	127	338550	39.79	ng	98
34) Hexachlorobutadiene	10.78	225	86406	42.67	ng	99
35) Caprolactam	11.39	113	110533	39.77	ng	94
36) 4-Chloro-3-methylphenol	11.75	107	233357	40.01	ng	95
37) 2-Methylnaphthalene	12.11	142	510841	39.16	ng	99
39) 1,2,4,5-Tetrachlorobenzene	12.49	216	180683	41.87	ng	98
40) Hexachlorocyclopentadiene	12.46	237	64006	32.41	ng	98

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016506.D
 Acq On : 18 Apr 2015 4:16
 Operator : TP/IZ
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040

Quant Time: Apr 20 12:22:05 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	12.74	196	141202	44.04	ng	99
43) 2,4,5-Trichlorophenol	12.81	196	150024	43.79	ng	97
45) 1,1'-Biphenyl	13.13	154	601279	39.99	ng	98
46) 2-Chloronaphthalene	13.18	162	465599	40.66	ng	99
47) 2-Nitroaniline	13.39	65	149480	40.49	ng	95
48) Acenaphthylene	14.02	152	811963	39.87	ng	98
49) Dimethylphthalate	13.77	163	567970	39.54	ng	100
50) 2,6-Dinitrotoluene	13.89	165	146501	42.17	ng	95
51) Acenaphthene	14.37	154	482502	39.65	ng	100
52) 3-Nitroaniline	14.22	138	185990	41.92	ng	90
53) 2,4-Dinitrophenol	14.43	184	41756	26.89	ng	91
54) Dibenzofuran	14.70	168	672776	39.84	ng	99
55) 4-Nitrophenol	14.54	139	133100	36.30	ng	97
56) 2,4-Dinitrotoluene	14.68	165	204764	43.27	ng	91
57) Fluorene	15.35	166	596651	40.05	ng	100
58) 2,3,4,6-Tetrachlorophenol	14.94	232	114489	43.30	ng	95
59) Diethylphthalate	15.13	149	596048	38.98	ng	99
60) 4-Chlorophenyl-phenylether	15.35	204	236314	38.78	ng	99
61) 4-Nitroaniline	15.38	138	208690	41.44	ng	98
62) Azobenzene	15.64	77	583824	35.88	ng	100
64) 4,6-Dinitro-2-methylphenol	15.44	198	95912	34.79	ng	92
65) n-Nitrosodiphenylamine	15.57	169	548676	40.05	ng	99
66) 4-Bromophenyl-phenylether	16.24	248	129937	40.16	ng	97
67) Hexachlorobenzene	16.35	284	131609	39.14	ng	99
68) Atrazine	16.52	200	155940	40.84	ng	100
69) Pentachlorophenol	16.71	266	65136	31.72	ng	95
70) Phenanthrene	17.09	178	894050	39.23	ng	99
71) Anthracene	17.18	178	900673	39.88	ng	99
72) Carbazole	17.45	167	904728	39.91	ng	100
73) Di-n-butylphthalate	18.01	149	1109520	40.00	ng	99
74) Fluoranthene	19.10	202	918683	39.11	ng	98
76) Benzidine	19.30	184	482891	32.11	ng	99
77) Pyrene	19.47	202	960462	38.90	ng	100
79) Butylbenzylphthalate	20.37	149	528489	43.56	ng	96
80) Benzo(a)anthracene	21.21	228	830882	39.64	ng	99
81) 3,3'-Dichlorobenzidine	21.15	252	283171	41.09	ng	98
82) Chrysene	21.27	228	794762	39.28	ng	99
83) Bis(2-ethylhexyl)phthalate	21.14	149	725819	44.19	ng	98
84) Di-n-octyl phthalate	22.01	149	1211127	45.26	ng	98
85) Indeno(1,2,3-cd)pyrene	25.73	276	919713	43.75	ng	99
87) Benzo(b)fluoranthene	22.78	252	807955	40.06	ng	100
88) Benzo(k)fluoranthene	22.83	252	779763	39.51	ng	99
89) Benzo(a)pyrene	23.36	252	765755	40.51	ng	99
90) Dibenzo(a,h)anthracene	25.74	278	758410	41.23	ng	99
91) Benzo(g,h,i)perylene	26.42	276	768776	41.84	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG041715\
 Data File : BG016506.D
 Acq On : 18 Apr 2015 4:16
 Operator : TP/IZ
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 Client Sample ID :
 SSTDCCC040

Quant Time: Apr 20 12:22:05 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 14 14:00:56 2015
 Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.66 min Scan# 846

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:152 Resp: 77895

Ion Ratio Lower Upper

152 100

150 156.9 130.1 195.1




115 55.5 50.5 75.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 36.19 ng

RT: 3.13 min Scan# 76

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 88 Resp: 81209

Ion Ratio Lower Upper

88 100

58 62.4 50.6 76.0



43 20.7 17.0 25.4




Abundance Ion 88.00 (87.70 to 88.70): BGC

Ion 58.00 (57.70 to 58.70): BGC

Ion 43.00 (42.70 to 43.70): BGC









#3
 Pyridine
 Concen: 35.97 ng
 RT: 3.53 min Scan# 143
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion: 79 Resp: 241233
 Ion Ratio Lower Upper
 79 100
 52 56.5 49.0 73.4
 51 25.9 22.5 33.7



#4
 n-Nitrosodimethylamine
 Concen: 36.49 ng
 RT: 3.45 min Scan# 130
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion: 42 Resp: 72750
 Ion Ratio Lower Upper
 42 100
 74 187.9 153.7 230.5
 44 6.6 5.3 7.9





#5

2-Fluorophenol

Concen: 78.27 ng

RT: 5.25 min Scan# 436

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion: 112 Resp: 386301

Ion Ratio Lower Upper

112 100

64 50.7 44.5 66.7




63 24.7 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): BGC

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC



#6

Aniline

Concen: 35.69 ng

RT: 6.99 min Scan# 733

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 93 Resp: 377715

Ion Ratio Lower Upper

93 100

66 33.0 27.5 41.3



65 17.2 15.1 22.7




Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 66.00 (65.70 to 66.70): BGC

Ion 65.00 (64.70 to 65.70): BGC





#7

Phenol-d6

Concen: 75.04 ng

RT: 6.85 min Scan# 708

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion: 99 Resp: 556029

Ion Ratio Lower Upper




99 100

42 12.0 10.0 15.0

71 26.6 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#8

2-Chlorophenol

Concen: 39.65 ng

RT: 7.23 min Scan# 773

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 128 Resp: 235016

Ion Ratio Lower Upper



128 100


130 32.6 11.6 51.6

64 39.9 24.2 64.2



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 130.00 (129.70 to 130.70): BGC
Ion 64.00 (63.70 to 64.70): BGC





#9

Benzaldehyde

Concen: 31.98 ng

RT: 6.80 min Scan# 700

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion: 77 Resp: 138804

Ion Ratio Lower Upper




77 100

105 100.6 76.8 116.8

106 101.2 80.1 120.1



Abundance Ion 77.00 (76.70 to 77.70): BGC
Ion 105.00 (104.70 to 105.70): BGC
Ion 106.00 (105.70 to 106.70): BGC



#10

Phenol

Concen: 37.00 ng

RT: 6.88 min Scan# 713

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 94 Resp: 293344

Ion Ratio Lower Upper



94 100


65 23.5 3.8 43.8

66 27.1 7.4 47.4



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#11
bis(2-Chloroethyl)ether
Concen: 35.12 ng
RT: 7.09 min Scan# 749
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 222018
Ion Ratio Lower Upper
93 100
63 63.8 44.1 84.1
95 32.0 12.5 52.5



#12
1,3-Dichlorobenzene
Concen: 39.73 ng
RT: 7.55 min Scan# 827
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion: 146 Resp: 237786
Ion Ratio Lower Upper
146 100
148 64.5 50.9 76.3
75 25.7 23.3 34.9









#13
 1,4-Dichlorobenzene
 Concen: 39.30 ng
 RT: 7.69 min Scan# 852
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion:146 Resp: 244039
 Ion Ratio Lower Upper
 146 100
 148 63.4 52.0 78.0
 111 38.9 32.6 49.0



#14
 1,2-Dichlorobenzene
 Concen: 38.75 ng
 RT: 8.01 min Scan# 906
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion:146 Resp: 230127
 Ion Ratio Lower Upper
 146 100
 148 65.2 50.9 76.3
 111 42.2 34.7 52.1





#15

Benzyl Alcohol

Concen: 35.00 ng

RT: 7.91 min Scan# 888

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion: 79 Resp: 180786

Ion Ratio Lower Upper




79 100

108 90.0 69.3 103.9

77 61.5 50.3 75.5



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC



#16

2,2'-oxybis(1-chloropropane)

Concen: 31.20 ng

RT: 8.20 min Scan# 938

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 45 Resp: 222154

Ion Ratio Lower Upper



45 100


77 17.2 0.0 35.3

79 14.3 0.0 32.3



Abundance Ion 45.00 (44.70 to 45.70): BGC
Ion 77.00 (76.70 to 77.70): BGC
Ion 79.00 (78.70 to 79.70): BGC









#17
2-Methylphenol
Concen: 36.80 ng
RT: 8.12 min Scan# 924
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Instrument :
BNA_G
ClientSampleId :
SSTDCCC040

Tgt Ion:	107	Resp:	195649
Ion	Ratio	Lower	Upper
107	100		
108	113.1	87.2	130.8
77	38.4	31.1	46.7
79	38.2	29.7	44.5




Abundance Ion 107.00 (106.70 to 107.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 77.00 (76.70 to 77.70): BG
Ion 79.00 (78.70 to 79.70): BG








#18
Hexachloroethane
Concen: 37.88 ng
RT: 8.73 min Scan# 1028
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:	117	Resp:	89976
Ion	Ratio	Lower	Upper
117	100		
119	97.6	78.8	118.2
201	77.4	59.0	88.4



Abundance Ion 117.00 (116.70 to 117.70): E
Ion 119.00 (118.70 to 119.70): E
Ion 201.00 (200.70 to 201.70): E





#19

n-Nitroso-di-n-propylamine

Concen: 32.74 ng

RT: 8.46 min Scan# 983

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040

Tgt Ion: 70 Resp: 173824





Ion Ratio Lower Upper

70 100

42 43.7 34.7 52.1

101 12.0 9.2 13.8

130 29.6 22.6 33.8



#20

3+4-Methylphenols

Concen: 36.73 ng

RT: 8.45 min Scan# 980

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Tgt Ion: 107 Resp: 270434


Ion Ratio Lower Upper


107 100

108 92.9 69.5 109.5

77 28.4 8.2 48.2

79 26.0 3.8 43.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.44 min Scan# 1320
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Instrument :
BNA_G
ClientSampleId :
SSTDCCC040

Tgt Ion:	136	Resp:	347991
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	6.8	6.3	9.5
68	7.3	6.5	9.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#22
Acetophenone
Concen: 38.54 ng
RT: 8.48 min Scan# 986
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:	105	Resp:	311006
Ion	Ratio	Lower	Upper
105	100		
71	2.9	2.0	3.0
51	20.9	17.9	26.9
120	33.8	26.3	39.5



Abundance Ion 105.00 (104.70 to 105.70): E
Ion 71.00 (70.70 to 71.70): BGC
Ion 51.00 (50.70 to 51.70): BGC
Ion 120.00 (119.70 to 120.70): E









#23
 Nitrobenzene-d5
 Concen: 77.35 ng
 RT: 8.82 min Scan# 1043
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040

Tgt Ion: 82 Resp: 464637
 Ion Ratio Lower Upper
 82 100
 128 51.8 37.8 56.8
 54 40.5 32.6 49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#24
 Nitrobenzene
 Concen: 37.63 ng
 RT: 8.86 min Scan# 1051
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion: 77 Resp: 241708
 Ion Ratio Lower Upper
 77 100
 123 53.4 38.8 58.2
 65 11.8 9.4 14.2



Abundance Ion 77.00 (76.70 to 77.70): BGC
 Ion 123.00 (122.70 to 123.70): BGC
 Ion 65.00 (64.70 to 65.70): BGC









#25
Isophorone
Concen: 35.53 ng
RT: 9.38 min Scan# 1139
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 473964
Ion Ratio Lower Upper
82 100
95 6.3 5.0 7.6
138 21.9 16.2 24.2



#26
2-Nitrophenol
Concen: 46.05 ng
RT: 9.57 min Scan# 1171
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion: 139 Resp: 137956
Ion Ratio Lower Upper
139 100
109 20.3 15.9 23.9
65 38.0 32.9 49.3





#27

2,4-Dimethylphenol

Concen: 40.76 ng

RT: 9.64 min Scan# 1183

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:122 Resp: 227444

Ion Ratio Lower Upper

122 100

107 104.3 83.4 125.2




121 58.4 46.2 69.4



Abundance Ion 122.00 (121.70 to 122.70): E

Ion 107.00 (106.70 to 107.70): E

Ion 121.00 (120.70 to 121.70): E



#28

bis(2-Chloroethoxy)methane

Concen: 36.75 ng

RT: 9.86 min Scan# 1221

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion: 93 Resp: 279807

Ion Ratio Lower Upper

93 100

95 32.8 26.1 39.1



123 15.5 11.8 17.8




Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 95.00 (94.70 to 95.70): BGC

Ion 123.00 (122.70 to 123.70): E









#29
2,4-Dichlorophenol
Concen: 43.95 ng
RT: 10.10 min Scan# 1262
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
162	100		
164	61.9	45.0	85.0
98	35.4	19.1	59.1



#30
1,2,4-Trichlorobenzene
Concen: 42.64 ng
RT: 10.31 min Scan# 1297
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion	Ratio	Lower	Upper
180	100		
182	92.8	76.3	114.5
145	30.9	25.2	37.8









#31
Naphthalene
Concen: 39.72 ng
RT: 10.50 min Scan# 1329
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 720298
Ion Ratio Lower Upper
128 100
129 11.2 9.2 13.8
127 13.8 10.6 16.0



#32
Benzoic acid
Concen: 29.88 ng
RT: 9.79 min Scan# 1209
Delta R.T. 0.00 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:122 Resp: 94089
Ion Ratio Lower Upper
122 100
105 110.2 99.7 139.7
77 80.9 66.8 106.8









#33
4-Chloroaniline
Concen: 39.79 ng
RT: 10.61 min Scan# 1349
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Instrument :
BNA_G
ClientSampleId :
SSTDCCC040

Tgt Ion:	127	Resp:	338550
Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.1	39.1
65	24.3	21.2	31.8
92	16.7	13.8	20.6




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BG
Ion 92.00 (91.70 to 92.70): BG






#34
Hexachlorobutadiene
Concen: 42.67 ng
RT: 10.78 min Scan# 1377
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:	225	Resp:	86406
Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.4	75.6
227	63.0	51.2	76.8



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E





#35

Caprolactam

Concen: 39.77 ng

RT: 11.39 min Scan# 1481

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:113 Resp: 110533

Ion Ratio Lower Upper

113 100

55 105.0 92.4 132.4




56 78.9 63.2 103.2



Abundance Ion 113.00 (112.70 to 113.70): E

Ion 55.00 (54.70 to 55.70): BGC

Ion 56.00 (55.70 to 56.70): BGC



#36

4-Chloro-3-methylphenol

Concen: 40.01 ng

RT: 11.75 min Scan# 1543

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:107 Resp: 233357

Ion Ratio Lower Upper

107 100

144 29.5 22.0 33.0



142 88.7 67.0 100.6




Abundance Ion 107.00 (106.70 to 107.70): E

Ion 144.00 (143.70 to 144.70): E

Ion 142.00 (141.70 to 142.70): E









#37
2-Methylnaphthalene
Concen: 39.16 ng
RT: 12.11 min Scan# 1604
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 510841
Ion Ratio Lower Upper
142 100
141 86.4 69.3 103.9
115 30.0 25.0 37.6



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.30 min Scan# 1977
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:164 Resp: 195984
Ion Ratio Lower Upper
164 100
162 96.5 77.3 115.9
160 43.0 36.7 55.1





#39

1,2,4,5-Tetrachlorobenzene

Concen: 41.87 ng

RT: 12.49 min Scan# 1668

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040

Tgt Ion:216 Resp: 180683


Ion Ratio Lower Upper

216 100

214 80.0 63.4 95.0

179 23.1 18.2 27.2

108 24.2 21.2 31.8






Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 108.00 (107.70 to 108.70): E



#40

Hexachlorocyclopentadiene

Concen: 32.41 ng

RT: 12.46 min Scan# 1664

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:237 Resp: 64006

Ion Ratio Lower Upper

237 100

235 62.7 43.9 83.9



272 13.7 0.0 33.1




Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E









#41
 2,4,6-Tribromophenol
 Concen: 85.12 ng
 RT: 15.80 min Scan# 2231
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040

Tgt Ion:330 Resp: 112821
 Ion Ratio Lower Upper
 330 100
 332 94.6 75.8 113.6
 141 58.1 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#42
 2,4,6-Trichlorophenol
 Concen: 44.04 ng
 RT: 12.74 min Scan# 1710
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion:196 Resp: 141202
 Ion Ratio Lower Upper
 196 100
 198 95.8 77.2 115.8
 200 31.0 25.3 37.9



Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 200.00 (199.70 to 200.70): E









#43
 2,4,5-Trichlorophenol
 Concen: 43.79 ng
 RT: 12.81 min Scan# 1723
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
196	100		
198	97.4	77.1	115.7
97	52.9	46.6	69.8
132	32.0	27.0	40.6



#44
 2-Fluorobiphenyl
 Concen: 80.11 ng
 RT: 12.92 min Scan# 1742
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	29.6	44.4
170	25.1	19.4	29.2





#45

1,1'-Biphenyl

Concen: 39.99 ng

RT: 13.13 min Scan# 1778

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:154 Resp: 601279

Ion Ratio Lower Upper

154 100

153 42.0 22.4 62.4




76 15.4 0.0 37.1



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 76.00 (75.70 to 76.70): BGC



#46

2-Chloronaphthalene

Concen: 40.66 ng

RT: 13.18 min Scan# 1785

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:162 Resp: 465599

Ion Ratio Lower Upper

162 100

127 38.1 30.8 46.2



164 32.5 26.6 40.0




Abundance Ion 162.00 (161.70 to 162.70): E

Ion 127.00 (126.70 to 127.70): E

Ion 164.00 (163.70 to 164.70): E









#47
 2-Nitroaniline
 Concen: 40.49 ng
 RT: 13.39 min Scan# 1821
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion: 65 Resp: 149480
 Ion Ratio Lower Upper
 65 100
 92 77.2 61.0 91.6
 138 131.4 98.7 148.1



#48
 Acenaphthylene
 Concen: 39.87 ng
 RT: 14.02 min Scan# 1929
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion: 152 Resp: 811963
 Ion Ratio Lower Upper
 152 100
 151 21.6 16.5 24.7
 153 14.2 11.1 16.7





#49

Dimethylphthalate

Concen: 39.54 ng

RT: 13.77 min Scan# 1886

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:163 Resp: 567970

Ion Ratio Lower Upper

163 100

194 6.1 5.0 7.4




164 10.1 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 42.17 ng

RT: 13.89 min Scan# 1906

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:165 Resp: 146501

Ion Ratio Lower Upper

165 100

63 44.7 39.3 58.9



89 49.6 41.3 61.9




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BG0

Ion 89.00 (88.70 to 89.70): BG0





#51

Acenaphthene

Concen: 39.65 ng

RT: 14.37 min Scan# 1988

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:154 Resp: 482502

Ion Ratio Lower Upper

154 100

153 108.9 87.5 131.3




152 52.9 42.1 63.1



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 41.92 ng

RT: 14.22 min Scan# 1963

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:138 Resp: 185990

Ion Ratio Lower Upper

138 100

108 9.4 7.4 11.0



92 102.0 91.4 137.0




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BG









#53
 2,4-Dinitrophenol
 Concen: 26.89 ng
 RT: 14.43 min Scan# 1999
 Delta R.T. -0.00 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion:184 Resp: 41756
 Ion Ratio Lower Upper
 184 100
 63 46.3 45.8 68.6
 154 42.2 34.5 51.7



#54
 Dibenzofuran
 Concen: 39.84 ng
 RT: 14.70 min Scan# 2045
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion:168 Resp: 672776
 Ion Ratio Lower Upper
 168 100
 139 38.0 31.0 46.6
 169 13.8 11.2 16.8





#55

4-Nitrophenol

Concen: 36.30 ng

RT: 14.54 min Scan# 2018

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:139 Resp: 133100

Ion Ratio Lower Upper

139 100

109 49.9 28.5 68.5




65 74.3 56.9 96.9



Abundance Ion 139.00 (138.70 to 139.70): E

Ion 109.00 (108.70 to 109.70): E

Ion 65.00 (64.70 to 65.70): BGC



#56

2,4-Dinitrotoluene

Concen: 43.27 ng

RT: 14.68 min Scan# 2041

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Tgt Ion:165 Resp: 204764


Ion Ratio Lower Upper

165 100

63 35.0 31.4 47.2

89 65.0 58.8 88.2

182 5.0 4.1 6.1






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: 40.05 ng

RT: 15.35 min Scan# 2155

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:166 Resp: 596651

Ion Ratio Lower Upper




166 100

165 93.8 75.2 112.8

167 14.2 11.3 16.9



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E



#58

2,3,4,6-Tetrachlorophenol

Concen: 43.30 ng

RT: 14.94 min Scan# 2085

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Tgt Ion:232 Resp: 114489


Ion Ratio Lower Upper

232 100



131 56.1 49.8 74.6


130 3.2 2.6 3.8

166 37.4 30.6 45.8



Abundance Ion 232.00 (231.70 to 232.70): E
Ion 131.00 (130.70 to 131.70): E
Ion 130.00 (129.70 to 130.70): E
Ion 166.00 (165.70 to 166.70): E









#59
Diethylphthalate
Concen: 38.98 ng
RT: 15.13 min Scan# 2118
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 596048
Ion Ratio Lower Upper
149 100
177 22.7 17.7 26.5
150 12.6 10.0 15.0



#60
4-Chlorophenyl-phenylether
Concen: 38.78 ng
RT: 15.35 min Scan# 2155
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:204 Resp: 236314
Ion Ratio Lower Upper
204 100
206 33.6 27.6 41.4
141 68.6 55.4 83.2









#61
4-Nitroaniline
Concen: 41.44 ng
RT: 15.38 min Scan# 2161
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion: 138 Resp: 208690
Ion Ratio Lower Upper
138 100
92 43.7 26.3 66.3
108 53.2 33.6 73.6



#62
Azobenzene
Concen: 35.88 ng
RT: 15.64 min Scan# 2204
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion: 77 Resp: 583824
Ion Ratio Lower Upper
77 100
182 26.6 6.6 46.6
105 18.8 0.0 39.2
51 22.1 2.0 42.0









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.04 min Scan# 2443
Delta R.T. -0.02 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Instrument :
BNA_G
ClientSampleId :
SSTDCCC040

Tgt Ion:188 Resp: 405215
Ion Ratio Lower Upper
188 100
94 14.4 12.2 18.4
80 14.4 12.8 19.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#64
4,6-Dinitro-2-methylphenol
Concen: 34.79 ng
RT: 15.44 min Scan# 2171
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion:198 Resp: 95912
Ion Ratio Lower Upper
198 100
51 34.8 20.7 60.7
105 43.7 28.8 68.8



Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BGC
Ion 105.00 (104.70 to 105.70): E









#65
 n-Nitrosodiphenylamine
 Concen: 40.05 ng
 RT: 15.57 min Scan# 2192
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion:169 Resp: 548676
 Ion Ratio Lower Upper
 169 100
 168 67.4 53.4 80.0
 167 36.3 28.3 42.5



#66
 4-Bromophenyl-phenylether
 Concen: 40.16 ng
 RT: 16.24 min Scan# 2306
 Delta R.T. -0.02 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion:248 Resp: 129937
 Ion Ratio Lower Upper
 248 100
 250 95.4 80.5 120.7
 141 98.5 78.2 117.4









#67
Hexachlorobenzene
Concen: 39.14 ng
RT: 16.35 min Scan# 2326
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16




Instrument :
BNA_G
ClientSampleId :
SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
284	100		
142	56.2	44.2	66.2
249	31.1	24.8	37.2



#68
Atrazine
Concen: 40.84 ng
RT: 16.52 min Scan# 2354
Delta R.T. -0.01 min
Lab File: BG016506.D
Acq: 18 Apr 2015 4:16

Tgt Ion	Ratio	Lower	Upper
200	100		
173	30.4	10.2	50.2
215	54.5	34.4	74.4





#69

Pentachlorophenol

Concen: 31.72 ng

RT: 16.71 min Scan# 2386

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:266 Resp: 65136

Ion Ratio Lower Upper

266 100

268 66.3 50.9 76.3




264 60.1 52.8 79.2



Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E



#70

Phenanthrene

Concen: 39.23 ng

RT: 17.09 min Scan# 2451

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:178 Resp: 894050

Ion Ratio Lower Upper

178 100

176 20.6 16.2 24.4



179 16.2 12.7 19.1




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E









#71
 Anthracene
 Concen: 39.88 ng
 RT: 17.18 min Scan# 2466
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion:178 Resp: 900673
 Ion Ratio Lower Upper
 178 100
 176 20.4 15.9 23.9
 179 16.6 13.0 19.6



#72
 Carbazole
 Concen: 39.91 ng
 RT: 17.45 min Scan# 2513
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion:167 Resp: 904728
 Ion Ratio Lower Upper
 167 100
 166 22.7 17.9 26.9
 139 14.4 11.5 17.3





#73

Di-n-butylphthalate

Concen: 40.00 ng

RT: 18.01 min Scan# 2608

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:149 Resp: 1109520

Ion Ratio Lower Upper

149 100

150 10.4 8.2 12.4




104 5.3 4.0 6.0



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 39.11 ng

RT: 19.10 min Scan# 2794

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:202 Resp: 918683

Ion Ratio Lower Upper

202 100

101 20.3 1.7 41.7



203 18.7 0.0 38.7




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.23 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:240 Resp: 354617

Ion Ratio Lower Upper

240 100

120 23.3 18.6 28.0




236 27.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 32.11 ng

RT: 19.30 min Scan# 2827

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:184 Resp: 482891

Ion Ratio Lower Upper

184 100

185 15.3 12.6 19.0



183 13.2 10.4 15.6




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E









#77
 Pyrene
 Concen: 38.90 ng
 RT: 19.47 min Scan# 2856
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
202	100		
200	22.5	17.8	26.8
203	18.6	14.7	22.1



#78
 Terphenyl-d14
 Concen: 75.41 ng
 RT: 19.67 min Scan# 2891
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.7	6.6	9.8
122	24.2	19.1	28.7





#79

Butylbenzylphthalate

Concen: 43.56 ng

RT: 20.37 min Scan# 3009

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:149 Resp: 528489

Ion Ratio Lower Upper

149 100

91 70.9 59.4 89.2




206 20.7 15.6 23.4



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BG

Ion 206.00 (205.70 to 206.70): E



#80

Benzo(a)anthracene

Concen: 39.64 ng

RT: 21.21 min Scan# 3153

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:228 Resp: 830882

Ion Ratio Lower Upper

228 100

226 29.1 23.5 35.3



229 21.2 16.8 25.2




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#81

3,3'-Dichlorobenzidine

Concen: 41.09 ng

RT: 21.15 min Scan# 3142

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:252 Resp: 283171

Ion Ratio Lower Upper

252 100

254 64.7 50.8 76.2




126 21.1 16.0 24.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 254.00 (253.70 to 254.70): E

Ion 126.00 (125.70 to 126.70): E



#82

Chrysene

Concen: 39.28 ng

RT: 21.27 min Scan# 3162

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:228 Resp: 794762

Ion Ratio Lower Upper

228 100

226 31.6 25.0 37.4



229 20.8 17.0 25.4




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 44.19 ng
 RT: 21.14 min Scan# 3140
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16




Instrument :
 BNA_G
 ClientSampleId :
 SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
149	100		
167	33.0	25.8	38.6
279	5.2	4.7	7.1



#84
 Di-n-octyl phthalate
 Concen: 45.26 ng
 RT: 22.01 min Scan# 3288
 Delta R.T. -0.01 min
 Lab File: BG016506.D
 Acq: 18 Apr 2015 4:16

Tgt Ion	Ratio	Lower	Upper
149	100		
167	1.8	1.3	1.9
43	7.9	7.0	10.4





#85

Indeno(1,2,3-cd)pyrene

Concen: 43.75 ng

RT: 25.73 min Scan# 3922

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion:276 Resp: 919713

Ion Ratio Lower Upper

276 100

138 50.7 41.5 62.3




277 26.4 21.0 31.6



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.45 min Scan# 3534

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16


Tgt Ion:264 Resp: 344355

Ion Ratio Lower Upper

264 100

260 25.3 20.4 30.6



265 21.6 17.2 25.8




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E





#87

Benzo(b)fluoranthene

Concen: 40.06 ng

RT: 22.78 min Scan# 3420

Delta R.T. -0.01 min





Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :
BNA_G
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 807955

Ion	Ratio	Lower	Upper
252	100		
253	22.8	18.5	27.7
125	21.1	17.0	25.6



#88

Benzo(k)fluoranthene

Concen: 39.51 ng

RT: 22.83 min Scan# 3428




Delta R.T. -0.01 min


Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Tgt Ion:252 Resp: 779763

Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.5	26.3
125	20.6	16.3	24.5





#89

Benzo(a)pyrene

Concen: 40.51 ng

RT: 23.36 min Scan# 3518

Delta R.T. -0.01 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040





Tgt Ion:252 Resp: 765755

Ion Ratio Lower Upper

252 100

253 22.5 17.6 26.4

125 22.3 17.6 26.4



#90

Dibenzo(a,h)anthracene

Concen: 41.23 ng

RT: 25.74 min Scan# 3923

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16




Tgt Ion:278 Resp: 758410


Ion Ratio Lower Upper

278 100

139 34.2 27.9 41.9

279 23.8 19.5 29.3





#91

Benzo(g,h,i)perylene

Concen: 41.84 ng

RT: 26.42 min Scan# 4040

Delta R.T. -0.02 min

Lab File: BG016506.D

Acq: 18 Apr 2015 4:16

Instrument :

BNA_G

ClientSampleId :

SSTDCCC040


Tgt Ion: 276 Resp: 768776

Ion Ratio Lower Upper

276 100

277 23.3 19.5 29.3

138 43.8 35.7 53.5



Abundance

Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

