

Data Path : Z:\HPCHEM1\BNA_G\Data\BG041816\
 Data File : BG021731.D
 Acq On : 18 Apr 2016 9:08
 Operator : UM/SJ
 Sample : H2420-07
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-R06-CS-2(0-18FT)

Quant Time: Apr 18 11:52:06 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	29077	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	142278	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	104212	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	225023	20.00	ng	0.00
75) Chrysene-d12	21.83	240	239938	20.00	ng	0.00
86) Perylene-d12	25.16	264	224911	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.77	112	256213	146.74	ng	0.01
7) Phenol-d6	7.37	99	341856	131.07	ng	0.00
23) Nitrobenzene-d5	9.38	82	263777	95.29	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	186998	166.50	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	672159	94.50	ng	0.00
78) Terphenyl-d14	20.14	244	974249	101.32	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.54	79	4014	2.01	ng	# 55
31) Naphthalene	11.08	128	146763	19.27	ng	# 94
33) 4-Chloroaniline	11.08	127	20364	6.18	ng	# 36
37) 2-Methylnaphthalene	12.67	142	23026	4.41	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\Data\BG041816\
Data File : BG021731.D
Acq On : 18 Apr 2016 9:08
Operator : UM/SJ
Sample : H2420-07
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-CS-2(0-18FT)

Quant Time: Apr 18 11:52:06 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.21 min Scan# 915

Delta R.T. -0.01 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:152 Resp: 29077

Ion Ratio Lower Upper

152 100

150 159.6 130.1 195.1



115 60.3 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 146.74 ng

RT: 5.77 min Scan# 499

Delta R.T. 0.01 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08


Tgt Ion:112 Resp: 256213

Ion Ratio Lower Upper

112 100

64 68.5 51.1 76.7



63 33.4 24.6 37.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 131.07 ng

RT: 7.37 min Scan# 771

Delta R.T. 0.01 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion: 99 Resp: 341856

Ion Ratio Lower Upper




99 100

42 19.8 16.4 24.6

71 34.2 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.01 ng

RT: 8.54 min Scan# 970

Delta R.T. 0.09 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08


Tgt Ion: 79 Resp: 4014

Ion Ratio Lower Upper



79 100


108 30.9 59.4 89.0#

77 95.5 52.2 78.2#



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.03 min Scan# 1394
Delta R.T. -0.01 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08




Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:	136	Resp:	142278
Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.4
54	10.5	9.6	14.4
68	6.3	6.4	9.6#



#23
Nitrobenzene-d5
Concen: 95.29 ng
RT: 9.38 min Scan# 1114
Delta R.T. -0.00 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08

Tgt Ion:	82	Resp:	263777
Ion	Ratio	Lower	Upper
82	100		
128	43.0	33.4	50.0
54	53.7	46.1	69.1









#31
Naphthalene
Concen: 19.27 ng
RT: 11.08 min Scan# 1403
Delta R.T. -0.01 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08




Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:128 Resp: 146763
Ion Ratio Lower Upper
128 100
129 11.6 7.0 10.6#
127 14.3 10.1 15.1



#33
4-Chloroaniline
Concen: 6.18 ng
RT: 11.08 min Scan# 1403
Delta R.T. -0.11 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08

Tgt Ion:127 Resp: 20364
Ion Ratio Lower Upper
127 100
129 80.8 26.6 39.8#
65 2.2 27.5 41.3#
92 0.0 14.7 22.1#









#37
 2-Methylnaphthalene
 Concen: 4.41 ng
 RT: 12.67 min Scan# 1673
 Delta R.T. -0.01 min
 Lab File: BG021731.D
 Acq: 18 Apr 2016 9:08

Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-R06-CS-2(0-18FT)

Tgt Ion:142 Resp: 23026
 Ion Ratio Lower Upper
 142 100
 141 94.8 71.4 107.0
 115 38.5 27.4 41.2




Abundance Ion 142.00 (141.70 to 142.70): E
 Ion 141.00 (140.70 to 141.70): E
 Ion 115.00 (114.70 to 115.70): E






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.82 min Scan# 2040
 Delta R.T. -0.00 min
 Lab File: BG021731.D
 Acq: 18 Apr 2016 9:08

Tgt Ion:164 Resp: 104212
 Ion Ratio Lower Upper
 164 100
 162 106.3 78.0 117.0
 160 44.4 32.9 49.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 166.50 ng
 RT: 16.30 min Scan# 2292
 Delta R.T. -0.00 min
 Lab File: BG021731.D
 Acq: 18 Apr 2016 9:08




Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:330 Resp: 186998
 Ion Ratio Lower Upper
 330 100
 332 96.5 78.0 117.0
 141 38.2 33.8 50.8



#44
 2-Fluorobiphenyl
 Concen: 94.50 ng
 RT: 13.45 min Scan# 1806
 Delta R.T. -0.01 min
 Lab File: BG021731.D
 Acq: 18 Apr 2016 9:08

Tgt Ion:172 Resp: 672159
 Ion Ratio Lower Upper
 172 100
 171 39.0 27.8 41.6
 170 25.7 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.56 min Scan# 2505
Delta R.T. -0.01 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08




Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:188 Resp: 225023
Ion Ratio Lower Upper
188 100
94 8.9 7.5 11.3
80 11.3 8.6 13.0



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.83 min Scan# 3232
Delta R.T. -0.01 min
Lab File: BG021731.D
Acq: 18 Apr 2016 9:08

Tgt Ion:240 Resp: 239938
Ion Ratio Lower Upper
240 100
120 9.8 8.4 12.6
236 25.6 19.6 29.4





#78

Terphenyl-d14

Concen: 101.32 ng

RT: 20.14 min Scan# 2945

Delta R.T. -0.01 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-CS-2(0-18FT)


Tgt Ion:244 Resp: 974249

Ion Ratio Lower Upper

244 100

212 8.6 6.5 9.7




122 11.0 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.16 min Scan# 3799

Delta R.T. -0.01 min

Lab File: BG021731.D

Acq: 18 Apr 2016 9:08


Tgt Ion:264 Resp: 224911

Ion Ratio Lower Upper

264 100

260 23.8 20.2 30.4

265 21.1 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

