

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041816\
 Data File : BG021732.D
 Acq On : 18 Apr 2016 9:48
 Operator : UM/SJ
 Sample : H2420-08
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-R06-FIELDBLANK-4-8-

Quant Time: Apr 18 11:55:28 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	28140	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	142643	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	93199	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	211594	20.00	ng	0.00
75) Chrysene-d12	21.83	240	223099	20.00	ng	0.00
86) Perylene-d12	25.16	264	149924	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.76	112	255639	151.28	ng	0.00
7) Phenol-d6	7.37	99	352006	139.46	ng	0.01
23) Nitrobenzene-d5	9.38	82	266698	96.10	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	179587	178.79	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	689257	108.36	ng	0.00
78) Terphenyl-d14	20.14	244	948358	106.07	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041816\
Data File : BG021732.D
Acq On : 18 Apr 2016 9:48
Operator : UM/SJ
Sample : H2420-08
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-FIELDBLANK-4-8-

Quant Time: Apr 18 11:55:28 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.21 min Scan# 915

Delta R.T. -0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-FIELDBLANK-4-8-


Tot Ion:152 Resp: 28140

Ion Ratio Lower Upper

152 100

150 155.8 130.1 195.1




115 60.4 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 151.28 ng

RT: 5.76 min Scan# 498

Delta R.T. 0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48


Tgt Ion:112 Resp: 255639

Ion Ratio Lower Upper

112 100

64 67.1 51.1 76.7



63 34.3 24.6 37.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 139.46 ng

RT: 7.37 min Scan# 771

Delta R.T. 0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-FIELDBLANK-4-8-


Tot Ion: 99 Resp: 352006

Ion Ratio Lower Upper




99 100

42 20.1 16.4 24.6

71 33.9 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1394

Delta R.T. -0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48

Tgt Ion: 136 Resp: 142643


Ion Ratio Lower Upper

136 100



137 11.1 9.0 13.4


54 10.3 9.6 14.4

68 6.7 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 96.10 ng
 RT: 9.38 min Scan# 1114
 Delta R.T. -0.00 min
 Lab File: BG021732.D
 Acq: 18 Apr 2016 9:48




Instrument :
 BNA_G
 ClientSampleId :
 FB-BWR-BB-R06-FIELDBLANK-4-8-


Tot Ion	82	Resp	266698
Ion Ratio	100	Lower	Upper
128	43.9	33.4	50.0
54	54.2	46.1	69.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.82 min Scan# 2039
 Delta R.T. -0.01 min
 Lab File: BG021732.D
 Acq: 18 Apr 2016 9:48

Tgt Ion	164	Resp	93199
Ion Ratio	100	Lower	Upper
162	103.0	78.0	117.0
160	46.1	32.9	49.3





#41

2,4,6-Tribromophenol

Concen: 178.79 ng

RT: 16.30 min Scan# 2292

Delta R.T. -0.00 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-FIELDBLANK-4-8-


Tot Ion:330 Resp: 179587

Ion Ratio Lower Upper




330 100

332 95.0 78.0 117.0

141 38.6 33.8 50.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 108.36 ng

RT: 13.45 min Scan# 1806

Delta R.T. -0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48


Tgt Ion:172 Resp: 689257

Ion Ratio Lower Upper



172 100


171 37.9 27.8 41.6

170 24.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.56 min Scan# 2505
Delta R.T. -0.01 min
Lab File: BG021732.D
Acq: 18 Apr 2016 9:48

Instrument :
BNA_G
ClientSampleId :
FB-BWR-BB-R06-FIELDBLANK-4-8-

Tot Ion:188 Resp: 211594
Ion Ratio Lower Upper
188 100
94 9.4 7.5 11.3
80 11.0 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.83 min Scan# 3232
Delta R.T. -0.01 min
Lab File: BG021732.D
Acq: 18 Apr 2016 9:48

Tgt Ion:240 Resp: 223099
Ion Ratio Lower Upper
240 100
120 10.4 8.4 12.6
236 27.3 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 106.07 ng

RT: 20.14 min Scan# 2945

Delta R.T. -0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48

Instrument :

BNA_G

ClientSampleId :

FB-BWR-BB-R06-FIELDBLANK-4-8-


Tot Ion:244 Resp: 948358

Ion Ratio Lower Upper




244 100

212 8.5 6.5 9.7

122 10.7 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.16 min Scan# 3799

Delta R.T. -0.01 min

Lab File: BG021732.D

Acq: 18 Apr 2016 9:48


Tgt Ion:264 Resp: 149924

Ion Ratio Lower Upper

264 100

260 24.8 20.2 30.4

265 20.9 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

