

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG041822\
 Data File : BG053191.D
 Acq On : 18 Apr 2022 22:09
 Operator : CG/JU
 Sample : N2449-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 22L091-A

Quant Time: Apr 19 04:21:54 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 08 15:31:24 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.120	152	30609	20.000	ng	0.00
21) Naphthalene-d8	10.928	136	117114	20.000	ng	0.00
39) Acenaphthene-d10	14.740	164	85157	20.000	ng	0.00
64) Phenanthrene-d10	17.483	188	208731	20.000	ng	0.00
76) Chrysene-d12	21.766	240	243716	20.000	ng	0.00
86) Perylene-d12	25.061	264	241970	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.682	112	205809	115.258	ng	0.00
7) Phenol-d6	7.274	99	287865	104.540	ng	0.00
23) Nitrobenzene-d5	9.277	82	209041	72.475	ng	0.00
42) 2,4,6-Tribromophenol	16.226	330	141818	104.677	ng	0.00
45) 2-Fluorobiphenyl	13.360	172	452288	73.237	ng	0.00
79) Terphenyl-d14	20.086	244	921151	63.834	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG041822\
Data File : BG053191.D
Acq On : 18 Apr 2022 22:09
Operator : CG/JU
Sample : N2449-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
22L091-A

Quant Time: Apr 19 04:21:54 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 08 15:31:24 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.120 min Scan# 806
Delta R.T. -0.002 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09




Instrument :
BNA_G
ClientSampleId :
22L091-A

Tgt Ion:152 Resp: 30609
Ion Ratio Lower Upper
152 100
150 164.7 114.6 172.0
115 59.7 45.9 68.9



#5
2-Fluorophenol
Concen: 115.258 ng
RT: 5.682 min Scan# 390
Delta R.T. -0.002 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09

Tgt Ion:112 Resp: 205809
Ion Ratio Lower Upper
112 100
64 72.7 48.0 72.0#
63 39.5 26.5 39.7









#7
Phenol-d6
Concen: 104.540 ng
RT: 7.274 min Scan# 60
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09




Instrument :
BNA_G
ClientSampleId :
22L091-A


Tgt Ion: 99 Resp: 287865
Ion Ratio Lower Upper
99 100
42 20.3 14.7 22.1
71 40.9 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.928 min Scan# 1283
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09

Tgt Ion: 136 Resp: 117114
Ion Ratio Lower Upper
136 100
137 11.7 9.4 14.2
54 8.4 6.4 9.6
68 6.4 5.0 7.6





#23

Nitrobenzene-d5

Concen: 72.475 ng

RT: 9.277 min Scan# 10

Delta R.T. -0.008 min

Lab File: BG053191.D

Acq: 18 Apr 2022 22:09

Instrument :

BNA_G

ClientSampleId :

22L091-A





Tgt Ion: 82 Resp: 209041

Ion Ratio Lower Upper

82 100

128 35.8 31.3 46.9

54 48.8 37.8 56.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.740 min Scan# 1932

Delta R.T. -0.008 min

Lab File: BG053191.D

Acq: 18 Apr 2022 22:09




Tgt Ion:164 Resp: 85157


Ion Ratio Lower Upper

164 100

162 100.9 80.0 120.0


160 44.5 38.8 58.2








#42
2,4,6-Tribromophenol
Concen: 104.677 ng
RT: 16.226 min Scan# 2185
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09

Instrument :
BNA_G
ClientSampleId :
22L091-A






Tgt Ion:330 Resp: 141818
Ion Ratio Lower Upper
330 100
332 97.0 75.8 113.6
141 33.0 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 73.237 ng
RT: 13.360 min Scan# 1697
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09

Tgt Ion:172 Resp: 452288
Ion Ratio Lower Upper
172 100
171 36.3 28.3 42.5
170 24.2 18.0 27.0








#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.483 min Scan# 21
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09




Instrument :
BNA_G
ClientSampleId :
22L091-A


Tgt Ion:188 Resp: 208731
Ion Ratio Lower Upper
188 100
94 7.0 5.7 8.5
80 7.6 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.766 min Scan# 3128
Delta R.T. -0.008 min
Lab File: BG053191.D
Acq: 18 Apr 2022 22:09

Tgt Ion:240 Resp: 243716
Ion Ratio Lower Upper
240 100
120 6.1 5.4 8.0
236 24.8 19.8 29.6








#79
 Terphenyl-d14
 Concen: 63.834 ng
 RT: 20.086 min Scan# 21
 Delta R.T. -0.008 min
 Lab File: BG053191.D
 Acq: 18 Apr 2022 22:09

Instrument :
 BNA_G
 ClientSampleId :
 22L091-A

Tgt Ion:244 Resp: 921151
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.4 8.2
 122 6.6 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.061 min Scan# 3689
 Delta R.T. -0.014 min
 Lab File: BG053191.D
 Acq: 18 Apr 2022 22:09

Tgt Ion:264 Resp: 241970
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.2 27.2
 265 20.5 15.1 22.7

