

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041917\
 Data File : BG026672.D
 Acq On : 20 Apr 2017 2:09
 Operator : SJ/MA
 Sample : I2751-03
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 15-40-COMP

Quant Time: Apr 20 07:02:44 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 18 18:04:39 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	175147	20.00	ng	-0.02
21) Naphthalene-d8	10.83	136	707671	20.00	ng	-0.02
38) Acenaphthene-d10	14.64	164	418692	20.00	ng	-0.02
63) Phenanthrene-d10	17.37	188	1101688	20.00	ng	-0.02
75) Chrysene-d12	21.62	240	1248894	20.00	ng	-0.02
86) Perylene-d12	24.79	264	1007695	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	1450148	150.51	ng	0.00
7) Phenol-d6	7.23	99	1770163	140.21	ng	0.02
23) Nitrobenzene-d5	9.19	82	1050701	103.60	ng	-0.02
41) 2,4,6-Tribromophenol	16.13	330	929577	159.34	ng	0.00
44) 2-Fluorobiphenyl	13.27	172	2755197	98.01	ng	-0.02
78) Terphenyl-d14	19.97	244	3958341	93.57	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG041917\
Data File : BG026672.D
Acq On : 20 Apr 2017 2:09
Operator : SJ/MA
Sample : I2751-03
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
15-40-COMP

Quant Time: Apr 20 07:02:44 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 18 18:04:39 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.03 min Scan# 841

Delta R.T. -0.02 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09

Instrument :

BNA_G

ClientSampleId :

15-40-COMP


Tot Ion:152 Resp: 175147

Ion Ratio Lower Upper

152 100

150 148.4 114.0 171.0




115 52.9 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 150.51 ng

RT: 5.62 min Scan# 431

Delta R.T. 0.01 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09


Tgt Ion:112 Resp: 1450148

Ion Ratio Lower Upper

112 100

64 55.0 61.8 92.6#



63 27.3 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 140.21 ng

RT: 7.23 min Scan# 704

Delta R.T. 0.02 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09

Instrument :


BNA_G

ClientSampleId :




15-40-COMP

Tot Ion: 99 Resp: 1770163

Ion	Ratio	Lower	Upper
99	100		
42	11.1	20.5	30.7#
71	27.0	37.6	56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.83 min Scan# 1317


Delta R.T. -0.02 min

Lab File: BG026672.D



Acq: 20 Apr 2017 2:09


Tgt Ion: 136 Resp: 707671

Ion	Ratio	Lower	Upper
136	100		
137	10.4	8.9	13.3
54	6.2	9.3	13.9#
68	5.7	5.1	7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 103.60 ng
 RT: 9.19 min Scan# 1038
 Delta R.T. -0.02 min
 Lab File: BG026672.D
 Acq: 20 Apr 2017 2:09




Instrument :
 BNA_G
 ClientSampleId :
 15-40-COMP


Tot Ion: 82 Resp: 1050701
 Ion Ratio Lower Upper
 82 100
 128 54.4 26.4 39.6#
 54 42.6 49.4 74.2#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.64 min Scan# 1965
 Delta R.T. -0.02 min
 Lab File: BG026672.D
 Acq: 20 Apr 2017 2:09

Tgt Ion:164 Resp: 418692
 Ion Ratio Lower Upper
 164 100
 162 98.4 85.1 127.7
 160 45.0 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 159.34 ng
 RT: 16.13 min Scan# 2219
 Delta R.T. -0.01 min
 Lab File: BG026672.D
 Acq: 20 Apr 2017 2:09

Instrument :
 BNA_G
 ClientSampleId :
 15-40-COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.3	115.9
141	30.8	32.1	48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.01 ng
 RT: 13.27 min Scan# 1732
 Delta R.T. -0.02 min
 Lab File: BG026672.D
 Acq: 20 Apr 2017 2:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	41.5	32.2	48.2
170	27.2	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.37 min Scan# 2431

Delta R.T. -0.02 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09

Instrument :

BNA_G

ClientSampleId :

15-40-COMP


Tot Ion:188 Resp: 1101688

Ion Ratio Lower Upper

188 100

94 8.4 5.8 8.8




80 8.6 7.5 11.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.62 min Scan# 3153

Delta R.T. -0.02 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09


Tgt Ion:240 Resp: 1248894

Ion Ratio Lower Upper

240 100

120 11.3 5.7 8.5#



236 26.4 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 93.57 ng

RT: 19.97 min Scan# 2873

Delta R.T. -0.02 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09

Instrument :

BNA_G

ClientSampleId :

15-40-COMP


Tot Ion:244 Resp: 3958341

Ion Ratio Lower Upper

244 100

212 10.7 10.0 15.0




122 15.7 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.79 min Scan# 3693

Delta R.T. -0.03 min

Lab File: BG026672.D

Acq: 20 Apr 2017 2:09


Tgt Ion:264 Resp: 1007695

Ion Ratio Lower Upper

264 100

260 24.2 21.8 32.8

265 21.6 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

