

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042015\
 Data File : BG016560.D
 Acq On : 20 Apr 2015 20:26
 Operator : TP/IZ
 Sample : G1898-07
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-48

Quant Time: Apr 21 01:53:45 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG040615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 21 01:34:55 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	60672	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	266110	20.00	ng	0.00
38) Acenaphthene-d10	14.29	164	159822	20.00	ng	0.00
63) Phenanthrene-d10	17.03	188	346238	20.00	ng	0.00
75) Chrysene-d12	21.21	240	316109	20.00	ng	0.00
86) Perylene-d12	23.43	264	293926	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	218891	56.94	ng	0.00
7) Phenol-d6	6.84	99	181570	31.46	ng	0.00
23) Nitrobenzene-d5	8.81	82	384446	83.69	ng	0.00
41) 2,4,6-Tribromophenol	15.78	330	160174	148.19	ng	0.00
44) 2-Fluorobiphenyl	12.92	172	865314	92.18	ng	0.00
78) Terphenyl-d14	19.66	244	1048374	77.62	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042015\
Data File : BG016560.D
Acq On : 20 Apr 2015 20:26
Operator : TP/IZ
Sample : G1898-07
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-48

Quant Time: Apr 21 01:53:45 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG040615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 21 01:34:55 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.65 min Scan# 845
 Delta R.T. 0.01 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Instrument :
 BNA_G
 ClientSampleId :
 MW-48

Tot Ion:152 Resp: 60672
 Ion Ratio Lower Upper
 152 100
 150 152.0 130.1 195.1
 115 56.1 50.5 75.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 56.94 ng
 RT: 5.24 min Scan# 435
 Delta R.T. 0.01 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Tgt Ion:112 Resp: 218891
 Ion Ratio Lower Upper
 112 100
 64 47.9 44.5 66.7
 63 23.0 21.4 32.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 31.46 ng

RT: 6.84 min Scan# 707

Delta R.T. 0.01 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26

Instrument :

BNA_G

ClientSampleId :

MW-48


Tot Ion: 99 Resp: 181570

Ion Ratio Lower Upper




99 100

42 11.5 10.0 15.0

71 24.9 21.5 32.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.44 min Scan# 1319

Delta R.T. 0.00 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26

Tgt Ion: 136 Resp: 266110


Ion Ratio Lower Upper

136 100



137 11.0 8.7 13.1


54 7.0 6.3 9.5

68 6.8 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 83.69 ng
 RT: 8.81 min Scan# 1042
 Delta R.T. 0.00 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Instrument :
 BNA_G
 ClientSampleId :
 MW-48

Tot Ion	82	Resp	384446
Ion Ratio	100	Lower	Upper
128	53.2	37.8	56.8
54	39.7	32.6	49.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.29 min Scan# 1975
 Delta R.T. -0.00 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Tgt Ion	164	Resp	159822
Ion Ratio	100	Lower	Upper
162	99.1	77.3	115.9
160	42.9	36.7	55.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 148.19 ng
 RT: 15.78 min Scan# 2229
 Delta R.T. -0.00 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Instrument :
 BNA_G
 ClientSampleId :
 MW-48

Tot Ion:330 Resp: 160174
 Ion Ratio Lower Upper
 330 100
 332 95.1 75.8 113.6
 141 57.2 46.6 69.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.18 ng
 RT: 12.92 min Scan# 1741
 Delta R.T. 0.00 min
 Lab File: BG016560.D
 Acq: 20 Apr 2015 20:26

Tgt Ion:172 Resp: 865314
 Ion Ratio Lower Upper
 172 100
 171 37.4 29.6 44.4
 170 24.6 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.03 min Scan# 2442

Delta R.T. 0.00 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26

Instrument :

BNA_G

ClientSampleId :

MW-48


Tot Ion:188 Resp: 346238

Ion Ratio Lower Upper

188 100

94 12.4 12.2 18.4




80 12.9 12.8 19.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.21 min Scan# 3153

Delta R.T. -0.00 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26


Tgt Ion:240 Resp: 316109

Ion Ratio Lower Upper

240 100

120 20.0 18.6 28.0



236 25.8 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 77.62 ng

RT: 19.66 min Scan# 2889

Delta R.T. -0.00 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26

Instrument :

BNA_G

ClientSampled :

MW-48


Tot Ion:244 Resp: 1048374

Ion Ratio Lower Upper

244 100

212 8.5 6.6 9.8




122 23.2 19.1 28.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.43 min Scan# 3531

Delta R.T. -0.00 min

Lab File: BG016560.D

Acq: 20 Apr 2015 20:26


Tgt Ion:264 Resp: 293926

Ion Ratio Lower Upper

264 100

260 25.3 20.4 30.6

265 21.7 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

