

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG042016\
 Data File : BG021767.D
 Acq On : 19 Apr 2016 22:57
 Operator : UM/SJ
 Sample : H2620-05
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EUT01-TU-B1(5-12)-C

Quant Time: Apr 20 03:28:02 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	24328	20.00	ng	-0.01
21) Naphthalene-d8	11.03	136	116273	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	78372	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	174572	20.00	ng	0.00
75) Chrysene-d12	21.83	240	195674	20.00	ng	0.00
86) Perylene-d12	25.17	264	189430	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.76	112	168466	115.32	ng	0.00
7) Phenol-d6	7.36	99	259323	118.84	ng	0.00
23) Nitrobenzene-d5	9.38	82	158771	70.19	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	102297	121.11	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	365674	68.36	ng	0.00
78) Terphenyl-d14	20.14	244	463466	59.10	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.26	163	55920	8.25	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG042016\
Data File : BG021767.D
Acq On : 19 Apr 2016 22:57
Operator : UM/SJ
Sample : H2620-05
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EUT01-TU-B1(5-12)-C

Quant Time: Apr 20 03:28:02 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.21 min Scan# 914
Delta R.T. -0.01 min
Lab File: BG021767.D
Acq: 19 Apr 2016 22:57

Instrument :
BNA_G
ClientSampleId :
EUT01-TU-B1(5-12)-C

Tgt Ion:152 Resp: 24328
Ion Ratio Lower Upper
152 100
150 159.8 130.1 195.1
115 67.4 62.2 93.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 115.32 ng
RT: 5.76 min Scan# 497
Delta R.T. -0.00 min
Lab File: BG021767.D
Acq: 19 Apr 2016 22:57

Tgt Ion:112 Resp: 168466
Ion Ratio Lower Upper
112 100
64 68.3 51.1 76.7
63 35.1 24.6 37.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 118.84 ng

RT: 7.36 min Scan# 770

Delta R.T. 0.00 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57

Instrument :

BNA_G

ClientSampleId :

EUT01-TU-B1(5-12)-C


Tgt Ion: 99 Resp: 259323

Ion Ratio Lower Upper




99 100

42 20.0 16.4 24.6

71 34.8 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1394

Delta R.T. -0.01 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57

Tgt Ion: 136 Resp: 116273


Ion Ratio Lower Upper

136 100



137 11.1 9.0 13.4


54 9.8 9.6 14.4

68 7.8 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 70.19 ng
 RT: 9.38 min Scan# 1113
 Delta R.T. -0.01 min
 Lab File: BG021767.D
 Acq: 19 Apr 2016 22:57




Instrument :
 BNA_G
 ClientSampleId :
 EUT01-TU-B1(5-12)-C


Tgt Ion: 82 Resp: 158771
 Ion Ratio Lower Upper
 82 100
 128 42.8 33.4 50.0
 54 52.3 46.1 69.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.82 min Scan# 2039
 Delta R.T. -0.01 min
 Lab File: BG021767.D
 Acq: 19 Apr 2016 22:57

Tgt Ion: 164 Resp: 78372
 Ion Ratio Lower Upper
 164 100
 162 103.7 78.0 117.0
 160 43.2 32.9 49.3









#41
 2,4,6-Tribromophenol
 Concen: 121.11 ng
 RT: 16.30 min Scan# 2291
 Delta R.T. -0.01 min
 Lab File: BG021767.D
 Acq: 19 Apr 2016 22:57

Instrument :
 BNA_G
 ClientSampleId :
 EUT01-TU-B1(5-12)-C

Tgt Ion:330 Resp: 102297
 Ion Ratio Lower Upper
 330 100
 332 96.4 78.0 117.0
 141 37.8 33.8 50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 68.36 ng
 RT: 13.45 min Scan# 1806
 Delta R.T. -0.01 min
 Lab File: BG021767.D
 Acq: 19 Apr 2016 22:57

Tgt Ion:172 Resp: 365674
 Ion Ratio Lower Upper
 172 100
 171 37.1 27.8 41.6
 170 24.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.25 ng

RT: 14.26 min Scan# 1944

Delta R.T. -0.01 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57

Instrument :

BNA_G

ClientSampleId :

EUT01-TU-B1(5-12)-C


Tgt Ion:163 Resp: 55920

Ion Ratio Lower Upper

163 100

194 3.7 3.0 4.6




164 9.8 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2505

Delta R.T. -0.01 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57


Tgt Ion:188 Resp: 174572

Ion Ratio Lower Upper

188 100

94 8.2 7.5 11.3



80 10.2 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.83 min Scan# 3232

Delta R.T. -0.01 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57

Instrument :

BNA_G

ClientSampleId :

EUT01-TU-B1(5-12)-C


Tgt Ion:240 Resp: 195674

Ion Ratio Lower Upper

240 100

120 9.7 8.4 12.6




236 26.2 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 59.10 ng

RT: 20.14 min Scan# 2945

Delta R.T. -0.01 min

Lab File: BG021767.D

Acq: 19 Apr 2016 22:57


Tgt Ion:244 Resp: 463466

Ion Ratio Lower Upper

244 100

212 7.9 6.5 9.7



122 9.4 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.17 min Scan# 3800
Delta R.T. -0.00 min
Lab File: BG021767.D
Acq: 19 Apr 2016 22:57

Instrument :
BNA_G
ClientSampleId :
EUT01-TU-B1(5-12)-C

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.3	20.2	30.4
265	21.4	17.8	26.8

