

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042016\
 Data File : BG021770.D
 Acq On : 20 Apr 2016 00:56
 Operator : UM/SJ
 Sample : H2569-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 LCF-EW1

Quant Time: Apr 20 04:05:49 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 13 15:48:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.21	152	24451	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	115927	20.00	ng	0.00
38) Acenaphthene-d10	14.82	164	79980	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	180410	20.00	ng	0.00
75) Chrysene-d12	21.83	240	194209	20.00	ng	0.00
86) Perylene-d12	25.16	264	190839	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.76	112	169123	115.18	ng	0.00
7) Phenol-d6	7.36	99	256048	116.74	ng	0.00
23) Nitrobenzene-d5	9.38	82	157519	69.84	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	107508	124.72	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	383975	70.34	ng	0.00
78) Terphenyl-d14	20.14	244	519838	66.79	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.26	163	70651	10.22	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042016\
Data File : BG021770.D
Acq On : 20 Apr 2016 00:56
Operator : UM/SJ
Sample : H2569-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
LCF-EW1

Quant Time: Apr 20 04:05:49 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 13 15:48:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.21 min Scan# 915

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56

Instrument :

BNA_G

ClientSampleId :

LCF-EW1


Tot Ion:152 Resp: 24451

Ion Ratio Lower Upper

152 100

150 160.7 130.1 195.1




115 58.3 62.2 93.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 115.18 ng

RT: 5.76 min Scan# 497

Delta R.T. -0.00 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56


Tgt Ion:112 Resp: 169123

Ion Ratio Lower Upper

112 100

64 68.3 51.1 76.7



63 35.8 24.6 37.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 116.74 ng

RT: 7.36 min Scan# 770

Delta R.T. 0.00 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56

Instrument :

BNA_G

ClientSampleId :

LCF-EW1


Tot Ion: 99 Resp: 256048

Ion Ratio Lower Upper




99 100

42 19.0 16.4 24.6

71 33.6 25.0 37.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1394

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56

Tgt Ion: 136 Resp: 115927


Ion Ratio Lower Upper

136 100



137 10.8 9.0 13.4


54 10.6 9.6 14.4

68 7.8 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 69.84 ng
RT: 9.38 min Scan# 1113
Delta R.T. -0.01 min
Lab File: BG021770.D
Acq: 20 Apr 2016 00:56




Instrument :
BNA_G
ClientSampleId :
LCF-EW1


Tot Ion	82	Resp	157519
Ion Ratio	100		
Lower	33.4		
Upper	50.0		
128	42.8		
54	57.1		
	46.1		
	69.1		



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.82 min Scan# 2039
Delta R.T. -0.01 min
Lab File: BG021770.D
Acq: 20 Apr 2016 00:56

Tgt Ion	164	Resp	79980
Ion Ratio	100		
Lower	78.0		
Upper	117.0		
162	101.4		
160	44.8		
	32.9		
	49.3		









#41
 2,4,6-Tribromophenol
 Concen: 124.72 ng
 RT: 16.30 min Scan# 2292
 Delta R.T. -0.00 min
 Lab File: BG021770.D
 Acq: 20 Apr 2016 00:56

Instrument :
 BNA_G
 ClientSampleId :
 LCF-EW1

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	78.0	117.0
141	37.3	33.8	50.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 70.34 ng
 RT: 13.45 min Scan# 1806
 Delta R.T. -0.01 min
 Lab File: BG021770.D
 Acq: 20 Apr 2016 00:56

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	27.8	41.6
170	25.2	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 10.22 ng

RT: 14.26 min Scan# 1944

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56

Instrument :

BNA_G

ClientSampleId :

LCF-EW1


Tot Ion:163 Resp: 70651

Ion Ratio Lower Upper

163 100

194 4.5 3.0 4.6




164 9.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2505

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56


Tgt Ion:188 Resp: 180410

Ion Ratio Lower Upper

188 100

94 9.3 7.5 11.3



80 10.3 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.83 min Scan# 3232

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56

Instrument :

BNA_G

ClientSampleId :

LCF-EW1


Tot Ion:240 Resp: 194209

Ion Ratio Lower Upper

240 100

120 10.4 8.4 12.6




236 26.5 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 66.79 ng

RT: 20.14 min Scan# 2945

Delta R.T. -0.01 min

Lab File: BG021770.D

Acq: 20 Apr 2016 00:56


Tgt Ion:244 Resp: 519838

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7



122 9.9 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.16 min Scan# 3799
Delta R.T. -0.01 min
Lab File: BG021770.D
Acq: 20 Apr 2016 00:56

Instrument :
BNA_G
ClientSampleId :
LCF-EW1

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	20.2	30.4
265	21.4	17.8	26.8

