

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042018\
 Data File : BG033906.D
 Acq On : 21 Apr 2018 5:05
 Operator : SJ/JU
 Sample : J2473-09
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 041818-SIDI-F-U-M

Quant Time: Apr 21 06:34:47 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 19 13:56:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	60120	20.00	ng	0.00
21) Naphthalene-d8	10.61	136	256321	20.00	ng	-0.01
38) Acenaphthene-d10	14.46	164	169890	20.00	ng	-0.01
63) Phenanthrene-d10	17.21	188	472931	20.00	ng	-0.01
75) Chrysene-d12	21.47	240	542999	20.00	ng	-0.02
86) Perylene-d12	24.53	264	550901	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	190116	50.49	ng	0.00
7) Phenol-d6	7.00	99	159268	29.00	ng	0.00
23) Nitrobenzene-d5	8.98	82	472164	104.83	ng	0.00
41) 2,4,6-Tribromophenol	15.96	330	242523	122.36	ng	-0.01
44) 2-Fluorobiphenyl	13.09	172	1128772	97.60	ng	-0.01
78) Terphenyl-d14	19.86	244	2316978	95.86	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042018\
Data File : BG033906.D
Acq On : 21 Apr 2018 5:05
Operator : SJ/JU
Sample : J2473-09
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
041818-SIDI-F-U-M

Quant Time: Apr 21 06:34:47 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 19 13:56:22 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 7.83 min Scan# 773

Delta R.T. -0.01 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05

Instrument :

BNA_G

ClientSampleId :

041818-SIDI-F-U-M


Tot Ion:152 Resp: 60120

Ion Ratio Lower Upper

152 100

150 156.3 126.6 189.8




115 59.8 53.0 79.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 50.487 ng

RT: 5.44 min Scan# 366

Delta R.T. -0.01 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05


Tgt Ion:112 Resp: 190116

Ion Ratio Lower Upper

112 100

64 64.5 56.3 84.5



63 33.6 30.1 45.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 28.998 ng

RT: 7.00 min Scan# 631

Delta R.T. -0.01 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05

Instrument :

BNA_G

ClientSampleId :

041818-SIDI-F-U-M


Tot Ion: 99 Resp: 159268

Ion Ratio Lower Upper




99 100

42 19.8 14.1 21.1

71 37.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.61 min Scan# 1247

Delta R.T. -0.01 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05

Tgt Ion: 136 Resp: 256321


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 10.4 10.3 15.5

68 5.7 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 104.832 ng
 RT: 8.98 min Scan# 969
 Delta R.T. -0.01 min
 Lab File: BG033906.D
 Acq: 21 Apr 2018 5:05




Instrument :
 BNA_G
 ClientSampleId :
 041818-SIDI-F-U-M


Tot Ion	82	Resp	472164
Ion Ratio	100	Lower	Upper
128	41.5	29.7	44.5
54	53.2	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1902
 Delta R.T. -0.01 min
 Lab File: BG033906.D
 Acq: 21 Apr 2018 5:05

Tgt Ion	164	Resp	169890
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	102.0	78.8	118.2
160	44.3	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 122.360 ng
 RT: 15.96 min Scan# 2156
 Delta R.T. -0.01 min
 Lab File: BG033906.D
 Acq: 21 Apr 2018 5:05




Instrument :
 BNA_G
 ClientSampleId :
 041818-SIDI-F-U-M


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	77.0	115.6
141	39.1	25.2	37.8#



#44
 2-Fluorobiphenyl
 Concen: 97.604 ng
 RT: 13.09 min Scan# 1668
 Delta R.T. -0.01 min
 Lab File: BG033906.D
 Acq: 21 Apr 2018 5:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	30.0	45.0
170	25.6	19.5	29.3









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.21 min Scan# 2370
Delta R.T. -0.01 min
Lab File: BG033906.D
Acq: 21 Apr 2018 5:05




Instrument :
BNA_G
ClientSampleId :
041818-SIDI-F-U-M


Tot Ion:188 Resp: 472931
Ion Ratio Lower Upper
188 100
94 8.2 6.9 10.3
80 9.1 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.47 min Scan# 3095
Delta R.T. -0.02 min
Lab File: BG033906.D
Acq: 21 Apr 2018 5:05

Tgt Ion:240 Resp: 542999
Ion Ratio Lower Upper
240 100
120 8.2 6.8 10.2
236 25.7 20.9 31.3





#78

Terphenyl-d14

Concen: 95.863 ng

RT: 19.86 min Scan# 2820

Delta R.T. -0.01 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05

Instrument :

BNA_G

ClientSampleId :

041818-SIDI-F-U-M


Tot Ion:244 Resp: 2316978

Ion Ratio Lower Upper

244 100

212 9.7 5.8 8.8#




122 11.4 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.53 min Scan# 3616

Delta R.T. -0.02 min

Lab File: BG033906.D

Acq: 21 Apr 2018 5:05


Tgt Ion:264 Resp: 550901

Ion Ratio Lower Upper

264 100

260 23.2 17.4 26.0

265 21.3 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

