

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG042121\  
 Data File : BG048812.D  
 Acq On : 21 Apr 2021 9:02  
 Operator : CG/JU  
 Sample : SSTDCCC040  
 Misc :  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 LabSampleId :  
 SSTDCCC040

Quant Time: Apr 21 11:27:41 2021  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_G\METHODS\8270-BG041421.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Apr 20 17:33:30 2021  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                    | Amount | Calc.  | %Dev  | Area% | Dev(min) |
|------|-----------------------------|--------|--------|-------|-------|----------|
| 1 I  | 1,4-Dichlorobenzene-d4      | 20.000 | 20.000 | 0.0   | 95    | 0.00     |
| 2    | 1,4-Dioxane                 | 40.000 | 38.538 | 3.7   | 90    | 0.00     |
| 3    | Pyridine                    | 40.000 | 45.057 | -12.6 | 101   | 0.00     |
| 4    | n-Nitrosodimethylamine      | 40.000 | 41.510 | -3.8  | 95    | 0.00     |
| 5 S  | 2-Fluorophenol              | 80.000 | 81.632 | -2.0  | 99    | 0.00     |
| 6    | Aniline                     | 40.000 | 42.772 | -6.9  | 97    | 0.00     |
| 7 S  | Phenol-d6                   | 80.000 | 85.502 | -6.9  | 101   | 0.00     |
| 8    | 2-Chlorophenol              | 40.000 | 42.539 | -6.3  | 103   | 0.00     |
| 9    | Benzaldehyde                | 40.000 | 46.276 | -15.7 | 114   | 0.00     |
| 10 C | Phenol                      | 40.000 | 43.563 | -8.9  | 104   | 0.00     |
| 11   | bis(2-Chloroethyl)ether     | 40.000 | 42.074 | -5.2  | 102   | 0.00     |
| 12   | 1,3-Dichlorobenzene         | 40.000 | 41.764 | -4.4  | 102   | 0.00     |
| 13 C | 1,4-Dichlorobenzene         | 40.000 | 42.671 | -6.7  | 102   | 0.00     |
| 14   | 1,2-Dichlorobenzene         | 40.000 | 42.959 | -7.4  | 101   | 0.00     |
| 15   | Benzyl Alcohol              | 40.000 | 42.526 | -6.3  | 98    | 0.00     |
| 16   | 2,2'-oxybis(1-Chloropropane | 40.000 | 42.805 | -7.0  | 99    | 0.00     |
| 17   | 2-Methylphenol              | 40.000 | 42.358 | -5.9  | 98    | 0.00     |
| 18   | Hexachloroethane            | 40.000 | 41.031 | -2.6  | 96    | 0.00     |
| 19 P | n-Nitroso-di-n-propylamine  | 40.000 | 42.419 | -6.0  | 101   | 0.00     |
| 20   | 3+4-Methylphenols           | 40.000 | 43.915 | -9.8  | 102   | 0.00     |
| 21 I | Naphthalene-d8              | 20.000 | 20.000 | 0.0   | 101   | 0.00     |
| 22   | Acetophenone                | 40.000 | 39.786 | 0.5   | 104   | 0.00     |
| 23 S | Nitrobenzene-d5             | 80.000 | 78.834 | 1.5   | 100   | 0.00     |
| 24   | Nitrobenzene                | 40.000 | 40.926 | -2.3  | 104   | 0.00     |
| 25   | Isophorone                  | 40.000 | 39.738 | 0.7   | 101   | 0.00     |
| 26 C | 2-Nitrophenol               | 40.000 | 39.429 | 1.4   | 98    | 0.00     |
| 27   | 2,4-Dimethylphenol          | 40.000 | 41.227 | -3.1  | 106   | 0.00     |
| 28   | bis(2-Chloroethoxy)methane  | 40.000 | 41.762 | -4.4  | 106   | 0.00     |
| 29 C | 2,4-Dichlorophenol          | 40.000 | 38.555 | 3.6   | 98    | 0.00     |
| 30   | 1,2,4-Trichlorobenzene      | 40.000 | 38.520 | 3.7   | 102   | 0.00     |
| 31   | Naphthalene                 | 40.000 | 40.702 | -1.8  | 102   | 0.00     |
| 32   | Benzoic acid                | 40.000 | 27.505 | 31.2# | 68    | 0.00     |
| 33   | 4-Chloroaniline             | 40.000 | 41.952 | -4.9  | 105   | 0.00     |
| 34 C | Hexachlorobutadiene         | 40.000 | 39.990 | 0.0   | 98    | 0.00     |
| 35   | Caprolactam                 | 40.000 | 43.582 | -9.0  | 112   | 0.00     |
| 36 C | 4-Chloro-3-methylphenol     | 40.000 | 40.978 | -2.4  | 107   | 0.00     |
| 37   | 2-Methylnaphthalene         | 40.000 | 39.496 | 1.3   | 101   | 0.00     |
| 38   | 1-Methylnaphthalene         | 40.000 | 40.138 | -0.3  | 103   | 0.00     |
| 39 I | Acenaphthene-d10            | 20.000 | 20.000 | 0.0   | 105   | 0.00     |
| 40   | 1,2,4,5-Tetrachlorobenzene  | 40.000 | 39.594 | 1.0   | 101   | 0.00     |
| 41 P | Hexachlorocyclopentadiene   | 40.000 | 31.090 | 22.3  | 78    | 0.00     |
| 42 S | 2,4,6-Tribromophenol        | 80.000 | 78.561 | 1.8   | 100   | 0.00     |
| 43 C | 2,4,6-Trichlorophenol       | 40.000 | 39.085 | 2.3   | 98    | 0.00     |
| 44   | 2,4,5-Trichlorophenol       | 40.000 | 38.863 | 2.8   | 98    | 0.00     |
| 45 S | 2-Fluorobiphenyl            | 80.000 | 79.665 | 0.4   | 103   | 0.00     |
| 46   | 1,1'-Biphenyl               | 40.000 | 39.878 | 0.3   | 102   | 0.00     |
| 47   | 2-Chloronaphthalene         | 40.000 | 39.585 | 1.0   | 102   | 0.00     |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG042121\  
 Data File : BG048812.D  
 Acq On : 21 Apr 2021 9:02  
 Operator : CG/JU  
 Sample : SSTDCCC040  
 Misc :  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 LabSampleId :  
 SSTDCCC040

Quant Time: Apr 21 11:27:41 2021  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_G\METHODS\8270-BG041421.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Apr 20 17:33:30 2021  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                   | Amount | Calc.  | %Dev | Area% | Dev(min) |
|------|----------------------------|--------|--------|------|-------|----------|
| 48   | 2-Nitroaniline             | 40.000 | 41.482 | -3.7 | 99    | 0.00     |
| 49   | Acenaphthylene             | 40.000 | 39.248 | 1.9  | 101   | 0.00     |
| 50   | Dimethylphthalate          | 40.000 | 40.120 | -0.3 | 102   | 0.00     |
| 51   | 2,6-Dinitrotoluene         | 40.000 | 40.568 | -1.4 | 101   | 0.00     |
| 52 C | Acenaphthene               | 40.000 | 40.819 | -2.0 | 103   | 0.00     |
| 53   | 3-Nitroaniline             | 40.000 | 40.351 | -0.9 | 106   | 0.00     |
| 54 P | 2,4-Dinitrophenol          | 40.000 | 32.690 | 18.3 | 80    | 0.00     |
| 55   | Dibenzofuran               | 40.000 | 39.990 | 0.0  | 101   | 0.00     |
| 56 P | 4-Nitrophenol              | 40.000 | 38.751 | 3.1  | 95    | 0.00     |
| 57   | 2,4-Dinitrotoluene         | 40.000 | 40.284 | -0.7 | 102   | 0.00     |
| 58   | Fluorene                   | 40.000 | 39.854 | 0.4  | 102   | 0.00     |
| 59   | 2,3,4,6-Tetrachlorophenol  | 40.000 | 37.796 | 5.5  | 94    | 0.00     |
| 60   | Diethylphthalate           | 40.000 | 40.435 | -1.1 | 104   | 0.00     |
| 61   | 4-Chlorophenyl-phenylether | 40.000 | 39.382 | 1.5  | 101   | 0.00     |
| 62   | 4-Nitroaniline             | 40.000 | 40.818 | -2.0 | 108   | 0.00     |
| 63   | Azobenzene                 | 40.000 | 40.590 | -1.5 | 105   | 0.00     |
| 64 I | Phenanthrene-d10           | 20.000 | 20.000 | 0.0  | 103   | 0.00     |
| 65   | 4,6-Dinitro-2-methylphenol | 40.000 | 39.821 | 0.4  | 97    | 0.00     |
| 66 c | n-Nitrosodiphenylamine     | 40.000 | 40.540 | -1.3 | 105   | 0.00     |
| 67   | 4-Bromophenyl-phenylether  | 40.000 | 39.174 | 2.1  | 107   | 0.00     |
| 68   | Hexachlorobenzene          | 40.000 | 39.690 | 0.8  | 102   | 0.00     |
| 69   | Atrazine                   | 40.000 | 39.807 | 0.5  | 105   | 0.00     |
| 70 C | Pentachlorophenol          | 40.000 | 32.464 | 18.8 | 85    | 0.00     |
| 71   | Phenanthrene               | 40.000 | 39.617 | 1.0  | 103   | 0.00     |
| 72   | Anthracene                 | 40.000 | 39.915 | 0.2  | 104   | 0.00     |
| 73   | Carbazole                  | 40.000 | 40.010 | -0.0 | 105   | 0.00     |
| 74   | Di-n-butylphthalate        | 40.000 | 40.272 | -0.7 | 107   | 0.00     |
| 75 C | Fluoranthene               | 40.000 | 39.394 | 1.5  | 104   | 0.00     |
| 76 I | Chrysene-d12               | 20.000 | 20.000 | 0.0  | 106   | 0.00     |
| 77   | Benzydine                  | 40.000 | 41.118 | -2.8 | 89    | 0.00     |
| 78   | Pyrene                     | 40.000 | 40.368 | -0.9 | 104   | 0.00     |
| 79 S | Terphenyl-d14              | 80.000 | 78.567 | 1.8  | 104   | 0.00     |
| 80   | Butylbenzylphthalate       | 40.000 | 38.834 | 2.9  | 102   | 0.00     |
| 81   | Benzo(a)anthracene         | 40.000 | 39.449 | 1.4  | 104   | 0.00     |
| 82   | 3,3'-Dichlorobenzidine     | 40.000 | 38.635 | 3.4  | 101   | 0.00     |
| 83   | Chrysene                   | 40.000 | 39.470 | 1.3  | 103   | 0.00     |
| 84   | Bis(2-ethylhexyl)phthalate | 40.000 | 40.433 | -1.1 | 105   | 0.00     |
| 85 c | Di-n-octyl phthalate       | 40.000 | 40.462 | -1.2 | 105   | 0.00     |
| 86 I | Perylene-d12               | 20.000 | 20.000 | 0.0  | 105   | 0.00     |
| 87   | Indeno(1,2,3-cd)pyrene     | 40.000 | 38.580 | 3.6  | 102   | 0.00     |
| 88   | Benzo(b)fluoranthene       | 40.000 | 40.052 | -0.1 | 105   | 0.00     |
| 89   | Benzo(k)fluoranthene       | 40.000 | 38.860 | 2.9  | 103   | 0.00     |
| 90 C | Benzo(a)pyrene             | 40.000 | 39.720 | 0.7  | 105   | 0.00     |
| 91   | Dibenzo(a,h)anthracene     | 40.000 | 38.416 | 4.0  | 103   | 0.00     |
| 92   | Benzo(g,h,i)perylene       | 40.000 | 37.976 | 5.1  | 102   | 0.00     |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG042121\  
Data File : BG048812.D  
Acq On : 21 Apr 2021 9:02  
Operator : CG/JU  
Sample : SSTDCCC040  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
BNA\_G  
LabSampleId :  
SSTDCCC040

Quant Time: Apr 21 11:27:41 2021  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_G\METHODS\8270-BG041421.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Tue Apr 20 17:33:30 2021  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

| Compound | Amount | Calc. | %Dev | Area% | Dev(min) |
|----------|--------|-------|------|-------|----------|
|----------|--------|-------|------|-------|----------|

(#) = Out of Range                      SPCC's out = 0    CCC's out = 0