

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042222\
 Data File : BG053277.D
 Acq On : 23 Apr 2022 1:26
 Operator : CG/JU
 Sample : N2514-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC-16-1A-5

Quant Time: Apr 24 01:17:23 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Apr 24 01:13:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.112	152	24421	20.000	ng	0.00
21) Naphthalene-d8	10.920	136	101505	20.000	ng	# 0.00
39) Acenaphthene-d10	14.732	164	80488	20.000	ng	0.00
64) Phenanthrene-d10	17.476	188	219071	20.000	ng	0.00
76) Chrysene-d12	21.758	240	234532	20.000	ng	0.00
86) Perylene-d12	25.048	264	237390	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.674	112	200001	140.387	ng	0.00
7) Phenol-d6	7.272	99	272375	123.979	ng	0.00
23) Nitrobenzene-d5	9.269	82	221836	88.738	ng	0.00
42) 2,4,6-Tribromophenol	16.218	330	184977	144.453	ng	0.00
45) 2-Fluorobiphenyl	13.358	172	491683	84.234	ng	0.00
79) Terphenyl-d14	20.084	244	1176540	84.725	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	9.269	70	30938	19.235	ng	# 74
51) 2,6-Dinitrotoluene	14.732	165	10023	7.463	ng	# 24
57) 2,4-Dinitrotoluene	14.732	165	10023	5.242	ng	# 22
67) 4-Bromophenyl-phenylether	16.218	248	11684	4.162	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042222\
Data File : BG053277.D
Acq On : 23 Apr 2022 1:26
Operator : CG/JU
Sample : N2514-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5

Quant Time: Apr 24 01:17:23 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Apr 24 01:13:30 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.112 min Scan# 806
Delta R.T. -0.001 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5

Tgt Ion:152 Resp: 24421
Ion Ratio Lower Upper
152 100
150 142.3 114.6 172.0
115 62.3 45.9 68.9



#5
2-Fluorophenol
Concen: 140.387 ng
RT: 5.674 min Scan# 389
Delta R.T. -0.002 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion:112 Resp: 200001
Ion Ratio Lower Upper
112 100
64 69.4 48.0 72.0
63 38.5 26.5 39.7









#7
Phenol-d6
Concen: 123.979 ng
RT: 7.272 min Scan# 60
Delta R.T. -0.002 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5

Tgt Ion: 99 Resp: 272375
Ion Ratio Lower Upper
99 100
42 19.9 14.7 22.1
71 41.8 29.2 43.8



#19
n-Nitroso-di-n-propylamine
Concen: 19.235 ng
RT: 9.269 min Scan# 1001
Delta R.T. 0.357 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion: 70 Resp: 30938
Ion Ratio Lower Upper
70 100
42 41.9 46.0 69.0#
101 0.0 6.2 9.4#
130 1.1 17.0 25.4#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.920 min Scan# 101
Delta R.T. -0.002 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5

Tgt Ion:136	Resp: 101505
Ion Ratio	Lower Upper
136	100
137	12.1 9.4 14.2
54	10.1 6.4 9.6#
68	5.3 5.0 7.6



#23
Nitrobenzene-d5
Concen: 88.738 ng
RT: 9.269 min Scan# 1001
Delta R.T. -0.008 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion: 82	Resp: 221836
Ion Ratio	Lower Upper
82	100
128	33.7 31.3 46.9
54	49.0 37.8 56.8








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.732 min Scan# 1931
Delta R.T. -0.002 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5


Tgt Ion:164 Resp: 80488
Ion Ratio Lower Upper
164 100
162 104.0 80.0 120.0
160 45.3 38.8 58.2



#42
2,4,6-Tribromophenol
Concen: 144.453 ng
RT: 16.218 min Scan# 2184
Delta R.T. -0.008 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion:330 Resp: 184977
Ion Ratio Lower Upper
330 100
332 98.2 75.8 113.6
141 34.9 24.6 36.8









#45
2-Fluorobiphenyl
Concen: 84.234 ng
RT: 13.358 min Scan# 1
Delta R.T. -0.002 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5

Tgt Ion:172 Resp: 491683
Ion Ratio Lower Upper
172 100
171 35.1 28.3 42.5
170 22.3 18.0 27.0



#51
2,6-Dinitrotoluene
Concen: 7.463 ng
RT: 14.732 min Scan# 1931
Delta R.T. 0.427 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion:165 Resp: 10023
Ion Ratio Lower Upper
165 100
63 0.0 43.7 65.5#
89 0.0 45.0 67.4#





#57

2,4-Dinitrotoluene

Concen: 5.242 ng

RT: 14.732 min Scan# 1994

Delta R.T. -0.360 min

Lab File: BG053277.D

Acq: 23 Apr 2022 1:26

Instrument :

BNA_G

ClientSampleId :

WC-16-1A-5

Tgt Ion:165 Resp: 10023





Ion Ratio Lower Upper

165 100

63 0.0 34.8 52.2#

89 0.0 57.4 86.0#

182 0.0 2.1 3.1#



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.476 min Scan# 2398

Delta R.T. -0.008 min

Lab File: BG053277.D

Acq: 23 Apr 2022 1:26




Tgt Ion:188 Resp: 219071


Ion Ratio Lower Upper

188 100

94 6.8 5.7 8.5

80 8.2 7.2 10.8








#67
4-Bromophenyl-phenylether
Concen: 4.162 ng
RT: 16.218 min Scan# 2184
Delta R.T. -0.442 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26




Instrument :
BNA_G
ClientSampleId :
WC-16-1A-5


Tgt Ion:248 Resp: 11684
Ion Ratio Lower Upper
248 100
250 182.9 77.9 116.9#
141 486.6 49.2 73.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.758 min Scan# 3127
Delta R.T. -0.008 min
Lab File: BG053277.D
Acq: 23 Apr 2022 1:26

Tgt Ion:240 Resp: 234532
Ion Ratio Lower Upper
240 100
120 6.2 5.4 8.0
236 24.6 19.8 29.6









#79
 Terphenyl-d14
 Concen: 84.725 ng
 RT: 20.084 min Scan# 21
 Delta R.T. -0.002 min
 Lab File: BG053277.D
 Acq: 23 Apr 2022 1:26

Instrument :
 BNA_G
 ClientSampleId :
 WC-16-1A-5

Tgt Ion:244 Resp: 1176540
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.4 8.2
 122 6.1 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.048 min Scan# 3687
 Delta R.T. -0.013 min
 Lab File: BG053277.D
 Acq: 23 Apr 2022 1:26

Tgt Ion:264 Resp: 237390
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.2 27.2
 265 21.2 15.1 22.7

