

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG042315\
 Data File : BG016675.D
 Acq On : 24 Apr 2015 6:08
 Operator : TP/IZ
 Sample : G1950-10
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PS-23(5-10)

Quant Time: Apr 24 07:21:41 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG042315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 24 04:29:05 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	55929	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	233167	20.00	ng	0.00
38) Acenaphthene-d10	14.25	164	129537	20.00	ng	0.00
63) Phenanthrene-d10	16.99	188	273074	20.00	ng	0.00
75) Chrysene-d12	21.18	240	269527	20.00	ng	0.00
86) Perylene-d12	23.38	264	253961	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	403814	117.16	ng	0.00
7) Phenol-d6	6.80	99	547449	113.22	ng	0.00
23) Nitrobenzene-d5	8.76	82	274148	74.29	ng	0.00
41) 2,4,6-Tribromophenol	15.74	330	110541	115.03	ng	0.00
44) 2-Fluorobiphenyl	12.86	172	619363	76.82	ng	0.00
78) Terphenyl-d14	19.63	244	785374	67.12	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.71	163	64353	6.64	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG042315\
Data File : BG016675.D
Acq On : 24 Apr 2015 6:08
Operator : TP/IZ
Sample : G1950-10
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PS-23(5-10)

Quant Time: Apr 24 07:21:41 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG042315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 24 04:29:05 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.59 min Scan# 835

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08

Instrument :

BNA_G

ClientSampleId :

PS-23(5-10)


Tgt Ion:152 Resp: 55929

Ion Ratio Lower Upper

152 100

150 161.5 129.6 194.4




115 57.4 43.0 64.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 117.16 ng

RT: 5.19 min Scan# 426

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08


Tgt Ion:112 Resp: 403814

Ion Ratio Lower Upper

112 100

64 48.8 38.3 57.5



63 23.4 18.9 28.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 113.22 ng

RT: 6.80 min Scan# 699

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08

Instrument :

BNA_G

ClientSampleId :

PS-23(5-10)


Tgt Ion: 99 Resp: 547449

Ion Ratio Lower Upper




99 100

42 12.0 8.8 13.2

71 26.1 19.9 29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.38 min Scan# 1309

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08

Tgt Ion: 136 Resp: 233167


Ion Ratio Lower Upper

136 100



137 11.1 8.5 12.7

54 5.9 5.4 8.2

68 5.9 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 74.29 ng
 RT: 8.76 min Scan# 1033
 Delta R.T. -0.00 min
 Lab File: BG016675.D
 Acq: 24 Apr 2015 6:08

Instrument :
 BNA_G
 ClientSampleId :
 PS-23(5-10)

Tgt Ion: 82 Resp: 274148
 Ion Ratio Lower Upper
 82 100
 128 55.4 44.7 67.1
 54 38.2 30.9 46.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.25 min Scan# 1967
 Delta R.T. -0.01 min
 Lab File: BG016675.D
 Acq: 24 Apr 2015 6:08

Tgt Ion: 164 Resp: 129537
 Ion Ratio Lower Upper
 164 100
 162 100.3 77.3 115.9
 160 44.5 33.7 50.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 115.03 ng
 RT: 15.74 min Scan# 2222
 Delta R.T. -0.00 min
 Lab File: BG016675.D
 Acq: 24 Apr 2015 6:08




Instrument :
 BNA_G
 ClientSampleId :
 PS-23(5-10)


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.3	76.2	114.4
141	54.0	43.0	64.6



#44
 2-Fluorobiphenyl
 Concen: 76.82 ng
 RT: 12.86 min Scan# 1732
 Delta R.T. -0.00 min
 Lab File: BG016675.D
 Acq: 24 Apr 2015 6:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	29.9	44.9
170	24.0	19.8	29.8





#49

Dimethylphthalate

Concen: 6.64 ng

RT: 13.71 min Scan# 1876

Delta R.T. -0.01 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08

Instrument :

BNA_G

ClientSampleId :

PS-23(5-10)


Tgt Ion:163 Resp: 64353

Ion Ratio Lower Upper

163 100

194 5.9 5.0 7.4




164 10.3 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.99 min Scan# 2435

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08


Tgt Ion:188 Resp: 273074

Ion Ratio Lower Upper

188 100

94 12.3 10.7 16.1



80 12.0 9.9 14.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.18 min Scan# 3147

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08

Instrument :

BNA_G

ClientSampleId :

PS-23(5-10)


Tgt Ion:240 Resp: 269527

Ion Ratio Lower Upper

240 100

120 19.6 16.3 24.5




236 26.2 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 67.12 ng

RT: 19.63 min Scan# 2883

Delta R.T. -0.00 min

Lab File: BG016675.D

Acq: 24 Apr 2015 6:08


Tgt Ion:244 Resp: 785374

Ion Ratio Lower Upper

244 100

212 7.9 6.4 9.6



122 20.1 15.9 23.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 23.38 min Scan# 3522
Delta R.T. -0.01 min
Lab File: BG016675.D
Acq: 24 Apr 2015 6:08

Instrument :
BNA_G
ClientSampleId :
PS-23(5-10)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.2	20.0	30.0
265	21.2	16.8	25.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

