

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042322\
 Data File : BG053295.D
 Acq On : 23 Apr 2022 16:21
 Operator : CG/JU
 Sample : N2477-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 371

Quant Time: Apr 24 02:49:36 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Apr 24 01:13:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	36062	20.000	ng	0.00
21) Naphthalene-d8	10.922	136	152810	20.000	ng	0.00
39) Acenaphthene-d10	14.729	164	110456	20.000	ng	0.00
64) Phenanthrene-d10	17.478	188	235334	20.000	ng	0.00
76) Chrysene-d12	21.761	240	211093	20.000	ng	0.00
86) Perylene-d12	25.056	264	215032	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.677	112	229477	109.080	ng	0.00
7) Phenol-d6	7.269	99	345208	106.408	ng	0.00
23) Nitrobenzene-d5	9.272	82	245077	65.120	ng	0.00
42) 2,4,6-Tribromophenol	16.221	330	161607	91.963	ng	0.00
45) 2-Fluorobiphenyl	13.354	172	461589	57.624	ng	0.00
79) Terphenyl-d14	20.081	244	545025	43.606	ng	0.00
Target Compounds						
						Qvalue
71) Phenanthrene	17.519	178	68904	5.360	ng	94
75) Fluoranthene	19.523	202	117888	7.155	ng	98
78) Pyrene	19.887	202	120308	8.002	ng	98
81) Benzo(a)anthracene	21.743	228	61739	4.278	ng	97
83) Chrysene	21.808	228	66557	4.969	ng	99
84) Bis(2-ethylhexyl)phtha...	21.631	149	15157	2.001	ng	95
87) Indeno(1,2,3-cd)pyrene	28.833	276	45194	2.829	ng	# 89
88) Benzo(b)fluoranthene	24.016	252	86111	6.347	ng	95
90) Benzo(a)pyrene	24.904	252	61122	5.288	ng	96
92) Benzo(g,h,i)perylene	29.997	276	47692	3.680	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042322\
Data File : BG053295.D
Acq On : 23 Apr 2022 16:21
Operator : CG/JU
Sample : N2477-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
371

Quant Time: Apr 24 02:49:36 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Apr 24 01:13:30 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.109 min Scan# 806
Delta R.T. -0.004 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion:152 Resp: 36062
Ion Ratio Lower Upper
152 100
150 157.3 114.6 172.0
115 60.3 45.9 68.9



#5
2-Fluorophenol
Concen: 109.080 ng
RT: 5.677 min Scan# 389
Delta R.T. 0.001 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion:112 Resp: 229477
Ion Ratio Lower Upper
112 100
64 70.0 48.0 72.0
63 40.3 26.5 39.7#









#7
Phenol-d6
Concen: 106.408 ng
RT: 7.269 min Scan# 60
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion: 99 Resp: 345208
Ion Ratio Lower Upper
99 100
42 20.7 14.7 22.1
71 43.1 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.922 min Scan# 1282
Delta R.T. 0.001 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion: 136 Resp: 152810
Ion Ratio Lower Upper
136 100
137 10.2 9.4 14.2
54 8.2 6.4 9.6
68 6.4 5.0 7.6









#23
 Nitrobenzene-d5
 Concen: 65.120 ng
 RT: 9.272 min Scan# 1001
 Delta R.T. -0.005 min
 Lab File: BG053295.D
 Acq: 23 Apr 2022 16:21




Instrument :
 BNA_G
 ClientSampleId :
 371


Tgt Ion: 82 Resp: 245077
 Ion Ratio Lower Upper
 82 100
 128 36.6 31.3 46.9
 54 49.4 37.8 56.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.729 min Scan# 1930
 Delta R.T. -0.005 min
 Lab File: BG053295.D
 Acq: 23 Apr 2022 16:21

Tgt Ion: 164 Resp: 110456
 Ion Ratio Lower Upper
 164 100
 162 108.6 80.0 120.0
 160 45.1 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 91.963 ng
RT: 16.221 min Scan# 2187
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion:330 Resp: 161607
Ion Ratio Lower Upper
330 100
332 94.4 75.8 113.6
141 33.0 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 57.624 ng
RT: 13.354 min Scan# 1696
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion:172 Resp: 461589
Ion Ratio Lower Upper
172 100
171 35.2 28.3 42.5
170 23.1 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.478 min Scan# 21
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion:188 Resp: 235334
Ion Ratio Lower Upper
188 100
94 6.4 5.7 8.5
80 7.4 7.2 10.8



#71
Phenanthrene
Concen: 5.360 ng
RT: 17.519 min Scan# 2405
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion:178 Resp: 68904
Ion Ratio Lower Upper
178 100
176 17.2 15.9 23.9
179 14.0 13.4 20.2









#75
Fluoranthene
Concen: 7.155 ng
RT: 19.523 min Scan# 21
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion:202 Resp: 117888
Ion Ratio Lower Upper
202 100
101 6.9 0.0 27.3
203 16.8 0.0 37.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.761 min Scan# 3127
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion:240 Resp: 211093
Ion Ratio Lower Upper
240 100
120 6.6 5.4 8.0
236 25.8 19.8 29.6





#78

Pyrene

Concen: 8.002 ng

RT: 19.887 min Scan# 2

Delta R.T. -0.005 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21

Instrument :

BNA_G

ClientSampleId :

371





Tgt Ion:202 Resp: 120308

Ion Ratio Lower Upper

202 100

200 20.3 17.0 25.6

203 17.9 15.0 22.6



#79

Terphenyl-d14

Concen: 43.606 ng

RT: 20.081 min Scan# 2841

Delta R.T. -0.005 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21




Tgt Ion:244 Resp: 545025


Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.2

122 5.9 5.8 8.6









#81
Benzo(a)anthracene
Concen: 4.278 ng
RT: 21.743 min Scan# 3127
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21




Instrument :
BNA_G
ClientSampleId :
371


Tgt Ion:228 Resp: 61739
Ion Ratio Lower Upper
228 100
226 26.6 21.4 32.0
229 23.5 16.7 25.1



#83
Chrysene
Concen: 4.969 ng
RT: 21.808 min Scan# 3135
Delta R.T. -0.005 min
Lab File: BG053295.D
Acq: 23 Apr 2022 16:21

Tgt Ion:228 Resp: 66557
Ion Ratio Lower Upper
228 100
226 30.1 24.2 36.4
229 21.2 16.3 24.5









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 2.001 ng
 RT: 21.631 min Scan# 3105
 Delta R.T. -0.005 min
 Lab File: BG053295.D
 Acq: 23 Apr 2022 16:21




Instrument :
 BNA_G
 ClientSampleId :
 371


Tgt Ion:149 Resp: 15157
 Ion Ratio Lower Upper
 149 100
 167 29.9 21.4 32.2
 279 5.5 3.8 5.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.056 min Scan# 3688
 Delta R.T. -0.005 min
 Lab File: BG053295.D
 Acq: 23 Apr 2022 16:21

Tgt Ion:264 Resp: 215032
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.2 27.2
 265 20.7 15.1 22.7





#87

Indeno(1,2,3-cd)pyrene

Concen: 2.829 ng

RT: 28.833 min Scan# 4331

Delta R.T. -0.017 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21

Instrument :

BNA_G

ClientSampleId :

371





Tgt Ion:276 Resp: 45194

Ion Ratio Lower Upper

276 100

138 2.9 8.7 13.1#

277 28.3 20.2 30.4



#88

Benzo(b)fluoranthene

Concen: 6.347 ng

RT: 24.016 min Scan# 3511

Delta R.T. -0.005 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21




Tgt Ion:252 Resp: 86111


Ion Ratio Lower Upper

252 100

253 24.2 17.2 25.8

125 7.5 5.2 7.8





#90

Benzo(a)pyrene

Concen: 5.288 ng

RT: 24.904 min Scan# 3

Delta R.T. -0.011 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21

Instrument :

BNA_G

ClientSampleId :

371





Tgt Ion:252 Resp: 61122

Ion Ratio Lower Upper

252 100

253 20.6 18.4 27.6

125 7.5 5.6 8.4



#92

Benzo(g,h,i)perylene

Concen: 3.680 ng

RT: 29.997 min Scan# 4529

Delta R.T. -0.040 min

Lab File: BG053295.D

Acq: 23 Apr 2022 16:21

Tgt Ion:276 Resp: 47692

Ion Ratio Lower Upper

276 100

277 26.4 18.2 27.2

138 10.2 9.1 13.7

