

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG042324\  
 Data File : BG061014.D  
 Acq On : 23 Apr 2024 19:21  
 Operator : MA/JU  
 Sample : P2166-03MSD  
 Misc :  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD

Quant Time: Apr 24 00:15:46 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\8270-BG042024.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Apr 22 04:22:00 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-------------------------------|--------|------|----------|---------|-------|----------|
| -----                         |        |      |          |         |       |          |
| Internal Standards            |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.943  | 152  | 25663    | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8            | 10.740 | 136  | 98949    | 20.000  | ng    | # 0.00   |
| 39) Acenaphthene-d10          | 14.570 | 164  | 76463    | 20.000  | ng    | 0.00     |
| 64) Phenanthrene-d10          | 17.320 | 188  | 183898   | 20.000  | ng    | 0.00     |
| 76) Chrysene-d12              | 21.586 | 240  | 185231   | 20.000  | ng    | 0.00     |
| 86) Perylene-d12              | 24.706 | 264  | 228747   | 20.000  | ng    | 0.00     |
| System Monitoring Compounds   |        |      |          |         |       |          |
| 5) 2-Fluorophenol             | 5.534  | 112  | 156395   | 123.270 | ng    | 0.00     |
| 7) Phenol-d6                  | 7.120  | 99   | 207044   | 109.987 | ng    | 0.01     |
| 23) Nitrobenzene-d5           | 9.100  | 82   | 145005   | 65.841  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol      | 16.063 | 330  | 180742   | 107.644 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl          | 13.196 | 172  | 387542   | 70.147  | ng    | 0.00     |
| 79) Terphenyl-d14             | 19.941 | 244  | 746144   | 62.527  | ng    | 0.00     |
| Target Compounds              |        |      |          |         |       |          |
|                               |        |      |          |         |       | Qvalue   |
| 2) 1,4-Dioxane                | 3.454  | 88   | 14889    | 33.909  | ng    | 97       |
| 3) Pyridine                   | 3.836  | 79   | 40276    | 29.675  | ng    | 98       |
| 4) n-Nitrosodimethylamine     | 3.754  | 42   | 44723    | 36.637  | ng    | 99       |
| 6) Aniline                    | 7.267  | 93   | 31530    | 13.936  | ng    | 96       |
| 8) 2-Chlorophenol             | 7.514  | 128  | 74052    | 46.844  | ng    | 99       |
| 9) Benzaldehyde               | 7.085  | 77   | 3457     | 3.570   | ng    | 94       |
| 10) Phenol                    | 7.144  | 94   | 85256    | 45.585  | ng    | 92       |
| 11) bis(2-Chloroethyl)ether   | 7.367  | 93   | 55204    | 41.256  | ng    | 97       |
| 12) 1,3-Dichlorobenzene       | 7.831  | 146  | 83952    | 47.889  | ng    | 100      |
| 13) 1,4-Dichlorobenzene       | 7.978  | 146  | 85515    | 47.358  | ng    | 99       |
| 14) 1,2-Dichlorobenzene       | 8.295  | 146  | 83297    | 47.201  | ng    | 96       |
| 15) Benzyl Alcohol            | 8.178  | 79   | 72238    | 40.644  | ng    | 99       |
| 16) 2,2'-oxybis(1-Chloropr... | 8.460  | 45   | 122793   | 42.156  | ng    | 100      |
| 17) 2-Methylphenol            | 8.389  | 107  | 58671    | 38.852  | ng    | 97       |
| 18) Hexachloroethane          | 9.024  | 117  | 31507    | 48.423  | ng    | 93       |
| 19) n-Nitroso-di-n-propyla... | 8.748  | 70   | 52095    | 37.134  | ng    | 98       |
| 20) 3+4-Methylphenols         | 8.718  | 107  | 82777    | 39.194  | ng    | 99       |
| 22) Acetophenone              | 8.765  | 105  | 113031   | 40.909  | ng    | # 91     |
| 24) Nitrobenzene              | 9.142  | 77   | 85685    | 40.489  | ng    | 98       |
| 25) Isophorone                | 9.664  | 82   | 142016   | 38.532  | ng    | 99       |
| 26) 2-Nitrophenol             | 9.852  | 139  | 42596    | 42.827  | ng    | 98       |
| 27) 2,4-Dimethylphenol        | 9.917  | 122  | 53160    | 33.346  | ng    | 89       |
| 28) bis(2-Chloroethoxy)met... | 10.146 | 93   | 74942    | 38.653  | ng    | 91       |
| 29) 2,4-Dichlorophenol        | 10.387 | 162  | 80676    | 43.847  | ng    | 96       |
| 30) 1,2,4-Trichlorobenzene    | 10.605 | 180  | 97738    | 48.144  | ng    | 96       |
| 31) Naphthalene               | 10.793 | 128  | 232942   | 43.000  | ng    | 98       |
| 32) Benzoic acid              | 10.076 | 122  | 52999    | 43.632  | ng    | 95       |
| 33) 4-Chloroaniline           | 10.892 | 127  | 30414    | 12.359  | ng    | 96       |
| 34) Hexachlorobutadiene       | 11.080 | 225  | 84569    | 47.368  | ng    | 94       |
| 35) Caprolactam               | 11.674 | 113  | 17100    | 29.178  | ng    | # 78     |
| 36) 4-Chloro-3-methylphenol   | 12.026 | 107  | 87531    | 40.789  | ng    | 99       |
| 37) 2-Methylnaphthalene       | 12.397 | 142  | 167704   | 39.373  | ng    | 96       |
| 38) 1-Methylnaphthalene       | 12.614 | 142  | 156683   | 39.420  | ng    | 100      |
| 40) 1,2,4,5-Tetrachloroben... | 12.767 | 216  | 139492   | 51.335  | ng    | 99       |
| 41) Hexachlorocyclopentadiene | 12.749 | 237  | 103698   | 64.857  | ng    | 99       |
| 43) 2,4,6-Trichlorophenol     | 13.008 | 196  | 85968    | 48.129  | ng    | 97       |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG042324\  
 Data File : BG061014.D  
 Acq On : 23 Apr 2024 19:21  
 Operator : MA/JU  
 Sample : P2166-03MSD  
 Misc :  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD


Quant Time: Apr 24 00:15:46 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\8270-BG042024.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Apr 22 04:22:00 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| 44) 2,4,5-Trichlorophenol     | 13.084 | 196  | 93203    | 44.111 | ng    | 97       |
| 46) 1,1'-Biphenyl             | 13.407 | 154  | 245671   | 47.699 | ng    | 96       |
| 47) 2-Chloronaphthalene       | 13.448 | 162  | 191283   | 48.438 | ng    | 98       |
| 48) 2-Nitroaniline            | 13.648 | 65   | 65370    | 41.016 | ng    | 99       |
| 49) Acenaphthylene            | 14.294 | 152  | 314005   | 47.213 | ng    | 98       |
| 50) Dimethylphthalate         | 14.030 | 163  | 261118   | 41.413 | ng    | 98       |
| 51) 2,6-Dinitrotoluene        | 14.147 | 165  | 54452    | 41.389 | ng    | 98       |
| 52) Acenaphthene              | 14.635 | 154  | 176109   | 43.578 | ng    | 94       |
| 53) 3-Nitroaniline            | 14.471 | 138  | 33473    | 25.803 | ng    | 93       |
| 54) 2,4-Dinitrophenol         | 14.682 | 184  | 42526    | 51.729 | ng    | 98       |
| 55) Dibenzofuran              | 14.976 | 168  | 302371   | 43.330 | ng    | 98       |
| 56) 4-Nitrophenol             | 14.800 | 139  | 86203    | 92.752 | ng    | 97       |
| 57) 2,4-Dinitrotoluene        | 14.935 | 165  | 80599    | 42.537 | ng    | 97       |
| 58) Fluorene                  | 15.622 | 166  | 249656   | 42.386 | ng    | 97       |
| 59) 2,3,4,6-Tetrachlorophenol | 15.199 | 232  | 94500    | 44.314 | ng    | # 99     |
| 60) Diethylphthalate          | 15.399 | 149  | 256094   | 41.243 | ng    | 99       |
| 61) 4-Chlorophenyl-phenyle... | 15.616 | 204  | 152298   | 41.924 | ng    | 96       |
| 62) 4-Nitroaniline            | 15.640 | 138  | 48343    | 34.560 | ng    | 95       |
| 63) Azobenzene                | 15.910 | 77   | 210224   | 41.624 | ng    | 95       |
| 65) 4,6-Dinitro-2-methylph... | 15.704 | 198  | 34048    | 29.985 | ng    | 87       |
| 66) n-Nitrosodiphenylamine    | 15.834 | 169  | 223207   | 44.056 | ng    | 97       |
| 67) 4-Bromophenyl-phenylether | 16.509 | 248  | 111829   | 46.077 | ng    | 100      |
| 68) Hexachlorobenzene         | 16.627 | 284  | 134018   | 49.992 | ng    | 98       |
| 69) Atrazine                  | 16.785 | 200  | 99378    | 52.408 | ng    | 98       |
| 70) Pentachlorophenol         | 16.974 | 266  | 171635   | 97.638 | ng    | 98       |
| 71) Phenanthrene              | 17.361 | 178  | 409979   | 43.676 | ng    | 99       |
| 72) Anthracene                | 17.455 | 178  | 418091   | 43.247 | ng    | 98       |
| 73) Carbazole                 | 17.720 | 167  | 358219   | 44.616 | ng    | 99       |
| 74) Di-n-butylphthalate       | 18.290 | 149  | 412938   | 42.362 | ng    | 99       |
| 75) Fluoranthene              | 19.377 | 202  | 528819   | 42.450 | ng    | 97       |
| 77) Benzidine                 | 19.553 | 184  | 148675   | 43.319 | ng    | 98       |
| 78) Pyrene                    | 19.735 | 202  | 540702   | 42.871 | ng    | 97       |
| 80) Butylbenzylphthalate      | 20.634 | 149  | 177041   | 42.115 | ng    | 99       |
| 81) Benzo(a)anthracene        | 21.562 | 228  | 587466   | 45.110 | ng    | 96       |
| 82) 3,3'-Dichlorobenzidine    | 21.480 | 252  | 146800   | 31.191 | ng    | 99       |
| 83) Chrysene                  | 21.627 | 228  | 547540   | 44.161 | ng    | 99       |
| 84) Bis(2-ethylhexyl)phtha... | 21.486 | 149  | 257231   | 42.088 | ng    | 98       |
| 85) Di-n-octyl phthalate      | 22.673 | 149  | 438043   | 43.170 | ng    | 99       |
| 87) Indeno(1,2,3-cd)pyrene    | 28.260 | 276  | 676794   | 42.651 | ng    | 96       |
| 88) Benzo(b)fluoranthene      | 23.724 | 252  | 590602   | 45.561 | ng    | 99       |
| 89) Benzo(k)fluoranthene      | 23.789 | 252  | 600585   | 45.896 | ng    | 99       |
| 90) Benzo(a)pyrene            | 24.565 | 252  | 556549   | 44.356 | ng    | 99       |
| 91) Dibenzo(a,h)anthracene    | 28.325 | 278  | 598726   | 46.182 | ng    | 99       |
| 92) Benzo(g,h,i)perylene      | 29.365 | 276  | 506086   | 39.370 | ng    | 94       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Apr 24 00:15:46 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\8270-BG042024.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Mon Apr 22 04:22:00 2024  
Response via : Initial Calibration









#1  
 1,4-Dichlorobenzene-d4  
 Concen: 20.000 ng  
 RT: 7.943 min Scan# 84  
 Delta R.T. -0.000 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21




Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD


Tgt Ion:152 Resp: 25663  
 Ion Ratio Lower Upper  
 152 100  
 150 154.5 118.6 178.0  
 115 62.4 47.4 71.0



#2  
 1,4-Dioxane  
 Concen: 33.909 ng  
 RT: 3.454 min Scan# 79  
 Delta R.T. 0.006 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21

Tgt Ion: 88 Resp: 14889  
 Ion Ratio Lower Upper  
 88 100  
 58 103.1 80.2 120.2  
 43 57.2 43.4 65.0





#3

Pyridine

Concen: 29.675 ng

RT: 3.836 min Scan# 14

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion: 79 Resp: 40276

Ion Ratio Lower Upper

79 100

52 121.9 95.0 142.6

51 66.8 53.3 79.9



#4

n-Nitrosodimethylamine

Concen: 36.637 ng

RT: 3.754 min Scan# 130

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion: 42 Resp: 44723


Ion Ratio Lower Upper

42 100

74 62.7 49.8 74.6

44 4.8 3.8 5.6









#5  
2-Fluorophenol  
Concen: 123.270 ng  
RT: 5.534 min Scan# 41  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:112 Resp: 156395  
Ion Ratio Lower Upper  
112 100  
64 65.7 53.7 80.5  
63 44.1 37.0 55.6



#6  
Aniline  
Concen: 13.936 ng  
RT: 7.267 min Scan# 728  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 93 Resp: 31530  
Ion Ratio Lower Upper  
93 100  
66 45.8 37.9 56.9  
65 26.5 18.2 27.4









#7  
Phenol-d6  
Concen: 109.987 ng  
RT: 7.120 min Scan# 701  
Delta R.T. 0.012 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion: 99 Resp: 207044  
Ion Ratio Lower Upper  
99 100  
42 32.8 27.2 40.8  
71 49.2 38.8 58.2



#8  
2-Chlorophenol  
Concen: 46.844 ng  
RT: 7.514 min Scan# 770  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 128 Resp: 74052  
Ion Ratio Lower Upper  
128 100  
130 30.6 12.2 52.2  
64 50.9 30.8 70.8









#9  
Benzaldehyde  
Concen: 3.570 ng  
RT: 7.085 min Scan# 697  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD

Tgt Ion: 77 Resp: 3457  
Ion Ratio Lower Upper  
77 100  
105 112.1 81.7 121.7  
106 86.3 66.7 106.7




#10  
Phenol  
Concen: 45.585 ng  
RT: 7.144 min Scan# 707  
Delta R.T. 0.012 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 94 Resp: 85256  
Ion Ratio Lower Upper  
94 100  
65 38.0 23.1 63.1  
66 64.4 38.0 78.0











#11  
bis(2-Chloroethyl)ether  
Concen: 41.256 ng  
RT: 7.367 min Scan# 744  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion: 93 Resp: 55204  
Ion Ratio Lower Upper  
93 100  
63 93.2 75.6 115.6  
95 33.8 12.1 52.1



#12  
1,3-Dichlorobenzene  
Concen: 47.889 ng  
RT: 7.831 min Scan# 824  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:146 Resp: 83952  
Ion Ratio Lower Upper  
146 100  
148 65.9 52.7 79.1  
75 36.8 30.1 45.1





#13

1,4-Dichlorobenzene

Concen: 47.358 ng

RT: 7.978 min Scan# 849

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:146 Resp: 85515

Ion Ratio Lower Upper

146 100

148 62.1 50.4 75.6

111 41.3 32.7 49.1



#14

1,2-Dichlorobenzene

Concen: 47.201 ng

RT: 8.295 min Scan# 903

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:146 Resp: 83297


Ion Ratio Lower Upper

146 100

148 65.9 53.8 80.8

111 42.7 38.2 57.2









#15  
Benzyl Alcohol  
Concen: 40.644 ng  
RT: 8.178 min Scan# 811  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion: 79 Resp: 72238  
Ion Ratio Lower Upper  
79 100  
108 67.7 53.0 79.6  
77 63.9 51.4 77.0



#16  
2,2'-oxybis(1-Chloropropane)  
Concen: 42.156 ng  
RT: 8.460 min Scan# 931  
Delta R.T. -0.012 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 45 Resp: 122793  
Ion Ratio Lower Upper  
45 100  
77 10.4 0.0 30.6  
79 6.5 0.0 26.6









#17  
2-Methylphenol  
Concen: 38.852 ng  
RT: 8.389 min Scan# 918  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


|          |       |       |       |
|----------|-------|-------|-------|
| Tgt Ion: | 107   | Resp: | 58671 |
| Ion      | Ratio | Lower | Upper |
| 107      | 100   |       |       |
| 108      | 108.7 | 89.2  | 133.8 |
| 77       | 56.0  | 43.0  | 64.6  |
| 79       | 54.9  | 46.2  | 69.4  |



#18  
Hexachloroethane  
Concen: 48.423 ng  
RT: 9.024 min Scan# 1027  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

|          |       |       |       |
|----------|-------|-------|-------|
| Tgt Ion: | 117   | Resp: | 31507 |
| Ion      | Ratio | Lower | Upper |
| 117      | 100   |       |       |
| 119      | 97.0  | 79.8  | 119.8 |
| 201      | 142.8 | 124.0 | 186.0 |









#19  
n-Nitroso-di-n-propylamine  
Concen: 37.134 ng  
RT: 8.748 min Scan# 979  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD

Tgt Ion: 70 Resp: 52095




| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 70  | 100   |       |       |
| 42  | 99.3  | 78.0  | 117.0 |
| 101 | 11.6  | 8.6   | 13.0  |
| 130 | 20.5  | 15.6  | 23.4  |




#20  
3+4-Methylphenols  
Concen: 39.194 ng  
RT: 8.718 min Scan# 975  
Delta R.T. 0.012 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 107 Resp: 82777

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 107 | 100   |       |       |
| 108 | 87.0  | 66.5  | 106.5 |
| 77  | 40.7  | 19.9  | 59.9  |
| 79  | 36.3  | 16.9  | 56.9  |









#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 10.740 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 136   | Resp: | 98949 |
| Ion Ratio | Lower | Upper |       |
| 136       | 100   |       |       |
| 137       | 11.0  | 8.5   | 12.7  |
| 54        | 10.9  | 9.4   | 14.0  |
| 68        | 2.5   | 3.8   | 5.6#  |



#22  
Acetophenone  
Concen: 40.909 ng  
RT: 8.765 min Scan# 983  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

|           |       |       |        |
|-----------|-------|-------|--------|
| Tgt Ion:  | 105   | Resp: | 113031 |
| Ion Ratio | Lower | Upper |        |
| 105       | 100   |       |        |
| 71        | 1.3   | 2.5   | 3.7#   |
| 51        | 39.1  | 37.8  | 56.6   |
| 120       | 18.7  | 15.2  | 22.8   |









#23  
Nitrobenzene-d5  
Concen: 65.841 ng  
RT: 9.100 min Scan# 1039  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion: 82 Resp: 145005  
Ion Ratio Lower Upper  
82 100  
128 44.2 32.1 48.1  
54 76.2 62.3 93.5



#24  
Nitrobenzene  
Concen: 40.489 ng  
RT: 9.142 min Scan# 1047  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 77 Resp: 85685  
Ion Ratio Lower Upper  
77 100  
123 44.3 35.9 53.9  
65 19.2 13.3 19.9









#25  
Isophorone  
Concen: 38.532 ng  
RT: 9.664 min Scan# 1136  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD

Tgt Ion: 82 Resp: 142016  
Ion Ratio Lower Upper  
82 100  
95 10.2 7.6 11.4  
138 17.6 14.2 21.2




#26  
2-Nitrophenol  
Concen: 42.827 ng  
RT: 9.852 min Scan# 1168  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 139 Resp: 42596  
Ion Ratio Lower Upper  
139 100  
109 46.8 37.4 56.2  
65 65.6 50.4 75.6







#27

2,4-Dimethylphenol

Concen: 33.346 ng

RT: 9.917 min Scan# 1178

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:122 Resp: 53160

Ion Ratio Lower Upper

122 100

107 134.9 98.7 148.1

121 66.8 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 38.653 ng

RT: 10.146 min Scan# 1218

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion: 93 Resp: 74942


Ion Ratio Lower Upper

93 100

95 29.9 28.8 43.2

123 10.7 9.8 14.6





#29

2,4-Dichlorophenol

Concen: 43.847 ng

RT: 10.387 min Scan# 1259

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:162 Resp: 80676

Ion Ratio Lower Upper

162 100

164 72.5 49.0 89.0

98 32.8 14.3 54.3



#30

1,2,4-Trichlorobenzene

Concen: 48.144 ng

RT: 10.605 min Scan# 1296

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:180 Resp: 97738


Ion Ratio Lower Upper

180 100

182 101.4 85.4 128.2

145 28.5 22.6 33.8









#31  
Naphthalene  
Concen: 43.000 ng  
RT: 10.793 min Scan# 11  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:128 Resp: 232942  
Ion Ratio Lower Upper  
128 100  
129 11.0 8.2 12.4  
127 13.2 11.4 17.2



#32  
Benzoic acid  
Concen: 43.632 ng  
RT: 10.076 min Scan# 1206  
Delta R.T. 0.029 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:122 Resp: 52999  
Ion Ratio Lower Upper  
122 100  
105 121.4 106.2 146.2  
77 96.9 70.1 110.1









#33  
4-Chloroaniline  
Concen: 12.359 ng  
RT: 10.892 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 127   | Resp: | 30414 |
| Ion Ratio | Lower | Upper |       |
| 127       | 100   |       |       |
| 129       | 29.3  | 25.7  | 38.5  |
| 65        | 39.0  | 31.4  | 47.0  |
| 92        | 19.5  | 18.3  | 27.5  |



#34  
Hexachlorobutadiene  
Concen: 47.368 ng  
RT: 11.080 min Scan# 1377  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 225   | Resp: | 84569 |
| Ion Ratio | Lower | Upper |       |
| 225       | 100   |       |       |
| 223       | 61.4  | 53.2  | 79.8  |
| 227       | 61.1  | 51.9  | 77.9  |









#35  
 Caprolactam  
 Concen: 29.178 ng  
 RT: 11.674 min Scan# 1478  
 Delta R.T. 0.024 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21




Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD


Tgt Ion:113 Resp: 17100  
 Ion Ratio Lower Upper  
 113 100  
 55 251.7 197.9 237.9#  
 56 204.3 151.1 191.1#



#36  
 4-Chloro-3-methylphenol  
 Concen: 40.789 ng  
 RT: 12.026 min Scan# 1538  
 Delta R.T. 0.006 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21

Tgt Ion:107 Resp: 87531  
 Ion Ratio Lower Upper  
 107 100  
 144 23.4 18.5 27.7  
 142 75.4 61.4 92.0





#37

2-Methylnaphthalene

Concen: 39.373 ng

RT: 12.397 min Scan# 1

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:142 Resp: 167704

Ion Ratio Lower Upper

142 100

141 93.0 72.2 108.4

115 49.7 35.9 53.9



#38

1-Methylnaphthalene

Concen: 39.420 ng

RT: 12.614 min Scan# 1638

Delta R.T. -0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:142 Resp: 156683


Ion Ratio Lower Upper

142 100

141 96.2 76.8 115.2

116 5.2 4.4 6.6





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.570 min Scan# 1971

Delta R.T. 0.000 min

Lab File: BG061014.D


Acq: 23 Apr 2024 19:21

Instrument :



BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD



|          |       |       |       |
|----------|-------|-------|-------|
| Tgt Ion: | 164   | Resp: | 76463 |
| Ion      | Ratio | Lower | Upper |
| 164      | 100   |       |       |
| 162      | 99.8  | 81.2  | 121.8 |
| 160      | 43.5  | 36.2  | 54.2  |



#40

1,2,4,5-Tetrachlorobenzene

Concen: 51.335 ng




RT: 12.767 min Scan# 1664


Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

|          |       |       |        |
|----------|-------|-------|--------|
| Tgt Ion: | 216   | Resp: | 139492 |
| Ion      | Ratio | Lower | Upper  |
| 216      | 100   |       |        |
| 214      | 79.0  | 63.3  | 94.9   |
| 179      | 20.6  | 15.2  | 22.8   |
| 108      | 14.4  | 11.1  | 16.7   |









#41  
Hexachlorocyclopentadiene  
Concen: 64.857 ng  
RT: 12.749 min Scan# 1661  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD

Tgt Ion:237 Resp: 103698  
Ion Ratio Lower Upper  
237 100  
235 61.1 40.7 80.7  
272 12.8 0.0 34.5




#42  
2,4,6-Tribromophenol  
Concen: 107.644 ng  
RT: 16.063 min Scan# 2225  
Delta R.T. -0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:330 Resp: 180742  
Ion Ratio Lower Upper  
330 100  
332 98.1 77.1 115.7  
141 25.7 20.6 31.0







#43

2,4,6-Trichlorophenol

Concen: 48.129 ng

RT: 13.008 min Scan# 1

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:196 Resp: 85968

Ion Ratio Lower Upper

196 100

198 95.1 73.5 110.3

200 30.7 24.8 37.2



#44

2,4,5-Trichlorophenol

Concen: 44.111 ng

RT: 13.084 min Scan# 1718

Delta R.T. 0.012 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Tgt Ion:196 Resp: 93203




Ion Ratio Lower Upper


196 100

198 101.3 77.7 116.5

97 43.2 34.2 51.4

132 23.6 17.4 26.0









#45  
2-Fluorobiphenyl  
Concen: 70.147 ng  
RT: 13.196 min Scan# 1737  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:172 Resp: 387542  
Ion Ratio Lower Upper  
172 100  
171 36.7 29.3 43.9  
170 24.9 20.1 30.1



#46  
1,1'-Biphenyl  
Concen: 47.699 ng  
RT: 13.407 min Scan# 1773  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:154 Resp: 245671  
Ion Ratio Lower Upper  
154 100  
153 42.1 19.4 59.4  
76 8.7 0.0 28.6









#47  
2-Chloronaphthalene  
Concen: 48.438 ng  
RT: 13.448 min Scan# 11  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:162 Resp: 191283  
Ion Ratio Lower Upper  
162 100  
127 41.1 32.6 49.0  
164 35.8 29.9 44.9



#48  
2-Nitroaniline  
Concen: 41.016 ng  
RT: 13.648 min Scan# 1814  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion: 65 Resp: 65370  
Ion Ratio Lower Upper  
65 100  
92 58.0 45.4 68.2  
138 93.7 75.8 113.6









#49  
Acenaphthylene  
Concen: 47.213 ng  
RT: 14.294 min Scan# 1924  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:152 Resp: 314005  
Ion Ratio Lower Upper  
152 100  
151 20.0 16.6 25.0  
153 12.5 10.7 16.1



#50  
Dimethylphthalate  
Concen: 41.413 ng  
RT: 14.030 min Scan# 1879  
Delta R.T. -0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:163 Resp: 261118  
Ion Ratio Lower Upper  
163 100  
194 4.0 3.4 5.0  
164 9.6 8.4 12.6









#51  
2,6-Dinitrotoluene  
Concen: 41.389 ng  
RT: 14.147 min Scan# 1898  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:165 Resp: 54452  
Ion Ratio Lower Upper  
165 100  
63 74.6 59.6 89.4  
89 58.3 49.4 74.0



#52  
Acenaphthene  
Concen: 43.578 ng  
RT: 14.635 min Scan# 1982  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:154 Resp: 176109  
Ion Ratio Lower Upper  
154 100  
153 121.4 91.2 136.8  
152 56.4 42.7 64.1









#53  
3-Nitroaniline  
Concen: 25.803 ng  
RT: 14.471 min Scan# 1954  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:138 Resp: 33473  
Ion Ratio Lower Upper  
138 100  
108 10.9 10.1 15.1  
92 110.6 94.6 141.8



#54  
2,4-Dinitrophenol  
Concen: 51.729 ng  
RT: 14.682 min Scan# 1990  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:184 Resp: 42526  
Ion Ratio Lower Upper  
184 100  
63 72.3 59.0 88.6  
154 74.8 61.2 91.8









#55  
Dibenzofuran  
Concen: 43.330 ng  
RT: 14.976 min Scan# 2039  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:168 Resp: 302371  
Ion Ratio Lower Upper  
168 100  
139 42.0 32.4 48.6  
169 14.1 10.6 15.8



#56  
4-Nitrophenol  
Concen: 92.752 ng  
RT: 14.800 min Scan# 2010  
Delta R.T. 0.018 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:139 Resp: 86203  
Ion Ratio Lower Upper  
139 100  
109 123.9 104.1 144.1  
65 126.4 112.0 152.0





#57

2,4-Dinitrotoluene

Concen: 42.537 ng

RT: 14.935 min Scan# 2033

Delta R.T. 0.006 min

Lab File: BG061014.D


Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD



Tgt Ion:165 Resp: 80599




Ion Ratio Lower Upper

165 100

63 54.9 43.4 65.2

89 68.8 58.4 87.6

182 3.1 2.2 3.2



#58

Fluorene

Concen: 42.386 ng

RT: 15.622 min Scan# 2150

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:166 Resp: 249656

Ion Ratio Lower Upper


166 100

165 104.3 80.9 121.3

167 13.7 10.5 15.7











#59  
2,3,4,6-Tetrachlorophenol  
Concen: 44.314 ng  
RT: 15.199 min Scan# 2077  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


|           |       |       |       |
|-----------|-------|-------|-------|
| Tgt Ion:  | 232   | Resp: | 94500 |
| Ion Ratio | Lower | Upper |       |
| 232       | 100   |       |       |
| 131       | 34.8  | 27.4  | 41.0  |
| 130       | 2.4   | 1.5   | 2.3#  |
| 166       | 25.8  | 20.7  | 31.1  |



#60  
Diethylphthalate  
Concen: 41.243 ng  
RT: 15.399 min Scan# 2112  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

|           |       |       |        |
|-----------|-------|-------|--------|
| Tgt Ion:  | 149   | Resp: | 256094 |
| Ion Ratio | Lower | Upper |        |
| 149       | 100   |       |        |
| 177       | 23.5  | 18.8  | 28.2   |
| 150       | 13.2  | 11.2  | 16.8   |









#61  
4-Chlorophenyl-phenylether  
Concen: 41.924 ng  
RT: 15.616 min Scan# 2149  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:204 Resp: 152298  
Ion Ratio Lower Upper  
204 100  
206 34.0 25.6 38.4  
141 53.7 45.4 68.0



#62  
4-Nitroaniline  
Concen: 34.560 ng  
RT: 15.640 min Scan# 2153  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:138 Resp: 48343  
Ion Ratio Lower Upper  
138 100  
92 50.3 32.2 72.2  
108 136.0 109.0 149.0









#63  
 Azobenzene  
 Concen: 41.624 ng  
 RT: 15.910 min Scan# 2199  
 Delta R.T. -0.000 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21




Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD


|          |       |       |        |
|----------|-------|-------|--------|
| Tgt Ion: | 77    | Resp: | 210224 |
| Ion      | Ratio | Lower | Upper  |
| 77       | 100   |       |        |
| 182      | 32.4  | 14.5  | 54.5   |
| 105      | 19.1  | 1.9   | 41.9   |
| 51       | 49.5  | 34.0  | 74.0   |



#64  
 Phenanthrene-d10  
 Concen: 20.000 ng  
 RT: 17.320 min Scan# 2439  
 Delta R.T. 0.000 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21

|          |       |       |        |
|----------|-------|-------|--------|
| Tgt Ion: | 188   | Resp: | 183898 |
| Ion      | Ratio | Lower | Upper  |
| 188      | 100   |       |        |
| 94       | 4.8   | 4.1   | 6.1    |
| 80       | 5.0   | 4.0   | 6.0    |









#65  
4,6-Dinitro-2-methylphenol  
Concen: 29.985 ng  
RT: 15.704 min Scan# 2164  
Delta R.T. 0.011 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:198 Resp: 34048  
Ion Ratio Lower Upper  
198 100  
51 46.9 38.6 78.6  
105 29.3 14.5 54.5



#66  
n-Nitrosodiphenylamine  
Concen: 44.056 ng  
RT: 15.834 min Scan# 2186  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:169 Resp: 223207  
Ion Ratio Lower Upper  
169 100  
168 68.7 52.5 78.7  
167 35.4 28.8 43.2





#67

4-Bromophenyl-phenylether

Concen: 46.077 ng

RT: 16.509 min Scan# 21

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:248 Resp: 111829

Ion Ratio Lower Upper

248 100

250 97.7 78.7 118.1

141 63.1 50.4 75.6



#68

Hexachlorobenzene

Concen: 49.992 ng

RT: 16.627 min Scan# 2321

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:284 Resp: 134018


Ion Ratio Lower Upper

284 100

142 24.5 18.7 28.1

249 32.1 26.4 39.6





#69

Atrazine

Concen: 52.408 ng

RT: 16.785 min Scan# 21

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:200 Resp: 99378

Ion Ratio Lower Upper

200 100

173 21.8 1.4 41.4

215 46.9 25.3 65.3



#70

Pentachlorophenol

Concen: 97.638 ng

RT: 16.974 min Scan# 2380

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:266 Resp: 171635


Ion Ratio Lower Upper

266 100

268 61.1 49.1 73.7

264 61.8 52.2 78.2









#71  
Phenanthrene  
Concen: 43.676 ng  
RT: 17.361 min Scan# 2446  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:178 Resp: 409979  
Ion Ratio Lower Upper  
178 100  
176 20.0 16.0 24.0  
179 15.1 12.5 18.7



#72  
Anthracene  
Concen: 43.247 ng  
RT: 17.455 min Scan# 2462  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:178 Resp: 418091  
Ion Ratio Lower Upper  
178 100  
176 19.5 14.7 22.1  
179 15.0 12.4 18.6









#73  
 Carbazole  
 Concen: 44.616 ng  
 RT: 17.720 min Scan# 2507  
 Delta R.T. 0.000 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21

Instrument :  
 BNA\_G  
 ClientSampleId :  
 RPI-SS-DUP-01MSD

Tgt Ion:167 Resp: 358219  




| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 167 | 100   |       |       |
| 166 | 23.0  | 17.8  | 26.8  |
| 139 | 12.6  | 10.2  | 15.2  |




#74  
 Di-n-butylphthalate  
 Concen: 42.362 ng  
 RT: 18.290 min Scan# 2604  
 Delta R.T. 0.000 min  
 Lab File: BG061014.D  
 Acq: 23 Apr 2024 19:21

Tgt Ion:149 Resp: 412938  

| Ion | Ratio | Lower | Upper |
|-----|-------|-------|-------|
| 149 | 100   |       |       |
| 150 | 10.3  | 7.7   | 11.5  |
| 104 | 6.5   | 5.0   | 7.6   |











#75  
Fluoranthene  
Concen: 42.450 ng  
RT: 19.377 min Scan# 21  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


Tgt Ion:202 Resp: 528819  
Ion Ratio Lower Upper  
202 100  
101 3.9 0.0 24.9  
203 17.5 0.0 36.2



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 21.586 min Scan# 3165  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:240 Resp: 185231  
Ion Ratio Lower Upper  
240 100  
120 4.6 3.0 4.6  
236 26.2 21.8 32.6





#77

Benzidine

Concen: 43.319 ng

RT: 19.553 min Scan# 2819

Delta R.T. -0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:184 Resp: 148675

Ion Ratio Lower Upper

184 100

185 13.3 11.3 16.9

183 12.2 10.2 15.2



#78

Pyrene

Concen: 42.871 ng

RT: 19.735 min Scan# 2850

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:202 Resp: 540702


Ion Ratio Lower Upper

202 100

200 19.2 16.8 25.2

203 17.2 14.2 21.2





#79

Terphenyl-d14

Concen: 62.527 ng

RT: 19.941 min Scan# 2

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:244 Resp: 746144

Ion Ratio Lower Upper

244 100

212 7.5 5.9 8.9

122 5.2 4.2 6.2



#80

Butylbenzylphthalate

Concen: 42.115 ng

RT: 20.634 min Scan# 3003

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:149 Resp: 177041


Ion Ratio Lower Upper

149 100

91 67.5 54.4 81.6

206 26.6 20.8 31.2









#81  
Benzo(a)anthracene  
Concen: 45.110 ng  
RT: 21.562 min Scan# 3161  
Delta R.T. 0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD


|           |       |       |        |
|-----------|-------|-------|--------|
| Tgt Ion:  | 228   | Resp: | 587466 |
| Ion Ratio | Lower | Upper |        |
| 228       | 100   |       |        |
| 226       | 27.7  | 21.0  | 31.4   |
| 229       | 20.7  | 15.0  | 22.4   |



#82  
3,3'-Dichlorobenzidine  
Concen: 31.191 ng  
RT: 21.480 min Scan# 3147  
Delta R.T. -0.000 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

|           |       |       |        |
|-----------|-------|-------|--------|
| Tgt Ion:  | 252   | Resp: | 146800 |
| Ion Ratio | Lower | Upper |        |
| 252       | 100   |       |        |
| 254       | 65.5  | 52.7  | 79.1   |
| 126       | 5.7   | 4.2   | 6.2    |





#83

Chrysene

Concen: 44.161 ng

RT: 21.627 min Scan# 3171

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:228 Resp: 547540

Ion Ratio Lower Upper

228 100

226 29.8 24.2 36.2

229 19.2 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 42.088 ng

RT: 21.486 min Scan# 3148

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:149 Resp: 257231


Ion Ratio Lower Upper

149 100

167 26.3 21.8 32.8

279 5.8 4.4 6.6





#85

Di-n-octyl phthalate

Concen: 43.170 ng

RT: 22.673 min Scan# 31

Delta R.T. 0.000 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:149 Resp: 438043

Ion Ratio Lower Upper

149 100

167 1.9 1.4 2.2

43 13.2 11.0 16.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.706 min Scan# 3696

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:264 Resp: 228747


Ion Ratio Lower Upper

264 100

260 24.3 19.4 29.2

265 19.5 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.651 ng

RT: 28.260 min Scan# 41

Delta R.T. 0.018 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:276 Resp: 676794

Ion Ratio Lower Upper

276 100

138 5.3 5.3 7.9

277 27.5 20.6 30.8



#88

Benzo(b)fluoranthene

Concen: 45.561 ng

RT: 23.724 min Scan# 3529

Delta R.T. 0.006 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21




Tgt Ion:252 Resp: 590602


Ion Ratio Lower Upper

252 100

253 22.1 17.5 26.3

125 3.5 3.3 4.9









#89  
Benzo(k)fluoranthene  
Concen: 45.896 ng  
RT: 23.789 min Scan# 31  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21




Instrument :  
BNA\_G  
ClientSampleId :  
RPI-SS-DUP-01MSD

Tgt Ion:252 Resp: 600585  
Ion Ratio Lower Upper  
252 100  
253 21.0 16.6 25.0  
125 3.6 3.3 4.9




#90  
Benzo(a)pyrene  
Concen: 44.356 ng  
RT: 24.565 min Scan# 3672  
Delta R.T. 0.006 min  
Lab File: BG061014.D  
Acq: 23 Apr 2024 19:21

Tgt Ion:252 Resp: 556549  
Ion Ratio Lower Upper  
252 100  
253 21.6 17.7 26.5  
125 4.4 3.6 5.4







#91

Dibenzo(a,h)anthracene

Concen: 46.182 ng

RT: 28.325 min Scan# 41

Delta R.T. 0.012 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Instrument :

BNA\_G

ClientSampleId :

RPI-SS-DUP-01MSD





Tgt Ion:278 Resp: 598726

Ion Ratio Lower Upper

278 100

139 5.4 4.7 7.1

279 23.5 18.2 27.4



#92

Benzo(g,h,i)perylene

Concen: 39.370 ng

RT: 29.365 min Scan# 4489

Delta R.T. 0.012 min

Lab File: BG061014.D

Acq: 23 Apr 2024 19:21

Tgt Ion:276 Resp: 506086

Ion Ratio Lower Upper

276 100

277 25.8 18.0 27.0

138 7.0 6.5 9.7

