

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
 Data File : BG016689.D
 Acq On : 24 Apr 2015 18:45
 Operator : TP/IZ
 Sample : G1992-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TEC06

Quant Time: Apr 24 23:28:49 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 24 22:57:52 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	51151	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	217067	20.00	ng	0.00
38) Acenaphthene-d10	14.25	164	121072	20.00	ng	0.00
63) Phenanthrene-d10	16.99	188	264063	20.00	ng	0.00
75) Chrysene-d12	21.18	240	275260	20.00	ng	0.00
86) Perylene-d12	23.38	264	263580	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	348522	110.57	ng	0.00
7) Phenol-d6	6.79	99	484013	109.45	ng	0.00
23) Nitrobenzene-d5	8.75	82	237472	69.13	ng	0.00
41) 2,4,6-Tribromophenol	15.74	330	97340	108.37	ng	0.00
44) 2-Fluorobiphenyl	12.86	172	506933	67.27	ng	0.00
78) Terphenyl-d14	19.63	244	659761	55.21	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.71	163	31750	3.51	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
Data File : BG016689.D
Acq On : 24 Apr 2015 18:45
Operator : TP/IZ
Sample : G1992-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TEC06

Quant Time: Apr 24 23:28:49 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 24 22:57:52 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.59 min Scan# 834
Delta R.T. -0.00 min
Lab File: BG016689.D
Acq: 24 Apr 2015 18:45

Instrument :
BNA_G
ClientSampleId :
TEC06

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.0	129.6	194.4
115	52.8	43.0	64.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 110.57 ng
RT: 5.19 min Scan# 425
Delta R.T. 0.00 min
Lab File: BG016689.D
Acq: 24 Apr 2015 18:45

Tgt Ion	Ratio	Lower	Upper
112	100		
64	47.8	38.3	57.5
63	23.5	18.9	28.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 109.45 ng

RT: 6.79 min Scan# 698

Delta R.T. 0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45

Instrument :

BNA_G

ClientSampleId :

TEC06


Tot Ion: 99 Resp: 484013

Ion Ratio Lower Upper




99 100

42 11.4 8.8 13.2

71 25.3 19.9 29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.38 min Scan# 1309

Delta R.T. 0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45

Tgt Ion: 136 Resp: 217067


Ion Ratio Lower Upper

136 100



137 10.1 8.5 12.7

54 6.1 5.4 8.2

68 6.2 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 69.13 ng
 RT: 8.75 min Scan# 1032
 Delta R.T. 0.00 min
 Lab File: BG016689.D
 Acq: 24 Apr 2015 18:45

Instrument :
 BNA_G
 ClientSampleId :
 TEC06

Tot Ion: 82 Resp: 237472
 Ion Ratio Lower Upper
 82 100
 128 54.0 44.7 67.1
 54 37.7 30.9 46.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.25 min Scan# 1967
 Delta R.T. -0.00 min
 Lab File: BG016689.D
 Acq: 24 Apr 2015 18:45

Tgt Ion:164 Resp: 121072
 Ion Ratio Lower Upper
 164 100
 162 98.4 77.3 115.9
 160 43.5 33.7 50.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 108.37 ng
 RT: 15.74 min Scan# 2222
 Delta R.T. 0.00 min
 Lab File: BG016689.D
 Acq: 24 Apr 2015 18:45

Instrument :
 BNA_G
 ClientSampleId :
 TEC06

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	76.2	114.4
141	53.1	43.0	64.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.27 ng
 RT: 12.86 min Scan# 1732
 Delta R.T. 0.00 min
 Lab File: BG016689.D
 Acq: 24 Apr 2015 18:45

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	29.9	44.9
170	23.0	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.51 ng

RT: 13.71 min Scan# 1876

Delta R.T. -0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45

Instrument :

BNA_G

ClientSampleId :

TEC06


Tot Ion:163 Resp: 31750

Ion Ratio Lower Upper

163 100

194 5.5 5.0 7.4




164 10.3 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.99 min Scan# 2434

Delta R.T. -0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45


Tgt Ion:188 Resp: 264063

Ion Ratio Lower Upper

188 100

94 11.9 10.7 16.1



80 12.8 9.9 14.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.18 min Scan# 3147

Delta R.T. -0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45

Instrument :

BNA_G

ClientSampleId :

TEC06


Tot Ion:240 Resp: 275260

Ion Ratio Lower Upper

240 100

120 20.0 16.3 24.5




236 26.8 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 55.21 ng

RT: 19.63 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG016689.D

Acq: 24 Apr 2015 18:45


Tgt Ion:244 Resp: 659761

Ion Ratio Lower Upper

244 100

212 7.8 6.4 9.6



122 19.4 15.9 23.9






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.38 min Scan# 3522
Delta R.T. -0.00 min
Lab File: BG016689.D
Acq: 24 Apr 2015 18:45

Instrument :
BNA_G
ClientSampleId :
TEC06

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.0	30.0
265	21.4	16.8	25.2

