

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
 Data File : BG016712.D
 Acq On : 25 Apr 2015 11:54
 Operator : TP/IZ
 Sample : G2006-03
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-3B

Quant Time: Apr 27 01:33:50 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 27 00:50:46 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	43769	20.00	ng	0.00
21) Naphthalene-d8	10.37	136	183923	20.00	ng	0.00
38) Acenaphthene-d10	14.25	164	105854	20.00	ng	0.00
63) Phenanthrene-d10	16.99	188	233341	20.00	ng	0.00
75) Chrysene-d12	21.18	240	236769	20.00	ng	0.00
86) Perylene-d12	23.38	264	219842	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	121458	45.03	ng	0.00
7) Phenol-d6	6.79	99	100426	26.54	ng	0.00
23) Nitrobenzene-d5	8.75	82	348844	119.85	ng	0.00
41) 2,4,6-Tribromophenol	15.74	330	90171	114.83	ng	0.00
44) 2-Fluorobiphenyl	12.86	172	807680	122.59	ng	0.00
78) Terphenyl-d14	19.63	244	954668	92.88	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
Data File : BG016712.D
Acq On : 25 Apr 2015 11:54
Operator : TP/IZ
Sample : G2006-03
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-3B

Quant Time: Apr 27 01:33:50 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 27 00:50:46 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.59 min Scan# 834
Delta R.T. -0.00 min
Lab File: BG016712.D
Acq: 25 Apr 2015 11:54

Instrument :
BNA_G
ClientSampleId :
MW-3B




Tot Ion	152	Resp	43769
Ion Ratio	Lower	Upper	
152	100		
150	162.5	129.6	194.4
115	54.3	43.0	64.6




#5

2-Fluorophenol
Concen: 45.03 ng
RT: 5.19 min Scan# 425
Delta R.T. 0.00 min
Lab File: BG016712.D
Acq: 25 Apr 2015 11:54

Tgt Ion	112	Resp	121458
Ion Ratio	Lower	Upper	
112	100		
64	46.3	38.3	57.5
63	21.9	18.9	28.3





#7

Phenol-d6

Concen: 26.54 ng

RT: 6.79 min Scan# 698

Delta R.T. -0.00 min

Lab File: BG016712.D

Acq: 25 Apr 2015 11:54

Instrument :


BNA_G

ClientSampleId :

MW-3B

Tot Ion: 99 Resp: 100426




Ion	Ratio	Lower	Upper
99	100		
42	11.3	8.8	13.2
71	23.9	19.9	29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.37 min Scan# 1308


Delta R.T. -0.00 min

Lab File: BG016712.D

Acq: 25 Apr 2015 11:54

Tgt Ion: 136 Resp: 183923

Ion	Ratio	Lower	Upper
136	100		
137	11.9	8.5	12.7
54	5.7	5.4	8.2
68	6.8	5.2	7.8






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 119.85 ng
 RT: 8.75 min Scan# 1032
 Delta R.T. -0.00 min
 Lab File: BG016712.D
 Acq: 25 Apr 2015 11:54

Instrument :
 BNA_G
 ClientSampleId :
 MW-3B

Tot Ion	82	Resp	348844
Ion Ratio	100	Lower	Upper
128	55.3	44.7	67.1
54	39.2	30.9	46.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.25 min Scan# 1967
 Delta R.T. 0.00 min
 Lab File: BG016712.D
 Acq: 25 Apr 2015 11:54

Tgt Ion	164	Resp	105854
Ion Ratio	100	Lower	Upper
162	96.2	77.3	115.9
160	42.9	33.7	50.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 114.83 ng
 RT: 15.74 min Scan# 2221
 Delta R.T. -0.00 min
 Lab File: BG016712.D
 Acq: 25 Apr 2015 11:54

Instrument :
 BNA_G
 ClientSampleId :
 MW-3B

Tot Ion:330 Resp: 90171
 Ion Ratio Lower Upper
 330 100
 332 94.2 76.2 114.4
 141 51.6 43.0 64.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 122.59 ng
 RT: 12.86 min Scan# 1731
 Delta R.T. -0.00 min
 Lab File: BG016712.D
 Acq: 25 Apr 2015 11:54

Tgt Ion:172 Resp: 807680
 Ion Ratio Lower Upper
 172 100
 171 37.8 29.9 44.9
 170 24.2 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.99 min Scan# 2434
Delta R.T. -0.00 min
Lab File: BG016712.D
Acq: 25 Apr 2015 11:54

Instrument :
BNA_G
ClientSampleId :
MW-3B

Tot Ion:188 Resp: 233341
Ion Ratio Lower Upper
188 100
94 12.8 10.7 16.1
80 13.0 9.9 14.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.18 min Scan# 3147
Delta R.T. -0.00 min
Lab File: BG016712.D
Acq: 25 Apr 2015 11:54

Tgt Ion:240 Resp: 236769
Ion Ratio Lower Upper
240 100
120 18.9 16.3 24.5
236 26.2 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 92.88 ng

RT: 19.63 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG016712.D

Acq: 25 Apr 2015 11:54

Instrument :

BNA_G

ClientSampleId :

MW-3B


Tot Ion:244 Resp: 954668

Ion Ratio Lower Upper

244 100

212 8.6 6.4 9.6




122 21.1 15.9 23.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.38 min Scan# 3522

Delta R.T. -0.00 min

Lab File: BG016712.D

Acq: 25 Apr 2015 11:54


Tgt Ion:264 Resp: 219842

Ion Ratio Lower Upper

264 100

260 24.2 20.0 30.0

265 20.8 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

