

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
 Data File : BG016716.D
 Acq On : 25 Apr 2015 14:12
 Operator : TP/IZ
 Sample : G1988-09
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-16

Quant Time: Apr 27 01:40:08 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 27 00:50:46 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	52286	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	235865	20.00	ng	0.00
38) Acenaphthene-d10	14.24	164	145852	20.00	ng	0.00
63) Phenanthrene-d10	16.99	188	310374	20.00	ng	0.00
75) Chrysene-d12	21.18	240	298411	20.00	ng	0.00
86) Perylene-d12	23.38	264	276334	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	160121	49.69	ng	0.00
7) Phenol-d6	6.79	99	143645	31.78	ng	0.00
23) Nitrobenzene-d5	8.75	82	230549	61.76	ng	0.00
41) 2,4,6-Tribromophenol	15.74	330	106251	98.20	ng	0.00
44) 2-Fluorobiphenyl	12.86	172	562160	61.93	ng	0.00
78) Terphenyl-d14	19.62	244	613699	47.37	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042415\
Data File : BG016716.D
Acq On : 25 Apr 2015 14:12
Operator : TP/IZ
Sample : G1988-09
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-16

Quant Time: Apr 27 01:40:08 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG042315.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 27 00:50:46 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.59 min Scan# 834

Delta R.T. -0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12

Instrument :

BNA_G

ClientSampleId :

MW-16


Tot Ion:152 Resp: 52286

Ion Ratio Lower Upper

152 100

150 155.5 129.6 194.4




115 56.5 43.0 64.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 49.69 ng

RT: 5.19 min Scan# 425

Delta R.T. 0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12


Tgt Ion:112 Resp: 160121

Ion Ratio Lower Upper

112 100

64 46.9 38.3 57.5



63 22.6 18.9 28.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 31.78 ng

RT: 6.79 min Scan# 698

Delta R.T. -0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12

Instrument :

BNA_G

ClientSampleId :

MW-16


Tot Ion: 99 Resp: 143645

Ion Ratio Lower Upper




99 100

42 11.3 8.8 13.2

71 24.1 19.9 29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.38 min Scan# 1308

Delta R.T. -0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12

Tgt Ion: 136 Resp: 235865


Ion Ratio Lower Upper

136 100



137 10.9 8.5 12.7


54 6.1 5.4 8.2

68 6.3 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 61.76 ng
 RT: 8.75 min Scan# 1031
 Delta R.T. -0.01 min
 Lab File: BG016716.D
 Acq: 25 Apr 2015 14:12

Instrument :
 BNA_G
 ClientSampleId :
 MW-16

Tot Ion: 82 Resp: 230549
 Ion Ratio Lower Upper
 82 100
 128 54.3 44.7 67.1
 54 38.2 30.9 46.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.24 min Scan# 1966
 Delta R.T. -0.00 min
 Lab File: BG016716.D
 Acq: 25 Apr 2015 14:12

Tgt Ion:164 Resp: 145852
 Ion Ratio Lower Upper
 164 100
 162 97.1 77.3 115.9
 160 45.2 33.7 50.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 98.20 ng
 RT: 15.74 min Scan# 2221
 Delta R.T. -0.00 min
 Lab File: BG016716.D
 Acq: 25 Apr 2015 14:12




Instrument :
 BNA_G
 ClientSampleId :
 MW-16


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	76.2	114.4
141	54.2	43.0	64.6



#44
 2-Fluorobiphenyl
 Concen: 61.93 ng
 RT: 12.86 min Scan# 1731
 Delta R.T. -0.00 min
 Lab File: BG016716.D
 Acq: 25 Apr 2015 14:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	29.9	44.9
170	24.1	19.8	29.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.99 min Scan# 2434
Delta R.T. -0.00 min
Lab File: BG016716.D
Acq: 25 Apr 2015 14:12




Instrument :
BNA_G
ClientSampleId :
MW-16


Tot Ion:188 Resp: 310374
Ion Ratio Lower Upper
188 100
94 12.9 10.7 16.1
80 12.5 9.9 14.9



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.18 min Scan# 3147
Delta R.T. -0.00 min
Lab File: BG016716.D
Acq: 25 Apr 2015 14:12

Tgt Ion:240 Resp: 298411
Ion Ratio Lower Upper
240 100
120 18.8 16.3 24.5
236 26.6 21.1 31.7





#78

Terphenyl-d14

Concen: 47.37 ng

RT: 19.62 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12

Instrument :

BNA_G

ClientSampleId :

MW-16


Tot Ion:244 Resp: 613699

Ion Ratio Lower Upper

244 100

212 7.7 6.4 9.6




122 21.5 15.9 23.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.38 min Scan# 3522

Delta R.T. -0.00 min

Lab File: BG016716.D

Acq: 25 Apr 2015 14:12


Tgt Ion:264 Resp: 276334

Ion Ratio Lower Upper

264 100

260 25.2 20.0 30.0

265 21.5 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

