

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042418\
 Data File : BG033975.D
 Acq On : 25 Apr 2018 5:36
 Operator : SJ/JU
 Sample : J2504-03
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 KS-RO-238

Quant Time: Apr 25 12:03:04 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 19 13:56:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	84713	20.00	ng	0.00
21) Naphthalene-d8	10.61	136	353010	20.00	ng	-0.02
38) Acenaphthene-d10	14.46	164	216129	20.00	ng	-0.02
63) Phenanthrene-d10	17.21	188	532054	20.00	ng	-0.02
75) Chrysene-d12	21.46	240	620168	20.00	ng	-0.03
86) Perylene-d12	24.52	264	634392	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	735492	138.61	ng	0.00
7) Phenol-d6	7.00	99	864349	111.68	ng	0.00
23) Nitrobenzene-d5	8.98	82	641970	103.49	ng	-0.01
41) 2,4,6-Tribromophenol	15.95	330	431874	171.28	ng	-0.02
44) 2-Fluorobiphenyl	13.08	172	1475642	100.30	ng	-0.02
78) Terphenyl-d14	19.85	244	2415217	87.49	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042418\
Data File : BG033975.D
Acq On : 25 Apr 2018 5:36
Operator : SJ/JU
Sample : J2504-03
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
KS-RO-238

Quant Time: Apr 25 12:03:04 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG041918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 19 13:56:22 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.83 min Scan# 773
Delta R.T. -0.01 min
Lab File: BG033975.D
Acq: 25 Apr 2018 5:36

Instrument :
BNA_G
ClientSampleId :
KS-RO-238

Tot Ion:152 Resp: 84713
Ion Ratio Lower Upper
152 100
150 154.5 126.6 189.8
115 60.8 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.614 ng
RT: 5.45 min Scan# 367
Delta R.T. -0.00 min
Lab File: BG033975.D
Acq: 25 Apr 2018 5:36

Tgt Ion:112 Resp: 735492
Ion Ratio Lower Upper
112 100
64 65.3 56.3 84.5
63 35.2 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 111.685 ng

RT: 7.00 min Scan# 632

Delta R.T. -0.00 min

Lab File: BG033975.D

Acq: 25 Apr 2018 5:36

Instrument :

BNA_G

ClientSampleId :

KS-RO-238


Tot Ion: 99 Resp: 864349

Ion Ratio Lower Upper




99 100

42 21.1 14.1 21.1

71 37.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.61 min Scan# 1246

Delta R.T. -0.02 min

Lab File: BG033975.D

Acq: 25 Apr 2018 5:36

Tgt Ion: 136 Resp: 353010


Ion Ratio Lower Upper

136 100



137 11.5 9.2 13.8


54 9.6 10.3 15.5#

68 5.5 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 103.494 ng
 RT: 8.98 min Scan# 968
 Delta R.T. -0.01 min
 Lab File: BG033975.D
 Acq: 25 Apr 2018 5:36




Instrument :
 BNA_G
 ClientSampleId :
 KS-RO-238


Tot Ion	82	Resp	641970
Ion Ratio	Lower	Upper	
82	100		
128	42.4	29.7	44.5
54	52.8	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1901
 Delta R.T. -0.02 min
 Lab File: BG033975.D
 Acq: 25 Apr 2018 5:36

Tgt Ion	164	Resp	216129
Ion Ratio	Lower	Upper	
164	100		
162	100.1	78.8	118.2
160	45.1	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 171.277 ng
 RT: 15.95 min Scan# 2155
 Delta R.T. -0.02 min
 Lab File: BG033975.D
 Acq: 25 Apr 2018 5:36

Instrument :
 BNA_G
 ClientSampleId :
 KS-RO-238

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.0	115.6
141	37.6	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.299 ng
 RT: 13.08 min Scan# 1667
 Delta R.T. -0.02 min
 Lab File: BG033975.D
 Acq: 25 Apr 2018 5:36

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.7	30.0	45.0
170	26.6	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.21 min Scan# 2369
Delta R.T. -0.02 min
Lab File: BG033975.D
Acq: 25 Apr 2018 5:36

Instrument :
BNA_G
ClientSampleId :
KS-RO-238

Tot Ion:188 Resp: 532054
Ion Ratio Lower Upper
188 100
94 7.5 6.9 10.3
80 9.1 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.46 min Scan# 3093
Delta R.T. -0.03 min
Lab File: BG033975.D
Acq: 25 Apr 2018 5:36

Tgt Ion:240 Resp: 620168
Ion Ratio Lower Upper
240 100
120 8.0 6.8 10.2
236 25.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 87.493 ng

RT: 19.85 min Scan# 2818

Delta R.T. -0.02 min

Lab File: BG033975.D

Acq: 25 Apr 2018 5:36

Instrument :

BNA_G

ClientSampleId :

KS-RO-238


Tot Ion:244 Resp: 2415217

Ion Ratio Lower Upper

244 100

212 9.3 5.8 8.8#




122 11.0 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.52 min Scan# 3614

Delta R.T. -0.04 min

Lab File: BG033975.D

Acq: 25 Apr 2018 5:36


Tgt Ion:264 Resp: 634392

Ion Ratio Lower Upper

264 100

260 23.4 17.4 26.0

265 22.1 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

