

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042523\
 Data File : BG057173.D
 Acq On : 25 Apr 2023 12:35
 Operator : CG/JU
 Sample : 02423-04MS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SPD-1WC-23-04-18MS

Quant Time: Apr 25 23:57:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG042423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 25 04:59:02 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.381	152	17796	20.000	ng	0.00
21) Naphthalene-d8	11.218	136	72368	20.000	ng	0.00
39) Acenaphthene-d10	14.995	164	54623	20.000	ng	0.00
64) Phenanthrene-d10	17.733	188	138032	20.000	ng	0.00
76) Chrysene-d12	22.050	240	122876	20.000	ng	# 0.00
86) Perylene-d12	25.557	264	127795	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.902	112	142867	145.482	ng	0.00
7) Phenol-d6	7.523	99	194747	137.063	ng	0.00
23) Nitrobenzene-d5	9.561	82	142968	97.665	ng	0.00
42) 2,4,6-Tribromophenol	16.476	330	94909	131.689	ng	0.00
45) 2-Fluorobiphenyl	13.621	172	332220	81.738	ng	0.00
79) Terphenyl-d14	20.300	244	613298	87.302	ng	-0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.710	88	21016	47.758	ng	# 30
3) Pyridine	4.139	79	48003	35.953	ng	90
4) n-Nitrosodimethylamine	4.039	42	30758	63.863	ng	84
6) Aniline	7.693	93	58369	31.457	ng	97
8) 2-Chlorophenol	7.940	128	55953	54.389	ng	98
9) Benzaldehyde	7.505	77	37647	44.236	ng	90
10) Phenol	7.546	94	73570	52.146	ng	94
11) bis(2-Chloroethyl)ether	7.781	93	55877	50.471	ng	95
12) 1,3-Dichlorobenzene	8.269	146	57137	46.885	ng	95
13) 1,4-Dichlorobenzene	8.416	146	60268	49.071	ng	99
14) 1,2-Dichlorobenzene	8.745	146	58388	49.238	ng	99
15) Benzyl Alcohol	8.616	79	66689	63.697	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.903	45	74011	50.460	ng	95
17) 2-Methylphenol	8.815	107	52994	51.331	ng	94
18) Hexachloroethane	9.479	117	21620	51.890	ng	96
19) n-Nitroso-di-n-propyla...	9.185	70	54347	61.495	ng	92
20) 3+4-Methylphenols	9.144	107	74240	52.545	ng	98
22) Acetophenone	9.209	105	97118	49.470	ng	# 94
24) Nitrobenzene	9.602	77	80100	54.499	ng	95
25) Isophorone	10.119	82	150132	53.469	ng	97
26) 2-Nitrophenol	10.319	139	29484	53.696	ng	# 83
27) 2,4-Dimethylphenol	10.360	122	58065	55.020	ng	96
28) bis(2-Chloroethoxy)met...	10.595	93	77233	52.472	ng	98
29) 2,4-Dichlorophenol	10.860	162	62494	53.158	ng	95
30) 1,2,4-Trichlorobenzene	11.077	180	64681	44.992	ng	93
31) Naphthalene	11.271	128	177019	46.053	ng	99
32) Benzoic acid	10.360	122	58065	108.425	ng	# 18
33) 4-Chloroaniline	11.371	127	21770	12.882	ng	# 92
34) Hexachlorobutadiene	11.541	225	45913	43.312	ng	97
35) Caprolactam	12.134	113	12039	36.982	ng	# 87
36) 4-Chloro-3-methylphenol	12.463	107	70811	55.990	ng	95
37) 2-Methylnaphthalene	12.845	142	132517	43.810	ng	95
38) 1-Methylnaphthalene	13.062	142	126144	45.170	ng	99
40) 1,2,4,5-Tetrachloroben...	13.209	216	89590	44.824	ng	98
41) Hexachlorocyclopentadiene	13.180	237	87587	101.135	ng	98
43) 2,4,6-Trichlorophenol	13.438	196	58321	53.898	ng	99


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042523\
 Data File : BG057173.D
 Acq On : 25 Apr 2023 12:35
 Operator : CG/JU
 Sample : 02423-04MS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SPD-1WC-23-04-18MS

Quant Time: Apr 25 23:57:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG042423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 25 04:59:02 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.515	196	64758	49.572	ng	97
46) 1,1'-Biphenyl	13.832	154	191603	47.060	ng	99
47) 2-Chloronaphthalene	13.885	162	145994	47.509	ng	99
48) 2-Nitroaniline	14.079	65	46186	58.977	ng	88
49) Acenaphthylene	14.725	152	231807	47.519	ng	99
50) Dimethylphthalate	14.431	163	203181	53.001	ng	99
51) 2,6-Dinitrotoluene	14.560	165	43225	54.018	ng	92
52) Acenaphthene	15.060	154	148852	46.703	ng	99
53) 3-Nitroaniline	14.889	138	26260	33.048	ng	94
54) 2,4-Dinitrophenol	15.101	184	8937	24.574	ng	# 85
55) Dibenzofuran	15.389	168	238347	46.154	ng	96
56) 4-Nitrophenol	15.189	139	54377	97.223	ng	84
57) 2,4-Dinitrotoluene	15.342	165	59257	54.377	ng	94
58) Fluorene	16.035	166	197759	47.565	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.612	232	59137	52.849	ng	100
60) Diethylphthalate	15.776	149	200791	54.337	ng	99
61) 4-Chlorophenyl-phenyle...	16.011	204	117162	46.951	ng	97
62) 4-Nitroaniline	16.053	138	41106	51.375	ng	# 80
63) Azobenzene	16.305	77	219420	55.818	ng	96
65) 4,6-Dinitro-2-methylph...	16.105	198	14993	23.679	ng	95
66) n-Nitrosodiphenylamine	16.229	169	176339	48.961	ng	96
67) 4-Bromophenyl-phenylether	16.910	248	76070	45.827	ng	98
68) Hexachlorobenzene	17.039	284	79130	46.476	ng	97
69) Atrazine	17.163	200	75727	65.829	ng	95
70) Pentachlorophenol	17.380	266	53247	66.547	ng	99
71) Phenanthrene	17.780	178	340170	48.274	ng	99
72) Anthracene	17.868	178	338756	47.544	ng	99
73) Carbazole	18.132	167	298732	49.670	ng	99
74) Di-n-butylphthalate	18.649	149	316743	56.617	ng	98
75) Fluoranthene	19.765	202	413352	47.215	ng	99
77) Benzidine	19.930	184	78294	42.285	ng	99
78) Pyrene	20.124	202	416012	49.866	ng	100
80) Butylbenzylphthalate	20.981	149	116991	53.447	ng	96
81) Benzo(a)anthracene	22.027	228	411554	48.714	ng	99
82) 3,3'-Dichlorobenzidine	21.921	252	91327	41.302	ng	98
83) Chrysene	22.097	228	379471	46.576	ng	100
84) Bis(2-ethylhexyl)phtha...	21.874	149	175675	50.806	ng	97
85) Di-n-octyl phthalate	23.178	149	296744	53.846	ng	98
87) Indeno(1,2,3-cd)pyrene	29.628	276	453223	49.510	ng	# 89
88) Benzo(b)fluoranthene	24.435	252	413883	51.665	ng	99
89) Benzo(k)fluoranthene	24.512	252	408746	49.328	ng	98
90) Benzo(a)pyrene	25.399	252	358527	45.439	ng	99
91) Dibenzo(a,h)anthracene	29.687	278	378456	49.791	ng	97
92) Benzo(g,h,i)perylene	30.903	276	366254	48.701	ng	# 97





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.381 min Scan# 81
Delta R.T. -0.009 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:152 Resp: 17796
Ion Ratio Lower Upper
152 100
150 160.0 121.4 182.2
115 59.6 48.1 72.1



#2
1,4-Dioxane
Concen: 47.758 ng
RT: 3.710 min Scan# 29
Delta R.T. 0.008 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 88 Resp: 21016
Ion Ratio Lower Upper
88 100
58 73.0 54.2 81.4
43 145.0 23.0 34.6#









#3
 Pyridine
 Concen: 35.953 ng
 RT: 4.139 min Scan# 100
 Delta R.T. 0.014 min
 Lab File: BG057173.D
 Acq: 25 Apr 2023 12:35

Instrument :
 BNA_G
 ClientSampleId :
 SPD-1WC-23-04-18MS

Tgt Ion: 79 Resp: 48003




Ion	Ratio	Lower	Upper
79	100		
52	62.3	44.5	66.7
51	35.9	24.3	36.5




#4
 n-Nitrosodimethylamine
 Concen: 63.863 ng
 RT: 4.039 min Scan# 85
 Delta R.T. 0.002 min
 Lab File: BG057173.D
 Acq: 25 Apr 2023 12:35

Tgt Ion: 42 Resp: 30758

Ion	Ratio	Lower	Upper
42	100		
74	124.2	115.6	173.4
44	8.0	7.1	10.7









#5
2-Fluorophenol
Concen: 145.482 ng
RT: 5.902 min Scan# 40
Delta R.T. 0.002 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:112 Resp: 142867
Ion Ratio Lower Upper
112 100
64 63.4 46.7 70.1
63 37.8 26.9 40.3



#6
Aniline
Concen: 31.457 ng
RT: 7.693 min Scan# 707
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 93 Resp: 58369
Ion Ratio Lower Upper
93 100
66 39.0 29.8 44.8
65 21.7 16.4 24.6









#7
Phenol-d6
Concen: 137.063 ng
RT: 7.523 min Scan# 61
Delta R.T. 0.002 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 99 Resp: 194747
Ion Ratio Lower Upper
99 100
42 19.3 13.4 20.0
71 42.5 30.2 45.2



#8
2-Chlorophenol
Concen: 54.389 ng
RT: 7.940 min Scan# 749
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 128 Resp: 55953
Ion Ratio Lower Upper
128 100
130 32.3 11.6 51.6
64 52.9 31.4 71.4









#9
Benzaldehyde
Concen: 44.236 ng
RT: 7.505 min Scan# 61
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 77 Resp: 37647
Ion Ratio Lower Upper
77 100
105 87.1 73.5 113.5
106 79.9 72.7 112.7



#10
Phenol
Concen: 52.146 ng
RT: 7.546 min Scan# 682
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 94 Resp: 73570
Ion Ratio Lower Upper
94 100
65 34.0 11.6 51.6
66 47.4 22.7 62.7









#11
bis(2-Chloroethyl)ether
Concen: 50.471 ng
RT: 7.781 min Scan# 71
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:	93	Resp:	55877
Ion	Ratio	Lower	Upper
93	100		
63	79.1	53.9	93.9
95	31.9	13.1	53.1



#12
1,3-Dichlorobenzene
Concen: 46.885 ng
RT: 8.269 min Scan# 805
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:	146	Resp:	57137
Ion	Ratio	Lower	Upper
146	100		
148	71.7	55.4	83.2
75	40.5	28.2	42.4





#13

1,4-Dichlorobenzene

Concen: 49.071 ng

RT: 8.416 min Scan# 81

Delta R.T. -0.009 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:146 Resp: 60268

Ion Ratio Lower Upper

146 100

148 67.2 54.3 81.5

111 44.1 34.2 51.4



#14

1,2-Dichlorobenzene

Concen: 49.238 ng

RT: 8.745 min Scan# 886

Delta R.T. -0.004 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:146 Resp: 58388


Ion Ratio Lower Upper

146 100

148 64.1 52.3 78.5

111 40.6 33.1 49.7









#15
Benzyl Alcohol
Concen: 63.697 ng
RT: 8.616 min Scan# 80
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 79 Resp: 66689
Ion Ratio Lower Upper
79 100
108 68.0 56.8 85.2
77 68.5 54.2 81.2



#16
2,2'-oxybis(1-Chloropropane)
Concen: 50.460 ng
RT: 8.903 min Scan# 913
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 45 Resp: 74011
Ion Ratio Lower Upper
45 100
77 16.7 0.0 38.7
79 12.2 0.0 34.9









#17
2-Methylphenol
Concen: 51.331 ng
RT: 8.815 min Scan# 899
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:	107	Resp:	52994
Ion	Ratio	Lower	Upper
107	100		
108	111.0	86.2	129.4
77	56.4	41.8	62.8
79	58.5	40.2	60.2



#18
Hexachloroethane
Concen: 51.890 ng
RT: 9.479 min Scan# 1011
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:	117	Resp:	21620
Ion	Ratio	Lower	Upper
117	100		
119	99.3	78.3	117.5
201	127.3	107.6	161.4









#19
n-Nitroso-di-n-propylamine
Concen: 61.495 ng
RT: 9.185 min Scan# 90
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:	70	Resp:	54347
Ion Ratio	Lower	Upper	
70	100		
42	55.9	38.0	57.0
101	9.2	6.6	9.8
130	18.4	14.9	22.3



#20
3+4-Methylphenols
Concen: 52.545 ng
RT: 9.144 min Scan# 954
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:	107	Resp:	74240
Ion Ratio	Lower	Upper	
107	100		
108	89.9	70.2	110.2
77	40.5	17.8	57.8
79	34.6	13.7	53.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.218 min Scan# 11
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:	136	Resp:	72368
Ion Ratio	Lower	Upper	
136	100		
137	11.4	9.5	14.3
54	8.5	6.4	9.6
68	6.7	4.9	7.3



#22
Acetophenone
Concen: 49.470 ng
RT: 9.209 min Scan# 965
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:	105	Resp:	97118
Ion Ratio	Lower	Upper	
105	100		
71	0.5	0.2	0.4
51	28.6	19.4	29.0
120	19.6	17.0	25.6









#23
Nitrobenzene-d5
Concen: 97.665 ng
RT: 9.561 min Scan# 1025
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 82 Resp: 142968
Ion Ratio Lower Upper
82 100
128 33.2 29.4 44.2
54 48.6 36.2 54.2



#24
Nitrobenzene
Concen: 54.499 ng
RT: 9.602 min Scan# 1032
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 77 Resp: 80100
Ion Ratio Lower Upper
77 100
123 35.5 31.3 46.9
65 14.5 10.5 15.7









#25
Isophorone
Concen: 53.469 ng
RT: 10.119 min Scan# 1120
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 82 Resp: 150132
Ion Ratio Lower Upper
82 100
95 8.3 6.2 9.2
138 15.3 13.4 20.0



#26
2-Nitrophenol
Concen: 53.696 ng
RT: 10.319 min Scan# 1154
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:139 Resp: 29484
Ion Ratio Lower Upper
139 100
109 41.2 26.6 39.8#
65 61.0 38.6 58.0#





#27

2,4-Dimethylphenol

Concen: 55.020 ng

RT: 10.360 min Scan# 1161

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:122 Resp: 58065

Ion Ratio Lower Upper

122 100

107 131.8 101.5 152.3

121 57.8 48.0 72.0



#28

bis(2-Chloroethoxy)methane

Concen: 52.472 ng

RT: 10.595 min Scan# 1201

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion: 93 Resp: 77233


Ion Ratio Lower Upper

93 100

95 31.7 26.5 39.7

123 10.0 7.4 11.0





#29

2,4-Dichlorophenol

Concen: 53.158 ng

RT: 10.860 min Scan# 1

Delta R.T. -0.004 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:162 Resp: 62494

Ion Ratio Lower Upper

162 100

164 62.7 47.2 87.2

98 34.0 16.8 56.8



#30

1,2,4-Trichlorobenzene

Concen: 44.992 ng

RT: 11.077 min Scan# 1283

Delta R.T. -0.004 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:180 Resp: 64681


Ion Ratio Lower Upper

180 100

182 101.8 75.0 112.6

145 28.3 21.4 32.2









#31
Naphthalene
Concen: 46.053 ng
RT: 11.271 min Scan# 1116
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:128 Resp: 177019
Ion Ratio Lower Upper
128 100
129 11.3 8.8 13.2
127 14.0 10.6 16.0



#32
Benzoic acid
Concen: 108.425 ng
RT: 10.360 min Scan# 1161
Delta R.T. -0.145 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:122 Resp: 58065
Ion Ratio Lower Upper
122 100
105 4.5 104.3 144.3#
77 46.2 79.5 119.5#









#33
4-Chloroaniline
Concen: 12.882 ng
RT: 11.371 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:	127	Resp:	21770
Ion	Ratio	Lower	Upper
127	100		
129	32.0	25.9	38.9
65	43.5	28.6	42.8#
92	25.0	16.2	24.2#



#34
Hexachlorobutadiene
Concen: 43.312 ng
RT: 11.541 min Scan# 1362
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:	225	Resp:	45913
Ion	Ratio	Lower	Upper
225	100		
223	63.1	47.4	71.0
227	64.9	51.1	76.7









#35
Caprolactam
Concen: 36.982 ng
RT: 12.134 min Scan# 1465
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:113 Resp: 12039
Ion Ratio Lower Upper
113 100
55 179.1 135.8 175.8#
56 141.1 111.8 151.8



#36
4-Chloro-3-methylphenol
Concen: 55.990 ng
RT: 12.463 min Scan# 1519
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:107 Resp: 70811
Ion Ratio Lower Upper
107 100
144 24.2 21.0 31.6
142 75.1 63.8 95.8





#37

2-Methylnaphthalene

Concen: 43.810 ng

RT: 12.845 min Scan# 1

Delta R.T. -0.010 min

Lab File: BG057173.D


Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS






Tgt Ion:142 Resp: 132517

Ion Ratio Lower Upper

142 100

141 89.0 68.1 102.1

115 42.3 31.0 46.4



#38

1-Methylnaphthalene

Concen: 45.170 ng

RT: 13.062 min Scan# 1621

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:142 Resp: 126144


Ion Ratio Lower Upper

142 100

141 90.8 71.6 107.4

116 4.6 3.3 4.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.995 min Scan# 1950

Delta R.T. -0.010 min

Lab File: BG057173.D


Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS






Tgt Ion:164 Resp: 54623

Ion Ratio Lower Upper

164 100

162 105.2 82.4 123.6

160 45.9 36.2 54.2



#40

1,2,4,5-Tetrachlorobenzene

Concen: 44.824 ng

RT: 13.209 min Scan# 1646

Delta R.T. -0.004 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Tgt Ion:216 Resp: 89590




Ion Ratio Lower Upper


216 100

214 78.7 62.3 93.5

179 18.6 14.8 22.2


108 16.9 11.3 16.9








#41
Hexachlorocyclopentadiene
Concen: 101.135 ng
RT: 13.180 min Scan# 1
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35


Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS





Tgt Ion:237 Resp: 87587
Ion Ratio Lower Upper
237 100
235 61.4 39.7 79.7
272 12.4 0.0 32.6




#42
2,4,6-Tribromophenol
Concen: 131.689 ng
RT: 16.476 min Scan# 2202
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35



Tgt Ion:330 Resp: 94909
Ion Ratio Lower Upper
330 100
332 95.1 77.6 116.4
141 35.6 26.0 39.0





#43

2,4,6-Trichlorophenol

Concen: 53.898 ng

RT: 13.438 min Scan# 1

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:196 Resp: 58321

Ion Ratio Lower Upper

196 100

198 96.2 77.5 116.3

200 31.0 24.6 37.0



#44

2,4,5-Trichlorophenol

Concen: 49.572 ng

RT: 13.515 min Scan# 1698

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Tgt Ion:196 Resp: 64758




Ion Ratio Lower Upper


196 100

198 96.6 78.4 117.6

97 48.3 34.6 51.8

132 20.7 16.7 25.1





#45

2-Fluorobiphenyl

Concen: 81.738 ng

RT: 13.621 min Scan# 1716

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:172 Resp: 332220

Ion Ratio Lower Upper

172 100

171 36.3 29.2 43.8

170 23.8 19.4 29.2



#46

1,1'-Biphenyl

Concen: 47.060 ng

RT: 13.832 min Scan# 1752

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:154 Resp: 191603


Ion Ratio Lower Upper

154 100

153 39.8 20.9 60.9

76 12.3 0.0 32.3









#47
2-Chloronaphthalene
Concen: 47.509 ng
RT: 13.885 min Scan# 1761
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:162 Resp: 145994
Ion Ratio Lower Upper
162 100
127 36.3 28.7 43.1
164 33.3 27.8 41.6



#48
2-Nitroaniline
Concen: 58.977 ng
RT: 14.079 min Scan# 1794
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion: 65 Resp: 46186
Ion Ratio Lower Upper
65 100
92 64.7 54.9 82.3
138 91.7 86.6 129.8





#49

Acenaphthylene

Concen: 47.519 ng

RT: 14.725 min Scan# 1904

Delta R.T. -0.004 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:152 Resp: 231807

Ion Ratio Lower Upper

152 100

151 21.0 16.9 25.3

153 12.9 11.0 16.6



#50

Dimethylphthalate

Concen: 53.001 ng

RT: 14.431 min Scan# 1854

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:163 Resp: 203181


Ion Ratio Lower Upper

163 100

194 3.7 3.3 4.9

164 10.7 8.2 12.4









#51
2,6-Dinitrotoluene
Concen: 54.018 ng
RT: 14.560 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:165 Resp: 43225
Ion Ratio Lower Upper
165 100
63 63.6 45.5 68.3
89 67.9 50.1 75.1



#52
Acenaphthene
Concen: 46.703 ng
RT: 15.060 min Scan# 1961
Delta R.T. -0.009 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:154 Resp: 148852
Ion Ratio Lower Upper
154 100
153 112.2 91.0 136.4
152 52.7 43.0 64.6









#53
3-Nitroaniline
Concen: 33.048 ng
RT: 14.889 min Scan# 1932
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:138 Resp: 26260
Ion Ratio Lower Upper
138 100
108 10.1 8.8 13.2
92 118.9 101.4 152.2



#54
2,4-Dinitrophenol
Concen: 24.574 ng
RT: 15.101 min Scan# 1968
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:184 Resp: 8937
Ion Ratio Lower Upper
184 100
63 64.2 43.4 65.0
154 68.7 45.2 67.8#









#55
Dibenzenofuran
Concen: 46.154 ng
RT: 15.389 min Scan# 2019
Delta R.T. -0.009 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:168 Resp: 238347
Ion Ratio Lower Upper
168 100
139 39.1 29.2 43.8
169 14.0 10.6 15.8



#56
4-Nitrophenol
Concen: 97.223 ng
RT: 15.189 min Scan# 1983
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:139 Resp: 54377
Ion Ratio Lower Upper
139 100
109 105.1 67.3 107.3
65 115.5 82.0 122.0





#57

2,4-Dinitrotoluene

Concen: 54.377 ng

RT: 15.342 min Scan# 2011

Delta R.T. -0.009 min

Lab File: BG057173.D


Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS



Tgt Ion:165 Resp: 59257




Ion Ratio Lower Upper

165 100

63 49.2 33.0 49.4

89 77.6 60.0 90.0

182 1.9 1.8 2.6



#58

Fluorene

Concen: 47.565 ng

RT: 16.035 min Scan# 2127

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:166 Resp: 197759


Ion Ratio Lower Upper

166 100

165 100.4 79.8 119.6

167 12.8 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 52.849 ng
RT: 15.612 min Scan# 2055
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:232 Resp: 59137
Ion Ratio Lower Upper
232 100
131 38.5 30.8 46.2
130 2.4 1.6 2.4
166 27.6 21.7 32.5



#60
Diethylphthalate
Concen: 54.337 ng
RT: 15.776 min Scan# 2083
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:149 Resp: 200791
Ion Ratio Lower Upper
149 100
177 23.4 19.0 28.4
150 13.2 9.8 14.8









#61
4-Chlorophenyl-phenylether
Concen: 46.951 ng
RT: 16.011 min Scan# 2125
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:204 Resp: 117162
Ion Ratio Lower Upper
204 100
206 33.6 26.3 39.5
141 51.0 38.6 57.8



#62
4-Nitroaniline
Concen: 51.375 ng
RT: 16.053 min Scan# 2130
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:138 Resp: 41106
Ion Ratio Lower Upper
138 100
92 60.0 34.9 74.9
108 119.6 73.0 113.0#









#63
Azobenzene
Concen: 55.818 ng
RT: 16.305 min Scan# 2175
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion: 77	Resp: 219420
Ion Ratio	Lower Upper
77 100	
182 25.0	6.1 46.1
105 17.3	0.0 38.4
51 30.4	6.9 46.9



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.733 min Scan# 2416
Delta R.T. -0.009 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:188	Resp: 138032
Ion Ratio	Lower Upper
188 100	
94 6.3	5.4 8.0
80 8.2	6.2 9.2









#65
4,6-Dinitro-2-methylphenol
Concen: 23.679 ng
RT: 16.105 min Scan# 2139
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:198 Resp: 14993
Ion Ratio Lower Upper
198 100
51 35.7 13.1 53.1
105 36.8 14.1 54.1



#66
n-Nitrosodiphenylamine
Concen: 48.961 ng
RT: 16.229 min Scan# 2160
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:169 Resp: 176339
Ion Ratio Lower Upper
169 100
168 68.2 57.8 86.6
167 39.3 30.5 45.7









#67
4-Bromophenyl-phenylether
Concen: 45.827 ng
RT: 16.910 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:248 Resp: 76070
Ion Ratio Lower Upper
248 100
250 97.7 75.8 113.8
141 63.8 50.1 75.1



#68
Hexachlorobenzene
Concen: 46.476 ng
RT: 17.039 min Scan# 2298
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:284 Resp: 79130
Ion Ratio Lower Upper
284 100
142 30.8 22.6 33.8
249 34.3 26.6 40.0









#69
 Atrazine
 Concen: 65.829 ng
 RT: 17.163 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BG057173.D
 Acq: 25 Apr 2023 12:35




Instrument :
 BNA_G
 ClientSampleId :
 SPD-1WC-23-04-18MS


Tgt Ion:200 Resp: 75727
 Ion Ratio Lower Upper
 200 100
 173 22.4 4.2 44.2
 215 47.9 31.8 71.8



#70
 Pentachlorophenol
 Concen: 66.547 ng
 RT: 17.380 min Scan# 2356
 Delta R.T. -0.010 min
 Lab File: BG057173.D
 Acq: 25 Apr 2023 12:35

Tgt Ion:266 Resp: 53247
 Ion Ratio Lower Upper
 266 100
 268 66.5 52.5 78.7
 264 64.2 50.7 76.1









#71
Phenanthrene
Concen: 48.274 ng
RT: 17.780 min Scan# 2425
Delta R.T. -0.004 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:178 Resp: 340170
Ion Ratio Lower Upper
178 100
176 19.3 15.6 23.4
179 14.8 12.4 18.6



#72
Anthracene
Concen: 47.544 ng
RT: 17.868 min Scan# 2439
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:178 Resp: 338756
Ion Ratio Lower Upper
178 100
176 18.9 14.9 22.3
179 15.2 12.5 18.7









#73
Carbazole
Concen: 49.670 ng
RT: 18.132 min Scan# 2484
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:167 Resp: 298732
Ion Ratio Lower Upper
167 100
166 23.1 18.3 27.5
139 12.8 9.6 14.4



#74
Di-n-butylphthalate
Concen: 56.617 ng
RT: 18.649 min Scan# 2572
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35


Tgt Ion:149 Resp: 316743
Ion Ratio Lower Upper
149 100
150 9.1 7.6 11.4
104 6.6 4.7 7.1








#75
Fluoranthene
Concen: 47.215 ng
RT: 19.765 min Scan# 21
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS







Tgt Ion:202 Resp: 413352
Ion Ratio Lower Upper
202 100
101 7.0 0.0 27.6
203 18.5 0.0 38.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 22.050 min Scan# 3151
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:240 Resp: 122876
Ion Ratio Lower Upper
240 100
120 5.4 5.5 8.3#
236 26.6 20.8 31.2









#77
Benzidine
Concen: 42.285 ng
RT: 19.930 min Scan# 21
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:184 Resp: 78294
Ion Ratio Lower Upper
184 100
185 13.9 11.3 16.9
183 12.0 9.4 14.0



#78
Pyrene
Concen: 49.866 ng
RT: 20.124 min Scan# 2823
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:202 Resp: 416012
Ion Ratio Lower Upper
202 100
200 21.2 17.0 25.4
203 18.6 14.7 22.1





#79

Terphenyl-d14

Concen: 87.302 ng

RT: 20.300 min Scan# 21

Delta R.T. -0.016 min

Lab File: BG057173.D


Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS






Tgt Ion:244 Resp: 613298

Ion Ratio Lower Upper

244 100

212 7.4 6.0 9.0

122 6.3 5.0 7.4



#80

Butylbenzylphthalate

Concen: 53.447 ng

RT: 20.981 min Scan# 2969

Delta R.T. -0.010 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:149 Resp: 116991


Ion Ratio Lower Upper

149 100

91 71.2 54.1 81.1

206 23.9 18.2 27.2









#81
Benzo(a)anthracene
Concen: 48.714 ng
RT: 22.027 min Scan# 3149
Delta R.T. -0.010 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:228 Resp: 411554
Ion Ratio Lower Upper
228 100
226 27.5 22.2 33.4
229 19.1 15.6 23.4



#82
3,3'-Dichlorobenzidine
Concen: 41.302 ng
RT: 21.921 min Scan# 3129
Delta R.T. -0.016 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:252 Resp: 91327
Ion Ratio Lower Upper
252 100
254 62.4 50.9 76.3
126 6.7 5.9 8.9





#83

Chrysene

Concen: 46.576 ng

RT: 22.097 min Scan# 31

Delta R.T. -0.016 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:228 Resp: 379471

Ion Ratio Lower Upper

228 100

226 30.2 24.0 36.0

229 20.1 15.8 23.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 50.806 ng

RT: 21.874 min Scan# 3121

Delta R.T. -0.016 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:149 Resp: 175675


Ion Ratio Lower Upper

149 100

167 25.5 21.9 32.9

279 4.2 3.3 4.9





#85

Di-n-octyl phthalate

Concen: 53.846 ng

RT: 23.178 min Scan# 31

Delta R.T. -0.016 min

Lab File: BG057173.D


Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS






Tgt Ion:149 Resp: 296744

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 9.9 7.4 11.0



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.557 min Scan# 3748

Delta R.T. -0.021 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:264 Resp: 127795


Ion Ratio Lower Upper

264 100

260 24.4 18.8 28.2

265 20.5 16.4 24.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 49.510 ng

RT: 29.628 min Scan# 4441

Delta R.T. -0.027 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35

Instrument :

BNA_G

ClientSampleId :

SPD-1WC-23-04-18MS





Tgt Ion:276 Resp: 453223

Ion Ratio Lower Upper

276 100

138 5.8 13.8 20.6#

277 25.5 20.4 30.6



#88

Benzo(b)fluoranthene

Concen: 51.665 ng

RT: 24.435 min Scan# 3557

Delta R.T. -0.021 min

Lab File: BG057173.D

Acq: 25 Apr 2023 12:35




Tgt Ion:252 Resp: 413883


Ion Ratio Lower Upper

252 100

253 22.4 18.2 27.2

125 5.8 5.3 7.9









#89
Benzo(k)fluoranthene
Concen: 49.328 ng
RT: 24.512 min Scan# 31
Delta R.T. -0.016 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35




Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS


Tgt Ion:252 Resp: 408746
Ion Ratio Lower Upper
252 100
253 21.6 16.7 25.1
125 5.6 5.0 7.6



#90
Benzo(a)pyrene
Concen: 45.439 ng
RT: 25.399 min Scan# 3721
Delta R.T. -0.021 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:252 Resp: 358527
Ion Ratio Lower Upper
252 100
253 21.4 17.0 25.6
125 6.5 5.8 8.8









#91
Dibenzo(a,h)anthracene
Concen: 49.791 ng
RT: 29.687 min Scan# 4451
Delta R.T. -0.027 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Instrument :
BNA_G
ClientSampleId :
SPD-1WC-23-04-18MS

Tgt Ion:278 Resp: 378456
Ion Ratio Lower Upper
278 100
139 9.1 7.9 11.9
279 23.4 17.7 26.5



#92
Benzo(g,h,i)perylene
Concen: 48.701 ng
RT: 30.903 min Scan# 4658
Delta R.T. -0.033 min
Lab File: BG057173.D
Acq: 25 Apr 2023 12:35

Tgt Ion:276 Resp: 366254
Ion Ratio Lower Upper
276 100
277 23.6 18.5 27.7
138 11.4 11.5 17.3#

