

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG042619\
 Data File : BG040630.D
 Acq On : 26 Apr 2019 15:34
 Operator : JU/SJ
 Sample : K2535-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 S37-0018

Quant Time: Apr 27 03:44:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG042319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 24 05:35:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	50166	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	207924	20.00	ng	0.00
39) Acenaphthene-d10	14.78	164	154526	20.00	ng	-0.01
64) Phenanthrene-d10	17.53	188	401217	20.00	ng	0.00
76) Chrysene-d12	21.81	240	392750	20.00	ng	-0.01
87) Perylene-d12	25.19	264	419902	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	175307	61.60	ng	0.00
7) Phenol-d6	7.29	99	166158	37.92	ng	0.00
23) Nitrobenzene-d5	9.34	82	443141	98.48	ng	0.00
42) 2,4,6-Tribromophenol	16.27	330	298303	140.44	ng	0.00
45) 2-Fluorobiphenyl	13.41	172	923703	86.33	ng	0.00
79) Terphenyl-d14	20.13	244	1725069	97.31	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG042619\
Data File : BG040630.D
Acq On : 26 Apr 2019 15:34
Operator : JU/SJ
Sample : K2535-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
S37-0018

Quant Time: Apr 27 03:44:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG042319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 24 05:35:33 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.15 min Scan# 862
Delta R.T. -0.00 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34

Instrument :
BNA_G
ClientSampleId :
S37-0018

Tgt Ion	Ratio	Lower	Upper
152	100		
150	161.5	120.2	180.2
115	64.4	46.2	69.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 61.600 ng
RT: 5.69 min Scan# 442
Delta R.T. 0.00 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.6	61.4	92.0
63	46.4	37.8	56.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 37.920 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.00 min

Lab File: BG040630.D

Acq: 26 Apr 2019 15:34

Instrument :

BNA_G

ClientSampleId :

S37-0018


Tgt Ion: 99 Resp: 166158

Ion Ratio Lower Upper




99 100

42 26.2 21.8 32.8

71 47.0 38.6 57.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.98 min Scan# 1343

Delta R.T. -0.00 min

Lab File: BG040630.D

Acq: 26 Apr 2019 15:34

Tgt Ion: 136 Resp: 207924


Ion Ratio Lower Upper

136 100



137 11.5 9.7 14.5


54 10.7 8.6 12.8

68 4.7 4.8 7.2#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 98.478 ng
RT: 9.34 min Scan# 1063
Delta R.T. -0.00 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34




Instrument :
BNA_G
ClientSampleId :
S37-0018


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.5	28.9	43.3
54	59.4	47.2	70.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.78 min Scan# 1990
Delta R.T. -0.01 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.6	81.9	122.9
160	44.1	35.4	53.2









#42
 2,4,6-Tribromophenol
 Concen: 140.444 ng
 RT: 16.27 min Scan# 2243
 Delta R.T. -0.00 min
 Lab File: BG040630.D
 Acq: 26 Apr 2019 15:34

Instrument :
 BNA_G
 ClientSampled :
 S37-0018

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.6	75.9	113.9
141	41.4	32.4	48.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 86.329 ng
 RT: 13.41 min Scan# 1757
 Delta R.T. -0.00 min
 Lab File: BG040630.D
 Acq: 26 Apr 2019 15:34

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	29.4	44.2
170	26.1	19.9	29.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.53 min Scan# 2458
Delta R.T. -0.00 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34




Instrument :
BNA_G
ClientSampleId :
S37-0018


Tgt Ion:188 Resp: 401217
Ion Ratio Lower Upper
188 100
94 6.7 5.6 8.4
80 7.9 6.4 9.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.81 min Scan# 3187
Delta R.T. -0.01 min
Lab File: BG040630.D
Acq: 26 Apr 2019 15:34

Tgt Ion:240 Resp: 392750
Ion Ratio Lower Upper
240 100
120 6.4 5.0 7.6
236 26.7 20.3 30.5





#79

Terphenyl-d14

Concen: 97.308 ng

RT: 20.13 min Scan# 2900

Delta R.T. -0.00 min

Lab File: BG040630.D

Acq: 26 Apr 2019 15:34

Instrument :

BNA_G

ClientSampleId :

S37-0018


Tgt Ion:244 Resp: 1725069

Ion Ratio Lower Upper




244 100

212 9.9 7.2 10.8

122 8.1 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.19 min Scan# 3762

Delta R.T. -0.01 min

Lab File: BG040630.D

Acq: 26 Apr 2019 15:34


Tgt Ion:264 Resp: 419902

Ion Ratio Lower Upper

264 100

260 24.2 19.2 28.8

265 20.7 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

