

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042722\
 Data File : BG053347.D
 Acq On : 27 Apr 2022 14:53
 Operator : CG/JU
 Sample : N2521-10
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SVOC-FB

Quant Time: Apr 28 06:40:51 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Apr 24 01:13:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.102	152	26110	20.000	ng	-0.01
21) Naphthalene-d8	10.916	136	102828	20.000	ng	# 0.00
39) Acenaphthene-d10	14.729	164	79683	20.000	ng	0.00
64) Phenanthrene-d10	17.472	188	207607	20.000	ng	-0.01
76) Chrysene-d12	21.755	240	204661	20.000	ng	-0.01
86) Perylene-d12	25.050	264	208000	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.670	112	77788	51.070	ng	0.00
7) Phenol-d6	7.262	99	65544	27.904	ng	-0.01
23) Nitrobenzene-d5	9.266	82	207193	81.814	ng	-0.01
42) 2,4,6-Tribromophenol	16.215	330	160551	126.645	ng	-0.01
45) 2-Fluorobiphenyl	13.348	172	467719	80.938	ng	-0.01
79) Terphenyl-d14	20.074	244	990014	81.698	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042722\
Data File : BG053347.D
Acq On : 27 Apr 2022 14:53
Operator : CG/JU
Sample : N2521-10
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-FB

Quant Time: Apr 28 06:40:51 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG040822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Apr 24 01:13:30 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.102 min Scan# 80
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53




Instrument :
BNA_G
ClientSampleId :
SVOC-FB


Tgt Ion:152 Resp: 26110
Ion Ratio Lower Upper
152 100
150 161.9 114.6 172.0
115 65.9 45.9 68.9



#5
2-Fluorophenol
Concen: 51.070 ng
RT: 5.670 min Scan# 388
Delta R.T. -0.005 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53

Tgt Ion:112 Resp: 77788
Ion Ratio Lower Upper
112 100
64 69.8 48.0 72.0
63 40.6 26.5 39.7#









#7
Phenol-d6
Concen: 27.904 ng
RT: 7.262 min Scan# 61
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53




Instrument :
BNA_G
ClientSampleId :
SVOC-FB


Tgt Ion: 99 Resp: 65544
Ion Ratio Lower Upper
99 100
42 18.2 14.7 22.1
71 38.0 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.916 min Scan# 1281
Delta R.T. -0.005 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53

Tgt Ion:136 Resp: 102828
Ion Ratio Lower Upper
136 100
137 12.5 9.4 14.2
54 9.8 6.4 9.6#
68 6.8 5.0 7.6









#23
Nitrobenzene-d5
Concen: 81.814 ng
RT: 9.266 min Scan# 10
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53




Instrument :
BNA_G
ClientSampleId :
SVOC-FB


Tgt Ion: 82 Resp: 207193
Ion Ratio Lower Upper
82 100
128 36.7 31.3 46.9
54 47.6 37.8 56.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.729 min Scan# 1930
Delta R.T. -0.005 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53

Tgt Ion:164 Resp: 79683
Ion Ratio Lower Upper
164 100
162 105.0 80.0 120.0
160 42.9 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 126.645 ng
RT: 16.215 min Scan# 2183
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53




Instrument :
BNA_G
ClientSampleId :
SVOC-FB


Tgt Ion:330 Resp: 160551
Ion Ratio Lower Upper
330 100
332 95.9 75.8 113.6
141 33.6 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 80.938 ng
RT: 13.348 min Scan# 1695
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53

Tgt Ion:172 Resp: 467719
Ion Ratio Lower Upper
172 100
171 35.0 28.3 42.5
170 23.4 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.472 min Scan# 21
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53




Instrument :
BNA_G
ClientSampleId :
SVOC-FB


Tgt Ion:188 Resp: 207607
Ion Ratio Lower Upper
188 100
94 7.0 5.7 8.5
80 7.5 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.755 min Scan# 3126
Delta R.T. -0.011 min
Lab File: BG053347.D
Acq: 27 Apr 2022 14:53

Tgt Ion:240 Resp: 204661
Ion Ratio Lower Upper
240 100
120 6.3 5.4 8.0
236 25.3 19.8 29.6









#79
 Terphenyl-d14
 Concen: 81.698 ng
 RT: 20.074 min Scan# 21
 Delta R.T. -0.011 min
 Lab File: BG053347.D
 Acq: 27 Apr 2022 14:53

Instrument :
 BNA_G
 ClientSampleId :
 SVOC-FB

Tgt Ion:244 Resp: 990014
 Ion Ratio Lower Upper
 244 100
 212 8.0 5.4 8.2
 122 6.6 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.050 min Scan# 3687
 Delta R.T. -0.011 min
 Lab File: BG053347.D
 Acq: 27 Apr 2022 14:53

Tgt Ion:264 Resp: 208000
 Ion Ratio Lower Upper
 264 100
 260 25.1 18.2 27.2
 265 20.9 15.1 22.7

