

Data Path : Z:\HPCHEM1\BNA G\DATA\BG042817\
 Data File : BG026757.D
 Acq On : 28 Apr 2017 21:39
 Operator : SJ/MA
 Sample : I2816-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JHT43

Manual Integrations
 APPROVED

mohammad
 5/1/2017 7:23:35 PM

Quant Time: Apr 29 01:21:14 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG042717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Apr 29 00:39:01 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	144194	20.00	ng/ul	0.00
18) Naphthalene-d8	10.81	136	736887	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.62	164	431098	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.35	188	839551	20.00	ng/ul	0.00
75) Chrysene-d12	21.60	240	761085	20.00	ng/ul	0.00
83) Perylene-d12	24.76	264	789070	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.43	96	23344	7.29	ng/uL	0.00
5) Phenol-d5	7.19	99	525335	40.82	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.33	67	301010m	39.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	433693	39.70	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	461507	43.21	ng/ul	0.00
19) Nitrobenzene-d5	9.17	128	236914	38.46	ng/ul	0.00
22) 2-Nitrophenol-d4	9.89	143	269765	40.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.44	165	426932	40.11	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	654215m	45.91	ng/ul	0.00
43) Dimethylphthalate-d6	14.02	166	1339729	38.61	ng/ul	0.00
46) Acenaphthylene-d8	14.32	160	1707035	39.17	ng/ul	0.00
51) 4-Nitrophenol-d4	14.84	143	216631	34.64	ng/ul	0.00
57) Fluorene-d10	15.61	176	1166852	38.53	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.73	200	182998	35.90	ng/ul	0.00
70) Anthracene-d10	17.45	188	1627867	39.95	ng/ul	0.00
76) Pyrene-d10	19.73	212	1538200	38.29	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.54	264	1550774	41.57	ng/ul	0.00

Target Compounds

					Ovalue	
6) Phenol	7.22	94	16483	1.26	ng/ul#	83
44) Dimethylphthalate	14.07	163	214545	6.32	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\DATA\BG042817\
Data File : BG026757.D
Acq On : 28 Apr 2017 21:39
Operator : SJ/MA
Sample : I2816-14
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
JHT43

Manual Integrations
APPROVED

mohammad
5/1/2017 7:23:35 PM

Quant Time: Apr 29 01:21:14 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG042717.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Apr 29 00:39:01 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.26 ng/ul

RT: 7.22 min Scan# 703

Delta R.T. 0.00 min

Lab File: BG026757.D

Acq: 28 Apr 2017 21:39

Instrument :

BNA_G





ClientSampleId :

JHT43

Tot Ion	Ratio	Lower	Upper
94	100		
65	27.4	26.8	40.2
66	40.0	44.4	66.6#

Manual Integrations
APPROVED

mohammad
5/1/2017 7:23:35 PM



#44

Dimethylphthalate

Concen: 6.32 ng/ul

RT: 14.07 min Scan# 1869

Delta R.T. -0.00 min

Lab File: BG026757.D

Acq: 28 Apr 2017 21:39

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.5	9.0	13.4

