

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042823\
 Data File : BG057221.D
 Acq On : 28 Apr 2023 16:46
 Operator : CG/JU
 Sample : 02417-12
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EW8X8

Quant Time: Apr 29 00:53:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG042823.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Apr 28 23:37:02 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.375	152	13800	20.000	ng/ul	0.00
20) Naphthalene-d8	11.218	136	61606	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.995	164	50199	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.727	188	130813	20.000	ng/ul	# 0.00
79) Chrysene-d12	22.039	240	121040	20.000	ng/ul	0.00
88) Perylene-d12	25.546	264	125176	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.658	96	1054	3.361	ng/uL	0.00
4) Pyridine-d5	4.157	84	409	0.414	ng/ul	0.06
7) Phenol-d5	7.511	99	22427	17.184	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.682	67	15270	19.893	ng/ul	0.00
11) 2-Chlorophenol-d4	7.905	132	16269	18.917	ng/ul	0.00
15) 4-Methylphenol-d8	9.074	113	17097	17.236	ng/ul	0.00
21) Nitrobenzene-d5	9.555	128	8895	18.131	ng/ul	0.00
24) 2-Nitrophenol-d4	10.284	143	10893	19.025	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.830	165	18911	17.120	ng/ul	0.00
31) 4-Chloroaniline-d4	11.341	131	21764	14.865	ng/ul	0.00
46) Dimethylphthalate-d6	14.378	166	82671	20.784	ng/ul	0.00
49) Acenaphthylene-d8	14.690	160	86205	19.283	ng/ul	0.00
54) 4-Nitrophenol-d4	15.177	143	6384	11.026	ng/ul	0.00
60) Fluorene-d10	15.976	176	72389	19.536	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	16.088	200	8404	10.843	ng/ul	0.00
73) Anthracene-d10	17.827	188	122426	20.504	ng/ul	0.00
81) Pyrene-d10	20.088	212	154660	21.527	ng/ul	0.00
92) Benzo(a)pyrene-d12	25.305	264	135754	21.287	ng/ul	0.00
Target Compounds						
16) Acetophenone	9.209	105	2956	1.732	ng/ul#	Qvalue 82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG042823\
Data File : BG057221.D
Acq On : 28 Apr 2023 16:46
Operator : CG/JU
Sample : 02417-12
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EW8X8

Quant Time: Apr 29 00:53:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG042823.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Apr 28 23:37:02 2023
Response via : Initial Calibration





#16
 Acetophenone
 Concen: 1.732 ng/ul
 RT: 9.209 min Scan# 90
 Delta R.T. 0.003 min
 Lab File: BG057221.D
 Acq: 28 Apr 2023 16:46

Instrument :
 BNA_G
 ClientSampleId :
 EW8X8

Tgt Ion:	105	Resp:	2956
Ion	Ratio	Lower	Upper
105	100		
77	66.7	70.6	105.8#
51	32.3	24.5	36.7

