

Data File : BG026837.D
Acq On : 2 May 2017 10:55
Operator : SJ/MA
Sample : I2867-01
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JHTA5

Quant Time: May 03 00:58:55 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed May 03 00:58:45 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	156095	20.00	ng/ul	0.00
18) Naphthalene-d8	10.81	136	831583	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.62	164	475166	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.35	188	898496	20.00	ng/ul	0.00
75) Chrysene-d12	21.60	240	823612	20.00	ng/ul	0.00
83) Perylene-d12	24.77	264	850590	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.43	96	9330	2.69	ng/uL	0.00
5) Phenol-d5	7.19	99	232291	16.68	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.33	67	143931	17.57	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	185860	15.72	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	196105	16.96	ng/ul	0.00
19) Nitrobenzene-d5	9.17	128	102436	14.74	ng/ul	0.00
22) 2-Nitrophenol-d4	9.89	143	108638	14.37	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.44	165	186444	15.52	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	243403	15.14	ng/ul	0.00
43) Dimethylphthalate-d6	14.02	166	575364	15.04	ng/ul	0.00
46) Acenaphthylene-d8	14.32	160	808139	16.82	ng/ul	0.00
51) 4-Nitrophenol-d4	14.84	143	69686	10.11	ng/ul	0.00
57) Fluorene-d10	15.61	176	525292	15.74	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.73	200	52702	9.66	ng/ul	0.00
70) Anthracene-d10	17.45	188	724546	16.62	ng/ul	0.00
76) Pyrene-d10	19.73	212	698219	16.06	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.54	264	626919	15.59	ng/ul	0.00

Target Compounds						Qvalue
44) Dimethylphthalate	14.07	163	157873	4.22	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG026837.D

Acq On : 2 May 2017 10:55

Operator : SJ/MA

Sample : I2867-01

Misc :

ALS Vial : 34 Sample Multiplier: 1

Instrument :

BNA_G

ClientSampleId :

JHTA5


Quant Time: May 03 00:58:55 2017


Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M

Quant Title : SVOA CALIBRATION

QLast Update : Wed May 03 00:58:45 2017

Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.22 ng/ul

RT: 14.07 min Scan# 1869

Delta R.T. -0.00 min

Lab File: BG026837.D

Acq: 2 May 2017 10:55

Instrument :

BNA_G

ClientSampleId :

JHTA5

Tgt Ion:163 Resp: 157873

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.0

164 10.4 9.0 13.4

