

Data File : BG026839.D
Acq On : 2 May 2017 12:14
Operator : SJ/MA
Sample : I2867-09
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JHT73

Quant Time: May 03 00:59:16 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed May 03 00:58:45 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	155392	20.00	ng/ul	0.00
18) Naphthalene-d8	10.81	136	832138	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.62	164	470470	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.35	188	888901	20.00	ng/ul	0.00
75) Chrysene-d12	21.60	240	811386	20.00	ng/ul	0.00
83) Perylene-d12	24.76	264	835050	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.42	96	21971	6.37	ng/uL	0.00
5) Phenol-d5	7.18	99	538744	38.85	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.33	67	327731	40.18	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	425450	36.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	454789	39.51	ng/ul	0.00
19) Nitrobenzene-d5	9.17	128	237893	34.20	ng/ul	0.00
22) 2-Nitrophenol-d4	9.89	143	256483	33.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.44	165	426240	35.46	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	650647	40.44	ng/ul	0.00
43) Dimethylphthalate-d6	14.02	166	1326785	35.04	ng/ul	0.00
46) Acenaphthylene-d8	14.32	160	1778740	37.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.84	143	212403	31.12	ng/ul	0.00
57) Fluorene-d10	15.61	176	1152817	34.88	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.73	200	159118	29.48	ng/ul	0.00
70) Anthracene-d10	17.45	188	1592325	36.91	ng/ul	0.00
76) Pyrene-d10	19.73	212	1560924	36.45	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.55	264	1480577	37.50	ng/ul	0.00

Target Compounds				Qvalue		
6) Phenol	7.21	94	21835	1.55	ng/ul#	89
44) Dimethylphthalate	14.07	163	298875	8.06	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG026839.D

Acq On : 2 May 2017 12:14

Operator : SJ/MA

Sample : I2867-09

Misc :

ALS Vial : 36 Sample Multiplier: 1

Instrument :

BNA_G

ClientSampleId :

JHT73


Quant Time: May 03 00:59:16 2017


Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M

Quant Title : SVOA CALIBRATION

QLast Update : Wed May 03 00:58:45 2017

Response via : Initial Calibration





#6

Phenol

Concen: 1.55 ng/ul

RT: 7.21 min Scan# 702

Delta R.T. -0.00 min

Lab File: BG026839.D

Acq: 2 May 2017 12:14

Instrument :

BNA_G

ClientSampleId :

JHT73


Tgt Ion: 94 Resp: 21835

Ion Ratio Lower Upper




94 100

65 26.3 26.8 40.2#

66 47.7 44.4 66.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 8.06 ng/ul

RT: 14.07 min Scan# 1869

Delta R.T. -0.00 min

Lab File: BG026839.D

Acq: 2 May 2017 12:14


Tgt Ion:163 Resp: 298875

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.0

164 9.7 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

