

Data Path : Z:\HPCHEM1\BNA G\DATA\BG050117\
 Data File : BG026803.D
 Acq On : 1 May 2017 12:29
 Operator : SJ/MA
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02068

Quant Time: May 02 01:47:54 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG042717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 01 06:49:04 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
2	1,4-Dioxane	0.507	0.466	8.1	88	0.00
3 S	1,4-Dioxane-d8	0.444	0.395	11.0	80	0.00
4	Benzaldehyde	0.863	0.808	6.4	102	0.00
5 S	Phenol-d5	1.785	1.950	-9.2	98	0.00
6	Phenol	1.809	1.969	-8.8	97	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.050	1.114	-6.1	95	0.00
8	Bis(2-Chloroethyl)ether	1.397	1.404	-0.5	87	0.00
9 S	2-Chlorophenol-d4	1.515	1.564	-3.2	94	0.00
10	2-Chlorophenol	1.491	1.517	-1.7	90	0.00
11	2-Methylphenol	1.432	1.566	-9.4	99	0.00
12	2,2'-oxybis(1-Chloropropane	1.458	1.617	-10.9	98	0.00
13 S	4-Methylphenol-d8	1.481	1.592	-7.5	97	0.00
14	Acetophenone	2.176	2.270	-4.3	91	0.00
15 P	N-Nitroso-di-n-propylamine	1.073	1.085	-1.1	92	0.00
16	4-Methylphenol	1.566	1.726	-10.2	99	0.00
17	Hexachloroethane	0.561	0.562	-0.2	94	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	96	0.00
19 S	Nitrobenzene-d5	0.167	0.164	1.8	95	0.00
20	Nitrobenzene	0.323	0.323	0.0	95	0.00
21	Isophorone	0.619	0.617	0.3	94	0.00
22 S	2-Nitrophenol-d4	0.182	0.186	-2.2	97	0.00
23 C	2-Nitrophenol	0.191	0.191	0.0	96	0.00
24	2,4-Dimethylphenol	0.349	0.363	-4.0	101	0.00
25	Bis(2-Chloroethoxy)methane	0.423	0.411	2.8	92	0.00
26 S	2,4-Dichlorophenol-d3	0.289	0.296	-2.4	97	0.00
27 C	2,4-Dichlorophenol	0.288	0.298	-3.5	98	0.00
28	Naphthalene	1.041	1.024	1.6	93	0.00
29 S	4-Chloroaniline-d4	0.387	0.426	-10.1	95	0.00
30	4-Chloroaniline	0.365	0.403	-10.4	97	0.00
31 C	Hexachlorobutadiene	0.146	0.139	4.8	92	0.00
32	Caprolactam	0.108	0.111	-2.8	101	0.00
33 C	4-Chloro-3-methylphenol	0.312	0.346	-10.9	103	0.00
34	2-Methylnaphthalene	0.773	0.772	0.1	95	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	95	0.00
36	1,2,4,5-Tetrachlorobenzene	0.527	0.524	0.6	96	0.00
37	Hexachlorocyclopentadiene	0.232	0.218	6.0	98	0.00
38 C	2,4,6-Trichlorophenol	0.363	0.382	-5.2	99	0.00
39	2,4,5-Trichlorophenol	0.375	0.395	-5.3	99	0.00
40	1,1'-Biphenyl	1.681	1.688	-0.4	95	0.00
41	2-Chloronaphthalene	1.264	1.274	-0.8	96	0.00
42	2-Nitroaniline	0.361	0.397	-10.0	104	0.00
43 S	Dimethylphthalate-d6	1.610	1.573	2.3	92	0.00
44	Dimethylphthalate	1.576	1.544	2.0	93	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG050117\
 Data File : BG026803.D
 Acq On : 1 May 2017 12:29
 Operator : SJ/MA
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02068

Quant Time: May 02 01:47:54 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG042717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 01 06:49:04 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.333	0.338	-1.5	96	0.00
46 S	Acenaphthylene-d8	2.022	2.095	-3.6	97	0.00
47	Acenaphthylene	2.060	2.093	-1.6	96	0.00
48	3-Nitroaniline	0.350	0.359	-2.6	99	0.00
49 C	Acenaphthene	1.433	1.430	0.2	95	0.00
50	2,4-Dinitrophenol	0.170	0.159	6.5	80	0.00
51 S	4-Nitrophenol-d4	0.290	0.258	11.0	87	0.00
52	4-Nitrophenol	0.170	0.149	12.4	84	0.00
53	Dibenzofuran	1.907	1.873	1.8	93	0.00
54	2,4-Dinitrotoluene	0.476	0.472	0.8	93	0.00
55	2,3,4,6-Tetrachlorophenol	0.295	0.284	3.7	89	0.00
56	Diethylphthalate	1.649	1.626	1.4	93	0.00
57 S	Fluorene-d10	1.405	1.370	2.5	93	0.00
58	Fluorene	1.557	1.515	2.7	92	0.00
59	4-Chlorophenyl-phenylether	0.679	0.648	4.6	92	0.00
60	4-Nitroaniline	0.386	0.333	13.7	88	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	89	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.121	0.115	5.0	89	0.00
63	4,6-Dinitro-2-methylphenol	0.126	0.120	4.8	89	0.00
64	N-Nitrosodiphenylamine	0.657	0.681	-3.7	92	0.00
65	4-Bromophenyl-phenylether	0.200	0.204	-2.0	91	0.00
66	Hexachlorobenzene	0.215	0.215	0.0	91	0.00
67	Atrazine	0.205	0.216	-5.4	92	0.00
68 C	Pentachlorophenol	0.098	0.098	0.0	105	0.00
69	Phenanthrene	1.127	1.126	0.1	88	0.00
70 S	Anthracene-d10	0.971	0.982	-1.1	90	0.00
71	Anthracene	1.156	1.171	-1.3	89	0.00
72	Carbazole	0.977	1.071	-9.6	89	0.00
73	Di-n-butylphthalate	1.272	1.396	-9.7	94	0.00
74 C	Fluoranthene	1.046	1.171	-12.0	90	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	93	0.00
76 S	Pyrene-d10	1.056	1.012	4.2	89	0.00
77	Pyrene	1.342	1.293	3.7	89	0.00
78	Butylbenzylphthalate	0.623	0.700	-12.4	103	0.00
79	3,3'-Dichlorobenzidine	0.385	0.420	-9.1	99	0.00
80	Benzo(a)anthracene	1.170	1.171	-0.1	93	0.00
81	Bis(2-ethylhexyl)phthalate	0.889	1.007	-13.3	103	0.00
82	Chrysene	1.087	1.086	0.1	93	0.00
83 I	Perylene-d12	1.000	1.000	0.0	91	0.00
84	Di-n-octyl phthalate	1.374	1.704	-24.0#	105	0.00
85	Benzo(b)fluoranthene	1.143	1.177	-3.0	97	0.00
86	Benzo(k)fluoranthene	1.123	1.127	-0.4	91	0.00
87 S	Benzo(a)pyrene-d12	0.946	0.961	-1.6	94	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG050117\
Data File : BG026803.D
Acq On : 1 May 2017 12:29
Operator : SJ/MA
Sample : SSTDCCC020
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02068

Quant Time: May 02 01:47:54 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG042717.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 01 06:49:04 2017
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.125	1.145	-1.8	93	0.00
89	Indeno(1,2,3-cd)pyrene	1.333	1.359	-2.0	95	-0.01
90	Dibenzo(a,h)anthracene	1.130	1.149	-1.7	94	0.00
91	Benzo(a,h,i)perylene	1.106	1.133	-2.4	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0