

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG050522\
 Data File : BG053465.D
 Acq On : 6 May 2022 00:27
 Operator : CG/JU
 Sample : N2677-11
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-7,6

Quant Time: May 06 03:48:58 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 05 02:13:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.088	152	23100	20.000	ng	-0.01
21) Naphthalene-d8	10.902	136	91957	20.000	ng	-0.01
39) Acenaphthene-d10	14.714	164	69094	20.000	ng	0.00
64) Phenanthrene-d10	17.458	188	178637	20.000	ng	-0.01
76) Chrysene-d12	21.734	240	199133	20.000	ng	-0.01
86) Perylene-d12	25.018	264	201677	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.656	112	216075	158.748	ng	-0.01
7) Phenol-d6	7.254	99	311150	150.626	ng	0.00
23) Nitrobenzene-d5	9.251	82	221322	102.454	ng	-0.01
42) 2,4,6-Tribromophenol	16.201	330	158621	155.655	ng	-0.01
45) 2-Fluorobiphenyl	13.340	172	461911	97.690	ng	0.00
79) Terphenyl-d14	20.060	244	967498	90.489	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG050522\
Data File : BG053465.D
Acq On : 6 May 2022 00:27
Operator : CG/JU
Sample : N2677-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-7,6

Quant Time: May 06 03:48:58 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG050522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 05 02:13:53 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.088 min Scan# 80
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27




Instrument :
BNA_G
ClientSampleId :
SB-7,6


Tgt Ion:152 Resp: 23100
Ion Ratio Lower Upper
152 100
150 162.6 131.6 197.4
115 56.9 50.9 76.3



#5
2-Fluorophenol
Concen: 158.748 ng
RT: 5.656 min Scan# 386
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27

Tgt Ion:112 Resp: 216075
Ion Ratio Lower Upper
112 100
64 72.1 55.1 82.7
63 41.6 30.4 45.6









#7
Phenol-d6
Concen: 150.626 ng
RT: 7.254 min Scan# 61
Delta R.T. -0.005 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27




Instrument :
BNA_G
ClientSampleId :
SB-7,6


Tgt Ion: 99 Resp: 311150
Ion Ratio Lower Upper
99 100
42 21.8 17.0 25.6
71 43.7 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.902 min Scan# 1279
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27

Tgt Ion: 136 Resp: 91957
Ion Ratio Lower Upper
136 100
137 12.2 8.5 12.7
54 8.8 7.4 11.2
68 5.6 4.9 7.3









#23
Nitrobenzene-d5
Concen: 102.454 ng
RT: 9.251 min Scan# 91
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27




Instrument :
BNA_G
ClientSampleId :
SB-7,6


Tgt Ion: 82 Resp: 221322
Ion Ratio Lower Upper
82 100
128 34.8 27.9 41.9
54 51.8 41.2 61.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.714 min Scan# 1928
Delta R.T. -0.005 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27

Tgt Ion: 164 Resp: 69094
Ion Ratio Lower Upper
164 100
162 99.1 82.3 123.5
160 45.1 34.2 51.2





#42

2,4,6-Tribromophenol

Concen: 155.655 ng

RT: 16.201 min Scan# 2183

Delta R.T. -0.010 min

Lab File: BG053465.D

Acq: 6 May 2022 00:27

Instrument :

BNA_G

ClientSampleId :

SB-7,6





Tgt Ion:330 Resp: 158621

Ion Ratio Lower Upper

330 100

332 97.0 76.0 114.0

141 34.5 27.1 40.7



#45

2-Fluorobiphenyl

Concen: 97.690 ng

RT: 13.340 min Scan# 1694

Delta R.T. -0.005 min

Lab File: BG053465.D

Acq: 6 May 2022 00:27




Tgt Ion:172 Resp: 461911


Ion Ratio Lower Upper

172 100

171 34.6 28.5 42.7

170 23.1 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.458 min Scan# 21
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27




Instrument :
BNA_G
ClientSampleId :
SB-7,6


Tgt Ion:188 Resp: 178637
Ion Ratio Lower Upper
188 100
94 6.9 5.4 8.0
80 8.0 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.734 min Scan# 3123
Delta R.T. -0.011 min
Lab File: BG053465.D
Acq: 6 May 2022 00:27


Tgt Ion:240 Resp: 199133
Ion Ratio Lower Upper
240 100
120 6.0 4.6 7.0
236 24.1 20.2 30.4







#79
 Terphenyl-d14
 Concen: 90.489 ng
 RT: 20.060 min Scan# 2838
 Delta R.T. -0.011 min
 Lab File: BG053465.D
 Acq: 6 May 2022 00:27

Instrument :
 BNA_G
 ClientSampleId :
 SB-7,6



Tgt Ion:244 Resp: 967498
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.5 9.7
 122 6.4 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.018 min Scan# 3682
 Delta R.T. -0.017 min
 Lab File: BG053465.D
 Acq: 6 May 2022 00:27

Tgt Ion:264 Resp: 201677
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.0 28.6
 265 23.4 17.4 26.2

