

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG050617\
 Data File : BG026877.D
 Acq On : 6 May 2017 11:31
 Operator : SJ/MA
 Sample : I2842-07
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDC44

Quant Time: May 08 01:29:11 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 08 01:28:58 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	170016	20.00	ng/ul	0.00
18) Naphthalene-d8	10.81	136	823928	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.62	164	438511	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.35	188	806866	20.00	ng/ul	0.00
75) Chrysene-d12	21.60	240	746485	20.00	ng/ul	0.00
83) Perylene-d12	24.77	264	787339	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.42	96	16810	4.45	ng/uL	0.00
5) Phenol-d5	7.18	99	430861	28.40	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.33	67	253547	28.41	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	349914	27.17	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	365584	29.03	ng/ul	0.00
19) Nitrobenzene-d5	9.16	128	177999	25.84	ng/ul	0.00
22) 2-Nitrophenol-d4	9.89	143	201669	26.92	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.44	165	322649	27.11	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	462336	29.02	ng/ul	0.00
43) Dimethylphthalate-d6	14.02	166	983665	27.87	ng/ul	0.00
46) Acenaphthylene-d8	14.32	160	1270648	28.66	ng/ul	0.00
51) 4-Nitrophenol-d4	14.84	143	152876	24.03	ng/ul	0.00
57) Fluorene-d10	15.61	176	829868	26.94	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.73	200	104376	21.30	ng/ul	0.00
70) Anthracene-d10	17.45	188	1156052	29.52	ng/ul	0.00
76) Pyrene-d10	19.73	212	1154639	29.30	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.55	264	1095902	29.44	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	7.21	94	26367	1.71	ng/ul#	76
44) Dimethylphthalate	14.07	163	324527	9.39	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG050617\
Data File : BG026877.D
Acq On : 6 May 2017 11:31
Operator : SJ/MA
Sample : I2842-07
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDC44

Quant Time: May 08 01:29:11 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG042717.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 08 01:28:58 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.71 ng/ul

RT: 7.21 min Scan# 702

Delta R.T. -0.00 min

Lab File: BG026877.D

Acq: 6 May 2017 11:31

Instrument :

BNA_G

ClientSampleId :

BDC44


Tgt Ion: 94 Resp: 26367

Ion Ratio Lower Upper




94 100

65 25.2 26.8 40.2#

66 33.6 44.4 66.6#



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 9.39 ng/ul

RT: 14.07 min Scan# 1869

Delta R.T. -0.00 min

Lab File: BG026877.D

Acq: 6 May 2017 11:31


Tgt Ion: 163 Resp: 324527

Ion Ratio Lower Upper

163 100

194 3.7 3.4 5.0

164 10.6 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

