

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050819\
 Data File : BG040795.D
 Acq On : 8 May 2019 19:39
 Operator : HP/JU
 Sample : K2647-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SU-04-050219-A

Quant Time: May 09 05:18:08 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 24 05:35:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	46858	20.00	ng	-0.02
21) Naphthalene-d8	10.96	136	173491	20.00	ng	-0.02
39) Acenaphthene-d10	14.77	164	136656	20.00	ng	-0.02
64) Phenanthrene-d10	17.51	188	383494	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	375723	20.00	ng	-0.03
87) Perylene-d12	25.15	264	259196	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.68	112	389905	146.68	ng	0.00
7) Phenol-d6	7.28	99	536713	131.13	ng	-0.02
23) Nitrobenzene-d5	9.32	82	448942	119.57	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	306894	163.38	ng	-0.02
45) 2-Fluorobiphenyl	13.40	172	1013480	107.11	ng	-0.02
79) Terphenyl-d14	20.11	244	2029462	119.67	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG050819\
Data File : BG040795.D
Acq On : 8 May 2019 19:39
Operator : HP/JU
Sample : K2647-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SU-04-050219-A

Quant Time: May 09 05:18:08 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG042319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 24 05:35:33 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 860
Delta R.T. -0.02 min
Lab File: BG040795.D
Acq: 8 May 2019 19:39

Instrument :
BNA_G
ClientSampleId :
SU-04-050219-A

Tot Ion	Ratio	Lower	Upper
152	100		
150	149.6	120.2	180.2
115	59.5	46.2	69.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 146.680 ng
RT: 5.68 min Scan# 440
Delta R.T. -0.01 min
Lab File: BG040795.D
Acq: 8 May 2019 19:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	76.6	61.4	92.0
63	42.9	37.8	56.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.133 ng

RT: 7.28 min Scan# 713

Delta R.T. -0.02 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39

Instrument :

BNA_G

ClientSampleId :

SU-04-050219-A


Tot Ion: 99 Resp: 536713

Ion Ratio Lower Upper

99 100

42 25.3 21.8 32.8

71 45.5 38.6 57.8






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1340

Delta R.T. -0.02 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39

Tgt Ion: 136 Resp: 173491


Ion Ratio Lower Upper

136 100

137 11.6 9.7 14.5

54 9.0 8.6 12.8

68 4.2 4.8 7.2#





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 119.568 ng
RT: 9.32 min Scan# 1060
Delta R.T. -0.02 min
Lab File: BG040795.D
Acq: 8 May 2019 19:39




Instrument :
BNA_G
ClientSampleId :
SU-04-050219-A


Tot Ion	82.00	Resp	448942
Ion Ratio	Lower	Upper	
82	100		
128	40.0	28.9	43.3
54	57.4	47.2	70.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.77 min Scan# 1988
Delta R.T. -0.02 min
Lab File: BG040795.D
Acq: 8 May 2019 19:39

Tgt Ion	164.00	Resp	136656
Ion Ratio	Lower	Upper	
164	100		
162	103.3	81.9	122.9
160	45.1	35.4	53.2









#42
 2,4,6-Tribromophenol
 Concen: 163.383 ng
 RT: 16.26 min Scan# 2241
 Delta R.T. -0.02 min
 Lab File: BG040795.D
 Acq: 8 May 2019 19:39




Instrument :
 BNA_G
 ClientSampleId :
 SU-04-050219-A


Tot Ion:	330	Resp:	306894
Ion	Ratio	Lower	Upper
330	100		
332	97.0	75.9	113.9
141	36.6	32.4	48.6



#45
 2-Fluorobiphenyl
 Concen: 107.106 ng
 RT: 13.40 min Scan# 1754
 Delta R.T. -0.02 min
 Lab File: BG040795.D
 Acq: 8 May 2019 19:39

Tgt Ion:	172	Resp:	1013480
Ion	Ratio	Lower	Upper
172	100		
171	38.5	29.4	44.2
170	24.8	19.9	29.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.51 min Scan# 2455

Delta R.T. -0.02 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39

Instrument :

BNA_G

ClientSampleId :

SU-04-050219-A


Tot Ion:188 Resp: 383494

Ion Ratio Lower Upper

188 100

94 6.8 5.6 8.4




80 7.2 6.4 9.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.80 min Scan# 3184

Delta R.T. -0.03 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39


Tgt Ion:240 Resp: 375723

Ion Ratio Lower Upper

240 100

120 5.7 5.0 7.6



236 25.6 20.3 30.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 119.666 ng

RT: 20.11 min Scan# 2897

Delta R.T. -0.02 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39

Instrument :


BNA_G

ClientSampleId :

SU-04-050219-A

Tot Ion:244 Resp: 2029462

Ion	Ratio	Lower	Upper
244	100		
212	9.8	7.2	10.8
122	7.7	6.6	10.0






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.15 min Scan# 3755


Delta R.T. -0.05 min

Lab File: BG040795.D

Acq: 8 May 2019 19:39

Tgt Ion:264 Resp: 259196

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	23.2	16.6	25.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

